



Hand Tools Catalogue





WE ARE SATA

SATA has been the fastest growing premium-quality mechanics' hand tool company globally over the last 20 years. Our selection of products is designed and manufactured to serve professional mechanics as well as manufacturing and assembly technicians in a variety of industries including automotive, manufacturing, construction, and aerospace.



Discover SATA



We challenge the status quo by delivering world-class quality, industry-leading innovation, and a highly gratifying experience with our brand.

SATA tools meet or exceed ANSI and DIN standards. SATA tool manufacturing facilities are ISO 9001 certified and Apex Tool Group provides Lifetime Warranty on SATA tools.

SATA is part of the umbrella company Apex Tool Group, LLC. The Apex Tool Group works collaboratively with distributors, retailers and large customers across the globe to make sure end users have the tools they need to solve real-world problems.

SATA tools are your ideal choice!

THE SATA PROMISE



TRUSTED BRAND MADE TO CHALLENGE

SATA is the fastest growing hand tool company
– trusted by professionals globally.



WORLD CLASS QUALITY AND PERFORMANCE

Professionals count on SATA's high quality,
innovation and world-class service.



A TOOL FOR EVERY JOB

From simple to unique projects, SATA has the
tools to get every job done.



LIFETIME WARRANTY

All SATA Products will be repaired/replaced
free of charge at SATA's discretion.



SATA is part of the umbrella company Apex Tool Group, LLC. With 7,500 employees in over 30 countries and an annual turnover of more than USD 1,3 billion, the Apex Tool Group, headquartered in Sparks, Maryland, is a leading global manufacturer and supplier of high-performance hand and power tools, tool storage, drill chucks, chain and electrical soldering products for industrial, commercial and demanding do-it-yourself applications.

ATG designs, manufactures, markets, and sells proprietary brands, including GEARWRENCH®, Crescent®, SATA®, Cleco®, Weller®, and APEX® and also designs and manufactures a number of private label tool brands for retailers. ATG sells its products through direct, retail, professional and trade channels to customers in over 115 countries, and serves a multitude of global markets, including automotive, aerospace, electronics, energy, hardware, industrial, and consumer retail.


















Learn more at www.apextoolgroup.com.

Our portfolio of innovative brands includes:





Content

08	Tool Storage		01
34	General Tool Sets		02
46	Ratchets, Sockets & Drive Tools		03
96	Pass-Thru® Ratchet & Socket Systems		04
98	BoltBiter		05
102	Impact Sockets		06
118	Wrenches		07
146	Ratcheting Wrenches		08
170	Torque Wrenches		09
172	Pliers & Crimping Tools		10
190	Cutters & Snips		11
204	Screwdrivers & Nut Drivers		12
228	Hex Keys		13
240	Striking & Struck		14
250	Measuring		15
260	Auto Speciality Tools		16
286	Other Tools		17


Tool Storage



17" 5 Tray Cantilever Tool Box

- All steel constructed tool box opens to 3-tiers with 5 durable trays for stroage and organization
- Dual opening cantilever design allows for quick and easy access to entire tool box
- Equipped with an easy to hold rounded steel handle for comfort and reduced user fatigue
- Manufactured from heavy gauge sheet steel with powder coated finsish




Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95104ASC	430.0	200.0	200.0	1

14" Metal Tool Box

- Strong comfortable handle
- Tool box made from heavy gauge sheet steel with powder coated finish
- Galvanized phosphate finish to resist corrosion
- Compact size for convenient carry and storage



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95101SC	360.0	150.0	115.0	1

16" Metal Tool Box

- Strong comfortable handle
- Tool box made from heavy gauge sheet steel with powder coated finish
- Galvanized phosphate finish to resist corrosion
- Compact size for convenient carry and storage




Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95115SC	420.0	155.0	120.0	1

17" & 20" Metal Tool Box

- Sturdy carrying handle with two clip locks on the lid
- Tool box made from heavy gauge sheet steel with powder coated finish
- Galvanized phosphate finish to resist corrosion
- Compact size for convenient carry and storage





Article Code	Size	Length (mm)	Width (mm)	Hight (mm)	
ST95102SC	17"	428.0	177.0	184.0	1
ST95103ASC	20"	508.0	218.0	243.0	1

15" & 16" Plastic Tool Box

- Lock and handle made of strong ABS material
- Tool box made of high impact resistant PP material
- ST95162SC: Comes with tool tray for storage and organization




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95161SC	385.0	202.0	140.0	6
ST95162SC	385.0	225.0	203.0	6

21" Plastic Tool Box

- Lock and handle made of strong ABS material
- Tool box made of high impact resistant PP material
- Comes with tool tray for storage and organization




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95164SC	530.0	235.0	220.0	6

24" Aluminum Trolley Case

- Double lock structure and anti-shock EVA pad lining for more safety
- Multipurpose tool trays for daily use to organize your tools systematically
- Case is durable, safe and has an impact resistant structure force up to 100 kg (220 lbs), surface panel force up to 50 kg (110 lbs)
- Multipurpose with separators can arbitrarily divide the storage space
- Double lock structure and anti-shock EVR pad lining for more safety




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST03621	490.0	420.0	230.0	0

13" & 16" Portable Tool Bag

- Waterproof design
- High quality double zipper top
- Reinforced pockets for maximum durability
- Nonslip handles and adjustable padded shoulder straps provide maximum comfort
- Waterproof material resists moisture for long-lasting performance



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95181	330.0	215.0	250.0	10
ST95182SC	380.0	300.0	260.0	10

17" Portable Tool Bag

- Waterproof design
- High quality double zipper top
- Internal and external pockets provide a variety of storage and organization options
- Reinforced pockets for maximum durability
- Nonslip handles and adjustable padded shoulder straps provide maximum comfort



Tools not included


 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95184SC	440.0	330.0	330.0	10

18" Tool Backpack

- Backpack style is ideal for everyday, hands-free use
- Integrated handle on the outside of the bag is easy to grab
- Interior and exterior pockets provide a variety of storage and organization options
- Made of durable woven material to withstand even the toughest job site



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95198SC	350.0	200.0	450.0	6


23" Trolley Tool Bag

- Made of 600 denier water-resistant material
- Reinforced pockets for maximum durability



Tools not included

 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95188	430.0	240.0	380.0	0


4-Pocket Belt Pouch

- Multiple sized pockets offer a variety of storage and organization options
- Constructed with 900-denier nylon construction for maximum strength and durability



Tools not included


 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	
ST95211	235.0	110.0	10

8-Pocket Belt Pouch

- Multiple sized pockets offer a variety of storage and organization options
- Constructed with 900-denier nylon construction for maximum strength and durability




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Length (mm)	Width (mm)	
ST95213SC	320.0	250.0	10

1 Drawer Utility Cart 33"

- Cart body made of 1.2 mm thickness steel for strength and durability
- Bottom storage tray is ideal for storing larger items
- Top storage tray is ideal for storing commonly used tools and equipment
- Two swivel (with stopper) and two fixed casters with pin rolling bears
- Drawer load capacity 35 kg
- Total load capacity 150 kg




Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95108SC	841.0	414.0	827.0	1

2 Drawer Utility Cart 38"

- Cart body made of 1.2 mm thickness steel for strength and durability
- Easy lid opening and closing with gas charged lift support struts
- Foldable side table for convenience and space saving
- 5" heavy-duty casters; 2 fixed and 2 locking swivel
- Screwdriver compartment for easy convenient storage
- Recessed 'through holes' allow for the secure storage of extra long items like pry bars
- Bottom storage tray is ideal for storing larger items
- Drawer load capacity 35 kg
- Total load capacity 150kg



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95118SC	880.0	416.0	1029.0	1

4 Drawer Tool Cart

- Durable PVC handle for comfortable grip
- Cart body made of 1.2 mm thickness steel for strength and durability
- Easy lid opening and closing with gas charged lift support struts
- Bottom storage tray is ideal for storing larger items
- 5" heavy-duty casters; 2 fixed and 2 locking swivel
- Drawer load capacity 35 kg, total load capacity 240 kg



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95119SC	877.0	549.0	1015.0	1

4 Drawer Roller Cabinet 27"

- Durable aluminum alloy handle for comfortable grip
- 1.2 mm thickness steel body for strength and durability
- High durability roller tracks enable smooth sliding
- Bottom storage compartment with doors is ideal for storing larger items
- Two swivel and two fixed casters with pin rolling bears
- 5" heavy-duty casters
- Drawer load capacity 35 kg, total load capacity 240 kg
- Drawer size 577 x 404 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95125	692.0	468.0	840.0	1

Mini Roller Cabinet 30"

- Open top tray for easy tools placement
- Shuttle door for easy opening/closing
- See-through net structure on side panels
- Total load capacity 100 kg
- Drawer load capacity 35 kg



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95111SC	635.0	390.0	800.0	1

5 Drawer Roller Cabinet 28"

- Four clipped corner design for better strength and durability
- Equipped with EVA foam liners for each drawer and a EVA top mat for convinient storage and tool protection
- 45 mm ball bearing slide for exceptional load capacity
- Comes with an aluminium handle providing resistance protection and ease to transport the cabinet
- Durable powder coated finish protects against scratches and marring
- 5" heavy duty casters for smooth running and durability
- Gray color matted surface powder coatings for better scratch resistant
- Drawer load capacity 35 kg, total load capacity 200 kg
- Drawer size 570 x 375 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95121	770.0	470.0	896.0	1

6 Drawer Roller Cabinet 27"

- Durable aluminum alloy handle for comfortable grip
- 1.2 mm thickness steel body for strength and durability
- High durability roller tracks enable smooth sliding
- Two swivel and two fixed casters with pin rolling bears
- 5" heavy-duty casters
- Drawer load capacity 35 kg, total load capacity 240 kg
- Drawer size 577 x 404 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95126	692.0	468.0	840.0	1

7 Drawer Roller Cabinet 31"

- Durable PVC handle for comfortable grip
- 1.2 mm thickness steel body for strength and durability
- Screwdriver compartment for easy convenient storage
- High durability roller tracks enable smooth sliding
- Two swivel (with stopper) and two fixed casters with pin rolling bears
- Drawer load capacity 35 kg
- Total load capacity 240 kg
- Drawer size 570 x 375 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95107SC	780.0	550.0	1180.0	1

8 Drawer Roller Cabinet 45"

- Durable PVC handle for comfortable grip
- 1.2 mm thickness steel body for strength and durability
- High durability roller tracks enable smooth sliding
- Two swivel (with stopper) and two fixed casters with pin rolling bears
- Drawer load capacity 35 kg
- Total load capacity 240 kg



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95109SC	1035.0	457.0	897.0	1

168 Pc. Tool Storage and Tray Set with Tool Trolley

- CONTENTS:
- ST09901SJ - 66 Pc. 1/4" Drive 6 Point Metric Socket Tray Set
 - ST09903SJ - 27 Pc. 1/2" Drive 6 Point Metric Socket Tray Set
 - ST09904-02-10 Pc. Metric Open End and Combination Ratcheting Wrench Tray Set
 - ST09906 - 30 Pc. Metric Combination Wrench and Hex Key Tray Set
 - ST09907 - 8 Pc. Metric Combination Wrench Tray Set
 - ST09909-02-5 Pc. Adjustable Wrench and Pliers Tray Set
 - ST09911SJ - 4 Pc. Snap Ring Pliers Tray Set
 - ST09912SJ - 4 Pc. Pliers Tray Set
 - ST09913SJ - 13 Pc. Combination Screwdriver Tray Set
 - ST95121 - 5 Drawer Roller Cabinet 28"

Please refer to the warranty terms of the individual product



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09927	770.0	470.0	896.0	1

300 Pc. Tool Storage and Tray Set with Tool Trolley

- CONTENTS:
- ST09901SJ - 66 Pc. 1/4" Drive 6 Point Metric Socket Tray Set
 - ST09902SJ - 33 Pc. 3/8" Drive 6 Point Metric Socket Tray Set
 - ST09903SJ - 27 Pc. 1/2" Drive 6 Point Metric Socket Tray Set
 - ST09904-02- 10 Pc. Metric Open End and Combination Ratcheting Wrench Tray Set
 - ST09905 - 10 Pc. Metric Offset Box End Wrench Tray Set
 - ST09906 - 30 Pc. Metric Combination Wrench and Hex Key Tray Set
 - ST09907 - 8 Pc. Metric Combination Wrench Tray Set
 - ST09909-02- 5 Pc. Adjustable Wrench and Pliers Tray Set
 - ST09910 - 8 Pc. File Tray Set
 - ST09911SJ - 4 Pc. Snap Ring Pliers Tray Set
 - ST09912SJ - 4 Pc. Pliers Tray Set
 - ST09913SJ - 13 Pc. Combination Screwdriver Tray Set
 - ST09914SJ - 36 Pc. 3/8" and 1/2" Drive 6 Point Metric Impact Socket Tray Set
 - ST09915SJ - 26 Pc. 1/2" Drive 6 Point Metric Socket Tray Set
 - ST08028 - 19 Pc. Metric Double Ratcheting Combination Wrench Tray Set
 - ST95107SC - 7 Drawer Roller Cabinet 31"

Please refer to the warranty terms of the individual product




Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09928	780.0	550.0	1180.0	1

168 & 300 PC. TOOL STORAGE AND TRAY SET WITH TOOL TROLLEY

ST09927
ST09928



Contains tools needed for most repairs



Quick release ratchet



Sockets feature off-corner loading



Ratcheting box end



Precise fit



High performance steel



66 Pc. 1/4" Drive 6 Point Metric Socket Tray Set

- CONTENTS:
- 1 - Quick-Release Ratchet

14 - 6pt. Metric Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

12 - 6pt. Metric Deep Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

23 - Bit Sockets

Slotted 4, 5.5, 6.5 mm

Phillips #1, #2, #3

Pozidriv #1, #2, #3

Torx® T8, T10, T15, T20, T25, T27, T30, T40

Hex 3, 4, 5, 6, 7, 8 mm

8 - 25L Bits Phillips #0, #1, #2, #3; Slotted 3, 4, 5, 6 mm

8 - Accessories

Spinner Handle

Wobble Extension Bars 2", 4"

Flex Extension Bar 6"

T-Handle

Universal Joint

Magnetic Quick-Release Bit Holder

Bit Adapter



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09901SJ	375.0	185.0	45.0	4

33 Pc. 3/8" Drive 6 Point Metric Socket Tray Set

- CONTENTS:
- 1 - Quick-Release Ratchet

15 - 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm

8 - 6pt. Metric Deep Sockets 10, 11, 12, 13, 14, 15, 17, 19 mm

3 - Spark Plug Sockets 16, 18, 21 mm

6 - Accessories

Wobble Extension 10"

3/8"F x 1/4"M Adapter

Universal Joint

Bit Adapter

Locking Extension Bar 3"

1/2"F x 3/8"M 3-Way Adapter



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09902SJ	375.0	185.0	45.0	4

27 Pc. 1/2" Drive 6 Point Metric Socket Tray Set

- CONTENTS:
- 1 - Quick-Release Ratchet

17 - 6pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 34 mm

5 - 6pt. Metric Deep Sockets 10, 13, 17, 19, 22 mm

4 - Accessories

Wobble Extension Bar 10"

Universal Joint

Locking Extension Bar 5"

3/8"F x 1/2"M 3-Way Adapter



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09903SJ	375.0	185.0	45.0	4

26 Pc. 1/2" Drive 6 Point Metric Socket Tray Set

- CONTENTS:
- 20 - 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm

5 - 6pt. Metric Deep Sockets 14, 17, 19, 21, 24 mm

1 - Quick-Release Ratchet



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09915SJ	375.0	185.0	45.0	4

29 Pc. 3/8" Drive 6 Point SAE Socket Tray Set

- CONTENTS:
- 11 - 6pt. SAE Sockets

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"

9 - 6pt. SAE Deep Sockets

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"

2 - Spark Plug Sockets 5/8, 13/16"

7 - Accessories

Quick-Release Ratchet

Wobble Extension 10"

Locking Extension 3"

Universal Joint

3/8"F x 1/4"M Adapter

Bit Adapter

1/2"F x 3/8"M 3-Way Adapter



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09934	375.0	185.0	45.0	4

25 Pc. 1/2" Drive 6 Point SAE Socket Tray Set

- CONTENTS:
- 15 - 6pt. SAE Sockets 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

5 - 6pt. SAE Deep Sockets 1/2, 9/16, 5/8, 3/4, 13/16"

5 - Accessories

Quick-Release Ratchet

Wobble Extension 10"

Locking Extension 5"

Universal Joint

3/8"F x 1/2"M 3-Way Adapter



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09528	375.0	185.0	45.0	4

10 Pc. Metric Open End and Combination Ratcheting Wrench Tray Set

CONTENTS:
2 - Ratcheting Combination Wrenches 13, 14 mm
8 - Double Open End Wrenches 6x7, 8x10, 10x12, 11x13, 12x14, 22x24, 24x27, 30x32 mm




Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09904-02	375.0	185.0	45.0	4

10 Pc. Metric Offset Double Box End Wrench Tray Set

CONTENTS:
6x7, 8x10, 10x12, 11x13, 12x14, 14x17, 17x19, 19x21, 21x23, 24x27 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09905	375.0	185.0	45.0	4

30 Pc. Metric Combination Wrench and Hex Key Tray Set

CONTENTS:
12 - Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
9 - Extra Long Ball Point Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
9 - Long Arm Tamper-Proof Torx® Key Set
T10, T15, T20, T25, T27, T30, T40, T45, T50



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09906	375.0	185.0	45.0	4

8 Pc. Metric Combination Wrench Tray Set

CONTENTS:
5.5, 6, 7, 20, 21, 22, 23, 24 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09907	375.0	185.0	45.0	4

19 Pc. Metric Combination Ratcheting Wrench Tray Set

CONTENTS:
15 - Ratcheting Combination Wrenches
5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
1 - Quick Release Adapter 1/4" Dr. 10 mm
1 - Quick Release Adapter 3/8" Dr. 13 mm
1 - Quick Release Adapter 1/2" Dr. 19 mm
1 - Bit Adapter 1/4" Dr. 10 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09908	375.0	185.0	45.0	4

19 Pc. Metric Double Ratcheting Combination Wrench Tray Set

CONTENTS:
15 - Double Ratcheting Combination Wrenches 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
1 - 1/4" Dr. x 10 mm Quick Release Adapter
1 - 3/8" Dr. x 13 mm Quick Release Adapter
1 - 1/2" Dr. x 19 mm Quick Release Adapter
1 - 1/4" Dr. x 10 mm Bit Adapter



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST08028	375.0	185.0	45.0	4

27 Pc. SAE Combination Wrench Tray Set

- CONTENTS:
- 9 - Combination Wrenches 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
 - 1 - 9 Pc. Extra Long Ball Point Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - 1 - 9 Pc.Long Arm Tamper-Proof Torx® Key Set T10, T15, T20, T25, T27, T30, T40, T45, T50



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST08034E	375.0	185.0	45.0	4

14 Pc. SAE Double Ratcheting Wrench Tray Set

- CONTENTS:
- 10 - Double Ratcheting Wrenches 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
 - 1 - Quick Release Adapter 1/4" Dr. 10 mm
 - 1 - Quick Release Adapter 3/8" Dr. 13 mm
 - 1 - Quick Release Adapter 1/2" Dr. 19 mm
 - 1 - Bit Adapter 1/4" Dr. 10 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09938	375.0	185.0	45.0	4

5 Pc. Adjustable Wrench and Pliers Tray Set

- CONTENTS:
- 2 - Adjustable Wrenches 8", 10"
 - 1 - Long Nose Pliers 6"
 - 1 - Curved Jaw Locking Pliers 7"
 - 1 - Long Nose Locking Pliers 6"



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09909-02	375.0	185.0	45.0	4

8 Pc. File Tray Set

- CONTENTS:
- 1 - Flat File 8"
 - 1 - Half-Round File 8"
 - 1 - Round File 8"
 - 1 - Three Square File 8"
 - 1 - Square File 8"
 - 3 - 140 mm Needle Files - Flat, Half Round, Round




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09910	375.0	185.0	45.0	4

4 Pc. Snap Ring Pliers Tray Set

- CONTENTS:
- 1 - External Straight 7"
 - 1 - External Curved 7"
 - 1 - Internal Straight 7"
 - 1 - Internal Curved 7"




Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09911SJ	375.0	185.0	45.0	4

4 Pc. Pliers Tray Set

- CONTENTS:
- 1 - Long Nose 6"
 - 1 - Diagonal 6"
 - 1 - Linesman 8"
 - 1 - Plastic Flush Cutting 6"



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09912SJ	375.0	185.0	45.0	4

13 Pc. Combination Screwdriver Tray Set

- CONTENTS:
- 4 - Precision Slotted 1.0x40 mm, 2.0x40 mm, 2.4x40 mm, 3.0x40 mm
 - 2 - Precision Phillips #0x40 mm, #3x40 mm
 - 3 - T-Series Slotted 3x75 mm, 5x75 mm, 6x100 mm
 - 4 - T-Series Phillips #0x75 mm, #1x75 mm, #2x100 mm, #3x150 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09913SJ	375.0	185.0	45.0	4

36 Pc. 3/8" and 1/2" Drive 6 Point Metric Impact Socket Tray Set

- CONTENTS:
- 16 - 1/2" Dr. Metric Impact Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
 - 13 - 3/8" Dr. Metric Impact Sockets 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - 1 - 3/8" Dr. Impact Extension Bar 3"
 - 1 - 1/2" Dr. Impact Extension Bar 6"
 - 1 - 1/4" x 3/8" Impact Adapter
 - 1 - 1/2" x 3/8" Impact Adapter
 - 1 - 3/8" x 1/2" Impact Adapter
 - 1 - 3/4" x 1/2" Impact Adapter
 - 1 - 1/2" Dr. Impact Universal Joint



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09914SJ	375.0	185.0	45.0	4

4 Pc. Striking Tool Tray Set

- CONTENTS:
- 1 - 5 Pc. Punch Set
 - 1 - 32 Pc. Feeler Gauge Set
 - 1 - Hickory Ball Pein Hammer 24 oz
 - 1 - Hickory Soft Face Hammer 35 mm



Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST09939	375.0	185.0	45.0	4

68 Pc. VDE Tool Set



- CONTENTS:
- 2 - 3/8", 1/2" Drive Insulated Quick-Release Teardrop Ratchets
 - 8 - 3/8" Drive 6 Point VDE Insulated Sockets 8, 10, 12, 13, 14, 16, 17, 18
 - 11 - 1/2" Drive 6 Point VDE Insulated Sockets 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24
 - 5 - 1/2" Drive VDE Insulated Hex Bit Sockets 4, 5, 6, 8, 10 mm
 - 13 - VDE Insulated Open End Wrenches 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
 - 13 - VDE Insulated Single Offset Ring Wrenches 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
 - 1 - VDE Insulated Adjustable Wrench 8"
 - 6 - T-Series VDE Insulated Screwdriver
 - Phillips #0x60 mm, #1x80 mm, #2x100 mm
 - Slotted 2.5x75 mm, 4.0x100 mm, 5.5x125 mm
 - 1 - VDE Insulated Long Nose Pliers 8"
 - 1 - VDE Insulated Diagonal Pliers 7"
 - 1 - VDE Insulated Linesman Pliers 8"
 - 1 - VDE Cable Knife
 - 2 - Accessories
 - 1/2" Drive VDE Insulated T-Handle
 - 1/2" Drive VDE Insulated Wobble Extensions 5", 10"



Fits ST95125 4 Drawer Roller Cabinet 27" and ST95126 6 Drawer Roller Cabinet 27"

Please refer to the warranty terms of the individual product

Article Code	Length (mm)	Width (mm)	Hight (mm)	
SC09928	577.0	404.0	30.0	1


187 Pc. Automotive Master Tool Set

CONTENTS:

- 3 - 1/4", 3/8", 1/2" Drive Quick-Release Ratchets
 - 10 - 1/4" Drive 6 Point Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 4 - 1/4" Drive 6 Point Deep Sockets 8, 9, 10, 12 mm
 - 9 - 3/8" Drive 6 Point Sockets 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - 4 - 3/8" Drive 6 Point Deep Sockets 13, 14, 15, 17 mm
 - 8 - 3/8" Drive External Torx Sockets E8, E10, E11, E12, E14, E16, E18, E20
 - 3 - 3/8" Drive Metric Spark Plug Sockets 14, 16, 21 mm
 - 7 - 1/2" Drive 6 Point Sockets 20, 21, 22, 24, 27, 30, 32 mm
 - 1 - 1/2" Drive 6 Point Thin Wall Impact Deep Sockets 17, 19 mm
 - 3 - 3/8" Drive Torx® Bit Sockets T20, T30, T40
 - 4 - 3/8" Drive Tamper Proof Torx® Bit Sockets T45, T50, T55, T60
 - 4 - 3/8" Drive Hex Bit Sockets 3, 4, 5, 6 mm
 - 2 - 3/8" Drive Pozidriv Bit Sockets #1, #2
 - 2 - 3/8" Drive Phillips Bit Sockets #1, #2
 - 2 - 3/8" Drive Slotted Bit Sockets 5.5, 6.5 mm
 - 3 - 1/4" Drive 25L Bits Slotted 4.0, 5.0, 6.5 mm
 - 2 - 1/4" Drive 25L Bits Phillips #1, #3
 - 4 - 1/4" Drive 25L Bits Hex 3, 4, 5, 6 mm
 - 11 - Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19 mm
 - 5 - Flare Nut Wrenches 8x10, 9x11, 10x12, 13x14, 16x17 mm
 - 2 - Adjustable Wrenches 8", 10"
 - 2 - Acetate Go-Through Screwdrivers Slotted 6x150 mm
 Phillips #2x150 mm
 - 9 - Acetate Screwdrivers Torx® T20x100 mm, T25x100 mm, T30x100 mm
 Slotted 3.2x75 mm, 5x100 mm, 6x150 mm
 Phillips #0x75 mm, #1x100 mm, #2x150 mm
 - 1 - 10 Pc. Metric Long Hex Key Set
 - 1 - 9 Pc. Tamper-Proof Torx Key Set
 - 1 - Long Nose Pliers 6"
 - 1 - Diagonal Pliers 6"
 - 1 - Linesman Pliers 8"
 - 2 - External Snap Ring Pliers, Straight 7", Curved 7"
 - 2 - Internal Snap Ring Pliers, Straight 7", Curved 7"
 - 1 - Slip Joint Pliers 8"
 - 1 - Curved Jaw Locking Pliers 10"
 - 1 - Wire Stripper Cutting Pliers 6"
 - 1 - T52 Engine Cylinder Head Screw Bit Socket
 - 1 - M16 Oil Pan Drain Bit Socket
 - 1 - H17 Oil Pan Bit Socket
 - 1 - Universal 3-Jaw Oil Filter Wrench
 - 1 - Automotive Circuit Tester 6V/12V/24V
 - 1 - Shock Absorber Removal Socket
 - 1 - Plastic Snap-off Knife, 8-point, 18x100 mm
 - 1 - Flexible Magnetic Pick-Up Tool
 - 2 - Oil Filter Wrenches 55-75 mm, 75-95 mm
 - 1 - Wood Handle Putty Scrape
 - 1 - 14 Pc. Feeler Gauge Set 0.05-1.00 mm
 - 1 - 5 Pc. Punch Set
 - 1 - Fiberglass Ball Pein Hammer 680g / 24oz
 - 1 - 1 - 1/2" Air Impact Wrench
 - 1 - Low Speed Air Tire Buffer
 - 1 - 5 Pc. Fine Threaded Extractor Set
 - 1 - Multi-Purpose Scissors 8"
 - 1 - Mini Digital Multimeter
 - 13 - Accessories
 - 1/4", 3/8", 1/2" Drive Universal Joints
 - 3/8" Drive Adapter 1/4"
 - 3/8" Drive 3-Way Adapter 1/2"
 - 1/2" Drive 3-Way Adapter 3/8"
 - 1/4" Drive Wobble Extensions 2"
 - 3/8" Drive Wobble Extension 3", 6"
 - 1/2" Drive Wobble Extensions 5", 10"
 - 1/4" Drive Spinner Handle
 - 1/4" Drive Bit Adapter
- Not included: Pen Type Dual-lighting Rechargeable LED Work Light



Fits ST95125 4 Drawer Roller Cabinet 27"
and ST95126 6 Drawer Roller Cabinet 27"

 Please refer to the warranty terms of the individual product


Article Code	Length (mm)	Width (mm)	Hight (mm)	
SC09946-1	577.0	404.0	30.0	1

239 Pc. Automotive Master Tool Set


CONTENTS:

- 3 - 1/4", 3/8", 1/2" Drive Quick-Release Ratchets
 12 - 1/4" Drive 6 Point Sockets 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
 14 - 3/8" Drive 6 Point Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 9 - 3/8" Drive 6 Point Deep Sockets 8, 10, 11, 12, 13, 14, 15, 17, 19 mm
 10 - 3/8" Drive External Torx Socket E4, E5, E6, E7, E8, E10, E11, E12, E14, E16
 2 - 3/8" Drive Metric Spark Plug Sockets 16, 21 mm
 18 - 1/2" Drive 12 Point Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24,
 27, 30, 32 mm
 2 - 1/2" Drive 6 Point Thin Wall Impact Deep Sockets 17, 19 mm
 3 - 1/4" Drive Phillips Bit Sockets #1, #2, #3
 3 - 1/4" Drive Slotted Bit Sockets 4.0, 5.0, 6.5 mm
 6 - 1/4" Drive Hex Bit Sockets 3, 4, 5, 6, 7, 8 mm
 7 - 1/4" Drive Torx® Bit Sockets T8, T10, T15, T20, T25, T30, T40
 5 - 3/8" Drive Hex Bit Sockets 5, 6, 7, 8, 10 mm
 1 - 3/8" Drive Long Hex Bit Socket 9 mm
 9 - 3/8" Drive Torx® Bit Socket T15, T20, T25, T27, T30, T40, T45, T50, T55
 2 - 1/2" Drive Triple Square Bit Sockets M10, M12
 2 - 1/2" Drive Long Triple Square Bit Sockets M8, M10, M12, M14
 3 - 1/2" Drive Hex Bit Sockets 12, 14, 19 mm
 17 - Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
 4 - Deep Offset Double Box End Wrenches 10x11, 12x13, 16x17, 18x19 mm
 6 - Flex Head Ratcheting Wrenches 8, 10, 13, 15, 16, 18 mm
 3 - Flare Nut Wrenches 9x11, 13x14, 16x17 mm
 1 - Adjustable Wrench 10"
 2 - Acetate Go-Through Screwdrivers Slotted 6x150 mm
 Phillips #2x150 mm

 1 - 10 Pc. Metric Long Hex Key Set
 1 - 9 Pc. Tamper-Proof Torx Key Set
 16 - Acetate Screwdrivers Torx® T8x75, T10x 100, T15x100, T20x100 mm,
 T25x100 mm, T27x100, T30x100, T40x100 mm
 Slotted 3.2x75 mm, 5x100 mm, 5x300 mm,
 6x150 mm
 Phillips #0x75 mm, #1x75 mm, #2x150 mm,
 #2x300 mm




Fits ST95126 6 Drawer Roller Cabinet 27"

 Please refer to the warranty terms of the individual product

Article Code	Length (mm)	Width (mm)	Hight (mm)	
SC09947-1	577.0	404.0	30.0	1

94 Pc. Tire Maintenance Tool Set

- CONTENTS:
- 2 - 3/8", 1/2" Drive Quick-Release Ratchets
 - 8 - 3/8" Drive 6 Point Sockets 8, 9, 10, 11, 12, 13, 14, 16 mm
 - 14 - 1/2" Drive 6 Point Sockets 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27 mm
 - 7 - 1/2" Drive 6 Point Deep Sockets 16, 17, 18, 19, 20, 21, 22 mm
 - 2 - 3/8" Drive Metric Spark Plug Sockets 16, 21 mm
 - 5 - 1/2" Drive 6 Point Impact Sockets 17, 19, 21, 22, 23 mm
 - 15 - Combination Wrenches 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25 mm
 - 4 - Double Box End Wrenches 8x10, 11x13, 12x14, 17x19 mm
 - 1 - Adjustable Wrench 10"
 - 2 - Heavy Duty Pipe Wrenches 8", 10"
 - 4 - Acetate Screwdrivers Slotted 3.2x75, 6x100 mm
Phillips #0x75, #2x100 mm
 - 2 - Cushion Grip Go-Through Screwdrivers Slotted 6x150 mm
Phillips #2x150 mm
 - 1 - Long Nose Pliers 6"
 - 1 - Diagonal Pliers 6"
 - 1 - Linesman Pliers 8"
 - 1 - Wire and Cable Cutting Pliers 10"
 - 1 - Slip Joint Pliers 8"
 - 1 - Curved Jaw Locking Pliers 10"
 - 1 - Multi-Purpose Scissors 8"
 - 1 - Zinc Alloy Snap-Off Knife, 13-Point, 9x80 mm
 - 1 - Tape Measure Metric/SAE Scale 5 m/16 ft x 19 mm
 - 1 - Aluminum Alloy Flashlight (incl. 3 AAA batteries)
 - 1 - Wood Handle Putty Scraper
 - 1 - Flat Beam Torque Wrench 0-300 Nm
 - 1 - Cross Wheel Wrench 16"
 - 1 - Air Tire Buffer
 - 1 - Air Blow Gun 250 mm
 - 1 - 1/2" Heavy Duty Air Impact Wrench
 - 1 - Wheel Weight Pliers
 - 1 - Universal 3-Jaw Oil Filter Wrench
 - 10 - Accessories
 - 3/8" Drive 3-Way Adapter 1/2"
 - 1/2" Drive 3-Way Adapter 3/8"
 - 3/8" Drive Wobble Extension 3", 6"
 - 1/2" Drive Wobble Extensions 5", 10"
 - 1/2" Drive T-Handle
 - 3/8" Drive Universal Joint
 - 1/2" Drive Universal Joint
 - 1/2" Drive Impact Universal Joint




Fits ST95121 5 Drawer Roller Cabinet 28"
and ST95107SC 7 Drawer Roller Cabinet 31"

Please refer to the warranty terms of the individual product

Article Code	Length (mm)	Width (mm)	Hight (mm)	
SC09920	570.0	375.0	30.0	1

103 Pc. General Tool Set

- CONTENTS:
- 2 - 1/4", 1/2" Dr. Quick-Release Ratchets
 - 7 - 1/4" Dr. 6pt. Metric Sockets 5, 5.5, 6, 7, 8, 9, 10 mm
 - 12 - 1/2" Dr. 12pt. Metric Sockets 8, 10, 11, 12, 13, 17, 19, 20, 22, 24, 30, 32 mm
 - 1 - 1/2" Dr. 6pt. Metric Deep Socket 17 mm
 - 16 - 1/4" Dr. Bit Sockets
 - Hex 3, 4, 5, 6, 8 mm
 - Phillips #1, #2
 - Slotted 4, 5.5, 6.5 mm
 - Torx® T10, T15, T20, T25, T30, T40
 - 4 - 1/2" Dr. Long Bit Sockets Torx® T25, T27, T30, T40
 - 6 - 1/2" Dr. Long Bit Sockets Hex 5, 6, 7, 8, 12, 14 mm
 - 9 - Double Open End Wrenches 8x10, 10x12, 11x13, 12x14, 14x17, 16x18, 17x19, 21x23, 22x24 mm
 - 13 - Acetate Screwdrivers
 - Torx® T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm
 - Slotted 6x38, 3.2x75, 5x100, 6x150 mm
 - Phillips #1x75, #2x38, #2x100 mm
 - 2 - T-Series Go-Through Screwdrivers
 - Slotted 8x150 mm
 - Phillips #3x150 mm
 - 1 - Adjustable Wrench 8"
 - 1 - Curved Jaw Quick-Release Pliers 10"
 - 1 - Long Nose Locking Pliers 6"
 - 1 - Metal Sheet Clamping Locking Pliers 8"
 - 1 - C-Clamp Locking Pliers 11"
 - 1 - Plastic Rivet Removal Pliers
 - 1 - Standard Bumping Hammer 310 g
 - 1 - Curved Pein and Finishing Hammer 305 g
 - 1 - Hickory Dead Blow Hammer 40 mm
 - 1 - Hickory Ball Pein Hammer 24 oz
 - 3 - Dollies Anvil, Wedge, Toe
 - 2 - Aviation Snips Left Cut 10", Right Cut 10"
 - 1 - Aluminum Hack Saw 12"
 - 1 - Pinch Bar 18x400 mm
 - 4 - Files 6" Half Round Bastard Cut; 6" Half Round Smooth Cut
6" Round Second Cut; 6" Three Square Second Cut
 - 10 - Accessories
 - 9pc. Metric Long Arm Ball Point Hex Key Set
 - 1/4" Dr. Wobble Extension Bars 2", 4"
 - 1/4" Dr. Spinner Handle
 - 1/4" Dr. T-Handle
 - 1/2" Dr. Wobble Extension Bars 5", 10"
 - 1/2" Dr. T-Handle
 - 1/4", 1/2" Dr. Universal Joints



Fits ST95121 5 Drawer Roller Cabinet 28"
and ST95107SC 7 Drawer Roller Cabinet 31"


Please refer to the warranty terms of the individual product

Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95208S	570.0	375.0	30.0	1

171 Pc. General Tool Set

CONTENTS:

- 3 - 1/4", 3/8", 1/2" Dr. Quick-Release Ratchets
- 10 - 1/4" Dr. 6pt. Metric Sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 3 - 1/4" Dr. 6pt. Metric Deep Sockets 6, 7, 10 mm
- 9 - 3/8" Dr. 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16 mm
- 3 - 3/8" Dr. 6pt. Metric Deep Sockets 13, 15, 16 mm
- 10 - 1/2" Dr. 6pt. Metric Sockets 10, 14, 15, 16, 17, 18, 19, 21, 22, 27 mm
- 2 - 1/2" Dr. 6pt. Metric Deep Sockets 17, 19 mm
- 11 - 1/2" Dr. 12pt. Metric Sockets 10, 11, 12, 13, 17, 19, 20, 22, 24, 30, 32 mm
- 4 - 1/4" Dr. Bit Sockets Hex 5, 6 mm; Pozidriv #2; Slotted 5.5 mm
- 5 - 3/8" Dr. Bit Sockets Torx® T10, T15, T20, T25, T30
- 5 - 1/2" Dr. Bit Sockets Hex 5, 6, 7, 8, 10 mm
- 4 - 1/2" Dr. Long Bit Sockets Torx® T25, T27, T30, T45
- 6 - 1/2" Dr. Long Bit Sockets Hex 5, 6, 7, 8, 12, 14 mm
- 3 - 1/2" Dr. Long Bit Sockets Triple Square M6, M8, M10
- 4 - 1/2" Dr. 6pt. Metric Impact Sockets 17, 19, 21, 22 mm
- 16 - Combination Wrenches 7, 10, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 27 mm
- 9 - Double Open End Wrenches
8x10, 10x12, 11x13, 12x14, 14x17, 16x18, 17x19, 21x23, 22x24 mm
- 7 - Deep Offset Double Box End Wrenches
8x9, 10x11, 12x13, 14x15, 18x19, 20x22, 24x27 mm
- 15 - Acetate Screwdrivers Torx® T10x100, T15x100, T20x100, T25x100, T27x100, T30x100 mm
Slotted 6x38, 3.2x75, 5x100, 6x150, 8x150 mm
Phillips #1x75, #2x38, #2x100, #3x150 mm
- 1 - Slip Joint Pliers 8"
- 1 - Long Nose Pliers 6"
- 1 - Diagonal Pliers 5"
- 1 - Linesman Pliers 7"
- 1 - External Snap Ring Straight Pliers 7"
- 1 - External Snap Ring Curved Pliers 7"
- 1 - Internal Snap Ring Straight Pliers 7"
- 1 - Internal Snap Ring Curved Pliers 7"
- 1 - Hickory Ball Pein Hammer 24 oz
- 1 - Air Blow Gun 100 mm
- 1 - 1/2" Dr. Air Impact Wrench
- 5 - End Cap Oil Filter Wrench 65, 74, 76, 90, 93 mm
- 1 - Universal 3-Jaw Oil Filter Wrench 63-102 mm
- 1 - Oil Filter Wrench 75-95 mm
- 1 - Dial Torque Wrench 300 Nm
- 22 - Accessories
9pc. Metric Long Arm Ball Point Hex Key Set
16pc. Feeler Gauge Set
1/4" Dr. Wobble Extension Bars 2", 4"
1/4" Dr. Spinner Handle
1/4" Dr. Flex Extension Bar 6"
3/8" Dr. Locking Extension Bar 6", 10"
3/8" Dr. Spark Plug Sockets 16, 21 mm
3/8" Dr. Flex Extension Bar 8"
1/2" Dr. Wobble Extension Bars 5", 10"
1/2" Dr. T-Handle
1/4", 3/8", 1/2" Dr. Universal Joints
3/8"F x 1/4"M, 1/2"F x 3/8"M Socket Adapters
Japanese Style Plug R1/4"
Flexible Magnetic Pickup Tool 400 mm x 1 kg
T-Handle 6pt. Socket 10 mm



Fits ST95107SC 7 Drawer Roller Cabinet 31"

 Please refer to the warranty terms of the individual product

Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST95207S	570.0	375.0	30.0	1





General Tool Sets

9 Pc. VDE Insulated Screwdriver and Pliers Set



Article Code	Content	
ST09262U	1 - VDE Insulated Linesman Pliers 8" 1 - VDE Insulated Diagonal Pliers 6" 1 - VDE Insulated Long Nose Pliers 6" 6 - G-Series VDE Insulated Screwdrivers Slotted 2.5 x 75 mm, 4 x 100 mm, 5.5 x 125 mm Philips # 0 x 60 mm, # 1 x 80 mm, # 2 x 100 mm	4



5 Pc. Basic Tool Set

Article Code	Content	
ST06002	1 - Adjustable wrench 8" 1 - T series double-ended screwdriver # 2 & 6 mm x 100 mm 1 - Long nose pliers 6" 1 - Tape measure 3 m x 16 mm 1 - Snap-off knife	12

Please refer to the warranty terms of the individual product



7 Pc. Basic Tool Set

Article Code	Content	
ST06001SJ	1 - Linesman pliers 7" 1 - Adjustable Wrench 8" 1 - T series double-ended screwdriver # 2 & 6 mm x 10 mm 1 - Circuit Tester 1 - Tape Measure 2 m x 13 mm 1 - Utility Knife 1 - Claw Hammer with steel handle 8 oz / 227 g	8

Please refer to the warranty terms of the individual product



9 Pc. Basic Tool Set

Article Code	Content	
ST06004	1 - Adjustable wrench 8" 1 - T series double-ended screwdriver # 2 & 6 mm x 10 mm 1 - Linesman pliers 6" 1 - Long nose pliers 6" 1 - Tape measure 3 m x 16 mm 1 - Claw hammer with steel handle 8 oz / 227 g 1 - Circuit tester 1 - Aluminum alloy flashlight 1 - Snap-off knife	8

Please refer to the warranty terms of the individual product



11 Pc. Driver's Tool Set

Article Code	Content	
ST06011	1 - 1/2" Dr. L Type Extendable Socket Wrench 2 - 1/2" Dr. Double-end Sockets 17x19, 21x23 mm 1 - Linesman Pliers 7" 1 - Long Nose Pliers 6" 1 - Adjustable Wrench 8" 1 - Acetate Screwdriver Slotted 6x100 mm 1 - Acetate Screwdriver Phillips #2x100 mm 1 - Tape Measure 3 mx16 mm 1 - Utility Knife 18x100 mm 1 - LED Flashlight	4

Please refer to the warranty terms of the individual product



19 Pc. Basic Tool Set

Article Code	Content	
ST04110SC	1 - Linesman pliers 6" 8 - Long hex keys 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm 1 - Claw hammer with wooden handle 8 oz / 227 g 1 - Mini saw 6" 2 - Slotted screwdriver 3 x 75 mm; 6 x 100 mm 2 - Phillips screwdriver # 0 x 75 mm; # 2 x 100 mm 1 - Tape measure 3 m x 16 mm 1 - Circuit tester 1 - Snap-off knife 1 - Adjustable wrench 8"	6

Please refer to the warranty terms of the individual product



25 Pc. Basic Tool Set

Article Code	Content	
ST06008SJ	2 - Acetate Screwdrivers 1 - Mini Hacksaw 2 - Mini Hacksaw Blades 1 - Hickory Claw Hammer 8oz / 227 g 1 - Circuit Tester 1 - 8 pc. Metric Hex Key Fold-Up Set 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm 1 - Plastic Box 1 - Adjustable Wrench 8" 1 - Long Nose Pliers 6" 1 - Linesman Pliers 6" 1 - Insulation Tape 1 - Fine Point Tweezer 1 - Tape Measure 3 mx16 mm 1 - Utility Knife 1 - Scissors 1 - Aluminum Flashlight	4

Please refer to the warranty terms of the individual product



35 Pc. 1/4" and 3/8" Drive E-Torx Socket and Wrench Set

Article Code	Content	
ST09010SJ	7 - 1/4" Shank Tamper-Proof Torx® Bits T10, T15, T20, T25, T27, T30, T40 12 - 3/8" Dr. E-Torx® Sockets E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18, E20 11 - 3/8" Dr. Torx® Bit Sockets T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60 4 - E-Torx® Wrenches E6xE8, E10xE12, E14xE18, E20xE24 1 - 1/4" Shank x 3/8" Dr. Bit Adapter	12



21 Pc. 1/2" Drive 6 Point and 12 Point Metric/SAE Socket Wrench Set

Article Code	Content	
ST09077SJ	1 - Quick-Release Ratchet 8 - Metric 6pt. Sockets 10, 11, 12, 13, 14, 15, 17, 19 mm 4 - SAE 12pt. Sockets 3/8", 7/16", 1/2", 9/16" 1 - Spark Plug Socket 16 mm 5 - Metric Combination Wrenches 10, 11, 12, 13, 14 mm 2 - Wobble Extensions 5", 10"	4



25 Pc. 1/2" Drive 6 Point and 12 Point Metric Socket and Wrench Set

Article Code	Content	
ST09506SJ	1 - 1/2" Quick-Release Ratchet 12 - 1/2" 12pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm 3 - 1/2" 6pt. Metric Deep Sockets 13, 17, 19 mm 1 - 1/2" Spark Plug Socket 16 mm 5 - Metric Combination Wrenches 10, 11, 12, 13, 14 mm 3 - Accessories 1/2" Wobble Extension 10" 1/2" Universal Joint 3/8"F x 1/2"M 3-Way Adapter	4



26 Pc. 1/2" Drive 6 Point Metric Socket Tool Set

Article Code	Content	
ST09502SJ	1- Quick-Release Ratchet 9- 6pt. Metric Sockets 10, 12, 14, 16, 17, 19, 21, 22, 24 mm 7- Combination Wrenches 8, 10, 12, 14, 16, 17, 19 mm 4- Acetate Screwdrivers, Slotted 6x100 mm, 6x150 mm Phillips #2x100 mm, #2x150 mm 5- Accessories Wobble Extension Bar 5" Flex Handle 15" Long Nose Pliers 6" Diagonal Pliers 6" Linesman Pliers 7"	4



33 Pc. 1/2" Drive 6 Point Metric Socket Wrench Set

Article Code	Content	
ST09099	1- Quick-Release Ratchet 21- 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32, 34 mm 5- 12pt. Metric Sockets, 10, 12, 14, 17, 19 mm 2- Metric Quad Box Wrenches 8x10+12x13 mm, 16x17+18x19 mm 4- Accessories, Wobble Extension Bars 5", 10" 3/8"F x 1/2"M 3-Way Adapter Universal Joint	4



42 Pc. 3/8" Drive 6 Point Metric 120XP Socket Wrench Set

Article Code	Content	
ST09054	1- 3/8" Drive 120xp Ratchet 1- 3/8" Universal Joint 3- 3/8" Wobble Extensions 3", 6", 10" 16- 3/8" Metric 6pt. Sockets 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm 14- 3/8" Metric 6pt. Deep Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm 7- 120xp Metric Ratcheting Wrenches 8, 10, 12, 13, 14, 15, 18 mm	3



32 Pc. 3/8" Drive 6 Point SAE 120XP Socket and Wrench Set

Article Code	Content	
ST09044	1- 3/8" 120xp Ratchet 1- 3/8" Universal Joint 3- 3/8" Wobble Extensions 3", 6", 10" 11- 3/8" SAE 6pt. Sockets 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" 9- 3/8" SAE 6pt. Deep Sockets 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" 7- 120xp SAE Ratcheting Wrenches 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"	3



52 Pc. 1/4" Drive 6 Point Metric Master Tool Set

Article Code	Content	
ST09505SJ	1- Quick Release Ratchet 14- 6pt. Metric Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 6- 6pt. Metric Deep Sockets 8,9,10,11,12, 13 mm 18- 5/16" Shank 30L Bits Slotted 4, 5.5, 6.5 mm Phillips #1, #2, #3, T10, T15, T20, T25, T30, T40 Hex 3, 4, 5, 6, 7, 8 mm 1- Mini Long Nose Plier 5" 1- Mini Diagonal Plier 5" 1- Curved Jaw Locking Plier 5" 1- Adjustable Wrench 6" 3- Screwdrivers Slotted 3.2 x 150 mm Phillips # 0 x 75 mm Torx T8 x 75 mm 5- Accessories Spinner Handle Sliding T-Bar Wobble Extension Bars 2", 4" Universal Joint Bit Coupler	4




58 Pc. 3/8" Drive 6 Point Metric Mechanic's Tool Set

Article Code	Content	
ST09516SJ	1- 3/8" Dr. Quick Release Ratchet 14- 3/8" Dr. 6pt. Metric Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 1- 9 Pc. Metric Ball Point Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm 10- Combination Wrenches 8, 10, 11, 12, 13, 14, 15, 16, 18, 19 mm 1- Metric Combination Ratcheting Wrench 17 mm 1- Adjustable Wrench 8" 7- Acetat Screwdrivers Slotted 6x38 mm, 32x75 mm, 5x100 mm Phillips #2x38 mm, #0x75 mm, #1x100 mm, #2x150 mm 1- Linesman pliers 8" 1- Long Nose Pliers 6" 1- 5 pc. Snap Ring Pliers Set 1- Tape Measure 3 m x 16 mm 1- 23 pc. Feeler Gauge Set 0.02 mm - 1 mm 1- Straight Steel Ruler 150 mm 1- Hickory Ball Pein Hammer 16 oz / 454 g 1- Magnetic Pickup Tool 1- Snap-off Knife 1- Aluminum Alloy Flashlight (with 2 AA batteries) 1- Universal Joint	2




76 Pc. 1/4" and 1/2" Drive 6 Point Metric Socket Wrench Set

Article Code	Content	
ST09519SJ	2 - 1/4", 1/2" Dr. Quick-Release Ratchets 7 - 1/4" Dr. 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14 mm 18 - 1/4" Dr. Bit Sockets Slotted 4, 5.5, 6.5 mm Phillips #1, #2 Pozidriv #1, #2 Torx® T8, T10, T15,T20, T25, T30, T40 Hex 3, 4, 5, 6 mm 12 - 1/2" Dr. 6pt. Metric Sockets 8, 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm 9 - Combination Wrenches 8, 10, 11, 12, 13, 14, 17, 19, 22 mm 15 - 5/16" Shank 30L Bits Slotted 8, 10, 12 mm Phillips #3, #4 Pozidriv #3, #4 Torx® T40, T45, T50, T55 Hex 8, 10, 12, 14 mm 2 - 1/2" Dr. Spark Plug Sockets 16, 21 mm 11 - Accessories 1/4" Dr. T-Handle 1/4" Dr. Flex Extension 1/4" Dr. Wobble Extension Bars 2", 4" 1/2" Dr. Wobble Extension Bars 5", 10" 1/4", 1/2" Dr. Universal Joints 1/4" Dr. Spinner Handle 1/2" Dr. T-Handle 5/16" Shank x 1/2" Dr. Bit Adapter	3



124 Pc. 1/4", 3/8" & 1/2" Drive 6 Point Metric/SAE 6 Point Socket Wrench Set

Article Code	Content	
ST09014SJ	3 - 1/4", 3/8", 1/2" Dr. Quick-Release Ratchets 10 - 1/4" Dr. 6pt. Metric Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm 4 - 1/4" Dr. 6pt. Metric Deep Sockets 8, 9, 10, 12 mm 11 - 3/8" Dr. 6pt. Metric Sockets 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 4 - 3/8" Dr. 6pt. Metric Deep Socket 13, 14, 15, 17 mm 8 - 3/8" Dr. E-Torx® Sockets E8, E10, E11, E12, E14, E16, E18, E20 17 - 3/8" Dr. Bit Sockets Slotted 5.5, 6.5 mm Phillips #1, #2 Torx® T20, T30, T40 Tamper-Proof Torx® T45, T50, T55, T60 Hex 3, 4, 5, 6 mm Pozidriv #1, #2, #3 41 - Accessories 1/4" Dr. Spinner Handle 1/4" Dr. Wobble Extension Bar 2" 3/8" Dr. Wobble Extension Bars 3", 6" 1/2" Dr. Wobble Extension Bars 5", 10" 1/4", 3/8", 1/2" Dr. Universal Joints 3/8"F x 1/4"M, 3/8"F x 1/2"M Adapters 1/4" Shank x 1/4" Dr. Bit Adapter 1/4" Shank Bits Slotted 4, 5, 6.5 mm Phillips #1, #3 Tamper-Proof Torx® T10, T15, T20, T25, T27, T30, T40 Hex 3, 4, 5, 6 mm Pozidriv #1, #2 9 Pc. Metric Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Circuit Tester Universal 3-Way Oil Filter Wrench 63-102 mm 2 - 3/8" Dr. Spark Plug Sockets 16, 21 mm 7 - 1/2" Dr. 6pt. Metric Sockets 20, 21, 22, 24, 27, 30, 32 mm 1 - 1/2" Dr. Triple Square Bit Socket M10 11 - Metric Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19 mm 1 - Metric X-BEAM® Combination Wrench 13 mm 2 - Acetate Go-Through Screw-drivers Slotted 6x100 mm Phillips #2x100 mm	2




128 Pc. 1/4", 3/8" and 1/2" Drive 6 Point Metric Socket Wrench Set

Article Code	Content	
ST09014A	1 - 3/8" Dr. Quick-Release Ratchet 1 - 1/4" Dr. Quick-Release Ratchet 1 - 1/2" Dr. Quick-Release Ratchet 10 - 1/4" Dr. 6pt. Metric Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 5 - 1/4" Dr. 6pt. Metric Deep Sockets 8, 9, 10, 11, 12 mm 11 - 3/8" Dr. 6pt. Metric Sockets 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 7 - 3/8" Dr. 6pt. Metric Deep Socket 13, 14, 15, 16, 17, 18, 19 mm 8 - 3/8" Dr. E-Torx® Sockets E8, E10, E11, E12, E14, E16, E18, E20 17 - 3/8" Dr. Bit Sockets Slotted 5.5, 6.5 mm Phillips #1, #2 Torx® T20, T30, T40 Tamper-Proof Torx® T45, T50, T55 T60 Hex 3, 4, 5, 6 mm Pozidriv #1, #2, #3 2 - 3/8" Dr. Spark Plug Sockets 16, 21 mm 7 - 1/2" Dr. 6pt. Metric Sockets 20, 21, 22, 24, 27, 30, 32 mm 1 - 1/2" Dr. Triple Square Bit Socket M10 12 - Metric Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 1 - Metric X-BEAM® Combination Wrench 13 mm 2 - Acetate Go-Through Screwdrivers Slotted 6x100 mm Phillips #2x100 mm 41 - Accessories 1/4" Dr. Spinner Handle 1/4" Dr. Wobble Extension Bar 2" 3/8" Dr. Wobble Extension Bars 3", 6" 1/2" Dr. Wobble Extension Bars 5", 10" 1/4", 3/8", 1/2" Dr. Universal Joints 3/8"F x 1/4"M, 3/8"F x 1/2"M Adapters 1/4" Shank x 1/4" Dr. Bit Adapter 1/4" Shank Bits Slotted 4, 5, 6.5 mm Phillips #1, #3 Tamper-Proof Torx® T10, T15, T20, T25, T27, T30, T40 Hex 3, 4, 5, 6 mm Pozidriv #1, #2 9 Pc. Metric Extra Long Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Circuit Tester Universal 3-Way Oil Filter Wrench 63-102 mm	2




150 Pc. 1/4", 3/8" and 1/2" Drive 6 and 12 Point Metric/SAE Socket Wrench Set

Article Code	Content	
ST09510L	3 - 1/4", 3/8", 1/2" Dr. Quick-Release Ratchets 10 - 1/4" Dr. 6pt. Metric Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm 10 - 1/4" Dr. 6pt. SAE Sockets 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" 6 - 1/4" Dr. 6pt. Metric Deep Sockets 4, 5, 6, 7, 8, 9 mm 11 - 3/8" Dr. 6pt. Metric Sockets 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 9 - 3/8" Dr. 6pt. SAE Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8" 6 - 3/8" Dr. 6pt. Metric Deep Sockets 10, 11, 12, 13, 14, 15 mm 2 - 3/8" Dr. Spark Plug Sockets 16, 21 mm 22 - 3/8" Dr. Bit Sockets Slotted 4, 5.5, 6.5 mm Phillips #1, #2, #3 Pozidriv #1, #2, #3 Torx® T20, T30, T40 Tamper-Proof Torx® T45, T50, T55, T60 Hex 3, 4, 5, 6, 8, 10 mm 8 - 3/8" Dr. 6pt. E-Torx® Sockets E8, E10, E11, E12, E14, E16, E18, E20 4 - 1/2" Dr. 6pt. Metric Impact Sockets 17, 19, 21, 23 mm 7 - 1/2" Dr. 12pt. Metric Sockets 20, 21, 22, 24, 27, 30, 32 mm 4 - 1/2" Dr. 12pt. SAE Sockets 15/16, 1, 1-1/16, 1-1/4" 6 - 1/2" Dr. 6pt. Metric Deep Sockets 10, 12, 13, 14, 17, 19 mm 12 - Metric Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 3 - Metric Double Box Ratcheting Wrenches 8x10, 12x13, 17x19 mm 27 - Accessories 1/4" Dr. Bit Adapter 1/4" Dr. Spinner Handle 1/4" Dr. Wobble Extension Bar 4" 3/8" Dr. Locking Extension Bars 3", 6" 1/2" Dr. Wobble Extension Bar 5" 1/2" Dr. Locking Extension Bar 10" 1/4", 3/8", 1/2" Dr. Universal Joints 1/4" Shank Tamper-Proof Torx® Bits T10, T15, T20, T25, T27, T30, T40 10 Pcs.Metric Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10 mm	1




150 PC. 1/4", 3/8" & 1/2" DRIVE 6 & 12 POINT METRIC/SAE SOCKET WRENCH SET

ST09510L



Quick release ratchet




Flush reversing lever




Single hex (6 pt.) fastener end




Sockets feature off-corner loading



Large easy ID size markings



Standard & deep sockets



150
PIECES



150 Pc. 1/4", 3/8" and 1/2" Drive 6 and 12 Point Metric/SAE Master Tool Set

Article Code	Content	
ST09510SJ	3 - 1/4", 3/8", 1/2" Dr. Quick-Release Ratchets 10 - 1/4" Dr. 6pt. Metric Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm 10 - 1/4" Dr. 6pt. SAE Sockets 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" 6 - 1/4" Dr. 6pt. Metric Deep Sockets 4, 5, 6, 7, 8, 9 mm 11 - 3/8" Dr. 6pt. Metric Sockets 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 9 - 3/8" Dr. 6pt. SAE Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8" 6 - 3/8" Dr. 6pt. Metric Deep Sockets 10, 11, 12, 13, 14, 15 mm 2 - 3/8" Dr. Spark Plug Sockets 16, 21 mm 22 - 3/8" Dr. Bit Sockets Slotted 4, 5.5, 6.5 mm Phillips #1, #2, #3; Pozidriv #1, #2, #3 Torx® T20, T30, T40 Tamper-Proof Torx® T45, T50, T55, T60 Hex 3, 4, 5, 6, 8, 10 mm 8 - 3/8" Dr. 6pt. E-Torx® Sockets E8, E10, E11, E12, E14, E16, E18, E20 8 - 1/2" Dr. 12pt. Metric Sockets 20, 21, 22, 24, 27, 30, 32, 34 mm 4 - 1/2" Dr. 12pt. SAE Sockets 15/16, 1, 1-1/16, 1-1/4" 6 - 1/2" Dr. 6pt. Metric Deep Sockets 10, 12, 13, 14, 17, 19 mm 12 - Metric Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 3 - Metric Double Box Ratcheting Wrenches 8x10, 12x13, 17x19 mm 3 - Go-Through Screwdrivers Slotted 6x150 mm, 8x200 mm Phillips #2x150 mm 27 - Accessories 1/4" Dr. Bit Adapter 1/4" Dr. Spinner Handle 1/4" Dr. Wobble Extension Bar 4" 1/4" Dr. Extension Bar 2" 3/8" Dr. Locking Extension Bars 3", 6" 1/2" Dr. Wobble Extension Bar 5" 1/2" Dr. Locking Extension Bar 10" 1/4", 3/8", 1/2" Dr. Universal Joints 1/4" Shank Tamper-Proof Torx® Bits T10, T15, T20, T25, T27, T30, T40 9 Pc. Metric Extra Long Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	1




70 Pc. Metric Cantilever Tool Box and Tray Set

Article Code	Content	
ST95104A70-6	1 - 5" Cantilever Tool Box 1 - 1/2" Dr. Quick-Release Ratchet 17 - 1/2" Dr. Metric Sockets* 8, 9, 10, 11, 12, 13, 14, 17, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm 3 - 1/2" Dr. Metric Deep Sockets* 17, 19, 21 mm 11 - Combination Wrenches 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 24 mm 4 - Acetate Screwdrivers Slotted 5x75 mm, 6x150 mm Phillips #1x75 mm, #2x150 mm 1 - Adjustable Wrench 12" 1 - Long Nose Pliers 6" 1 - Diagonal Pliers 6" 1 - Linesman Pliers 7" 1 - Hickory Ball Pein Hammer 24 oz	1
ST95104A70	28 - Accessories 1/2" Dr. Wobble Extension Bars 5", 10" 1/2" Dr. Universal Joint 1/2" Dr. Offset Handle 260 mm 8 Pc. Metric Foldup Hex Key Set 16 Pc. Feeler Gauge Set	



150 PC. 1/4", 3/8" & 1/2" DRIVE 6 & 12 POINT METRIC/SAE MASTER TOOL SET

ST09510SJ



Quick release ratchet




Flush reversing lever




Single hex (6 pt.) fastener end



Sockets feature off-corner loading



Large easy ID size markings



Standard & deep sockets



METRIC

1/4"

3/8"

1/2"




150
PIECES




Ratchets, Sockets & Drive Tools

3 PC. 120XP 1/4", 3/8" AND 1/2" RATCHET SET


ST13975




Designed with 120 positions




Two double stacked 60-tooth pawls




Resists dirt infiltration



Teardrop, low-profile head



Flush reversing lever



Full polish chrome finish



1/4" 3/8" 1/2"



3 Pc. 120XP 1/4", 3/8" and 1/2" Ratchet Set

Article Code	Content	
ST13975	1 - 120XP Dr. Full Polish Ratchet 1/4" 1 - 120XP Dr. Full Polish Ratchet 3/8" 1 - 120XP Dr. Full Polish Ratchet 1/2"	12



20 Pc. 1/4" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09522	1 - Quick-Release Round Head Ratchet 13 - 6pt. Metric Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 4 - 6pt. Metric Deep Sockets 8, 10, 12, 13 mm 1 - Extension Bar 2" 1 - Spinner Handle	12



13 Pc. 1/4" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09521L	1 - Quick-Release Round Head Ratchet 11 - 6pt. Metric Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1 - Wobble Extension Bar 2"	6



36 Pc. 1/4" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09001SJ	1 - Quick-Release Ratchet 14 - 6pt. Metric Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 5 - 6pt. Metric Deep Sockets 8, 10, 11, 12, 13 mm 9 - Shank 25L Bits Slotted 4, 5, 6 mm Phillips #1, #3 Hex 3, 4, 5, 6 mm 7 - Accessories Spinner Handle Wobble Extension Bars 2", 4" Flex Extension 6" Bit Adapter T-Handle Universal Joint	12



52 Pc. 1/4" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09002SJ	1 - Quick-Release Ratchet 14 - 6pt. Metric Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 4 - 6pt. Metric Deep Sockets 8, 10, 12, 13 mm 18 - Bit Sockets Slotted 4, 5.5, 6.5 mm Phillips #1, #2 Pozidriv #1, #2 Torx® T10, T15, T20, T25, T30, T40 Hex 3, 4, 5, 6, 8 mm 9 - Shank 25L Bits Slotted 4, 5, 6.5 mm Phillips #1, #3 Hex 3, 4, 5, 6 mm 6 - Accessories Spinner Handle T-Handle Universal Joint Wobble Extension Bars 2", 4" Bit Adapter	12



21 Pc. 1/4" Drive 6 Point SAE Socket Set

Article Code	Content	
ST09521-02	1 - Quick-Release Ratchet 11 - 6pt. Metric Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 6 - Shank 25L Bits Slotted 4, 5, 6 mm Phillips #1, #2, #3 3 - Accessories Extension 2" Spinner Handle 6" Bit Adapter	12




25 Pc. 1/4" Drive 6 Point SAE Socket Set

Article Code	Content	
ST09098SJ	1 - Quick-Release Ratchet 10 - 6pt. SAE Sockets 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" 10 - 6pt. SAE Deep Sockets 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" 4 - Accessories Flex Handle 10" Wobble Extension 2", 6" Universal Joint	6




65 Pc. 1/4" and 3/8" Drive 6 Point Metric/SAE Socket Set

Article Code	Content	
ST09011SJ	1 - 3/8" Dr. Quick-Release Ratchet 12 - 1/4" Dr. 6pt. Metric Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 10 - 1/4" Dr. 6pt. SAE Sockets 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" 18 - 1/4" Shank 25L Bits Slotted 4, 5.5, 6.5 mm Phillips #1, #2, #3 Torx® T10, T15, T20, T25, T30, T40 Hex 3, 4, 5, 6, 7, 8 mm 10 - 3/8" Dr. 6pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 8 - 3/8" Dr. 6pt. SAE Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16" 1 - 3/8" Dr. Spark Plug Socket 16 mm 5 - Accessories 3/8" Dr. Wobble Extension Bar 3" 3/8" Dr. Universal Joint 1/4" Shank x 1/4" Dr. Bit Adapter 3/8" F x 1/4" M Adapter 1/4" Dr. Spinner Handle	3




88 Pc. 1/4" and 1/2" Drive 6 Point Metric Socket Set


Article Code	Content	
ST09013SJ	2 - 1/4", 1/2" Dr. Quick-Release Ratchets 13 - 1/4" Dr. 6pt. Metric Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 6 - 1/4" Dr. 6pt. Metric Deep Sockets 8, 9, 10, 11, 12, 13 mm 17 - 1/4" Dr. Bit Sockets Slotted 4, 5.5, 6.5 mm Phillips #1, #2 Pozidriv #1, #2 Torx® T8, T10, T15, T20, T25, T31 Hex 3, 4, 5, 6 mm 2 - 1/2" Dr. Spark Plug Sockets 16, 21 mm 17 - 1/2" Dr. 6pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm 6 - 1/2" Dr. 6pt. Metric Deep Sockets 14, 15, 16, 17, 18, 19 mm 15 - 5/16" Shank 30L Bits Slotted 8, 10, 12 mm Phillips #3, #4 Pozidriv #3, #4 Torx® T40, T45, T50, T55 Hex 8, 10, 12, 14 mm 10 - Accessories 1/4" Dr. T-Handle 1/4" Dr. Wobble Extension Bars 2", 4" 1/2" Dr. Wobble Extension Bars 5", 10" 1/4", 1/2" Dr. Universal Joints 3/8" F x 1/2" M 3-Way Adapter 1/4" Dr. Spinner Handle 5/16" Shank x 1/2" Dr. Bit Adapter	3




18 Pc. 1/4" and 1/2" Drive Bit Socket Sets

Article Code	Description	
ST09051SJ	18 - Pc. 1/4" and 1/2" Dr. Bit Socket Set 6 - 1/4" Dr. Bit Sockets Slotted 4, 5.5, 6.5 mm Phillips #1, #2, #3 6 - 1/2" Dr. 50L Triple Square Bit Sockets M5, M6, M8, M10, M12, M14 6 - 1/2" Dr. 100L Triple Square Bit Sockets M5, M6, M8, M10, M12, M14	5



Article Code	Description	
ST09052SJ	18 - Pc. 1/4" and 1/2" Dr. Torx® Bit Socket Set 6 - 1/4" Dr. Torx® Bit Sockets T10, T15, T20, T25, T30, T40 6 - 1/2" Dr. 50L Torx® Bit Sockets T30, T40, T45, T50, T55, T60 6 - 1/2" Dr. 100L Torx® Bit Sockets T30, T40, T45, T50, T55, T60	5




Article Code	Description	
ST09053SJ	18 - Pc. 1/4" and 1/2" Dr. Hex Bit Socket Set 6 - 1/4" Dr. Hex Bit Sockets 3, 4, 5, 6, 7, 8 mm 6 - 1/2" Dr. 50L Hex Bit Sockets 5, 6, 7, 8, 10, 12 mm 6 - 1/2" Dr. 100L Hex Bit Sockets 5, 6, 7, 8, 10, 12 mm	5



3 Pc. 1/4", 3/8" and 1/2" Metric Socket Tray Set

- Space saving design preferred by, and designed for, professionals
- Helps to keep your workspace organized
- Large markings offer easy size identification
- Clearly marked socket sizes on pins for instant size identification
- Sturdy, break resistant pins have professional strength
- Quick to read size markers on the top of each pin
- Each tray can hold both standard and deep sockets




Article Code	
ST95401	9

3 Pc. 1/4", 3/8" and 1/2" SAE Socket Tray Set


- Space saving design preferred by, and designed for, professionals
- Helps to keep your workspace organized
- Large markings offer easy size identification
- Clearly marked socket sizes on pins for instant size identification
- Sturdy, break resistant pins have professional strength
- Quick to read size markers on the top of each pin
- Each tray can hold both standard and deep sockets



Article Code	
ST95400	9

1/4" Drive 6 Point Socket

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST11301SC	3.5 mm	24.5	11.8	6.1	6
ST11302SC	4.0 mm	24.5	11.8	7.0	6
ST11303SC	4.5 mm	24.5	11.8	7.3	6
ST11304SC	5.0 mm	24.5	11.8	8.0	6
ST11305SC	5.5 mm	24.5	11.8	8.6	6
ST11306SC	6.0 mm	24.5	11.8	9.2	6
ST11307SC	7.0 mm	24.5	11.8	10.7	6
ST11308SC	8.0 mm	24.5	11.8	11.8	6
ST11309SC	9.0 mm	24.5	13.0	13.0	6
ST11310SC	10.0 mm	24.5	14.2	14.2	6
ST11311SC	11.0 mm	24.5	15.8	15.8	6
ST11312SC	12.0 mm	24.5	16.8	16.8	6
ST11313SC	13.0 mm	24.5	17.5	17.5	6
ST11314SC	14.0 mm	24.5	19.5	19.5	6
ST11101SC	5/32"	24.5	11.8	7.0	6
ST11102SC	3/16"	24.5	11.8	7.8	6
ST11103SC	7/32"	24.5	11.8	8.5	6
ST11104SC	1/4"	24.5	11.8	9.5	6
ST11105SC	9/32"	24.5	11.8	10.7	6
ST11106SC	5/16"	24.5	11.8	11.8	6
ST11107SC	11/32"	24.5	12.5	12.5	6
ST11108SC	3/8"	24.5	13.8	13.8	6
ST11109SC	17/16"	24.5	15.7	15.7	6
ST11110SC	1/2"	24.5	17.3	17.3	6

1/4" Drive 6 Point Metric Deep Sockets

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST11401SC	4.0 mm	49.0	11.9	6.7	6
ST11402SC	5.0 mm	49.0	11.9	8.0	6
ST11403SC	6.0 mm	49.0	11.9	9.2	6
ST11404SC	7.0 mm	49.0	11.9	10.8	6
ST11405SC	8.0 mm	49.0	11.9	11.9	6
ST11406SC	9.0 mm	49.0	13.1	13.1	6
ST11407SC	10.0 mm	49.0	14.6	14.6	6
ST11408SC	11.0 mm	49.0	15.9	15.9	6
ST11409SC	12.0 mm	49.0	16.9	16.9	6
ST11410SC	13.0 mm	49.0	17.9	17.9	6
SC11201	3/16"	49.0	11.9	7.9	6
SC11202	7/32"	49.0	11.9	8.9	6
SC11203	1/4"	49.0	11.9	9.9	6
SC11204	9/32"	49.0	11.9	11.0	6
SC11205	5/16"	49.0	11.9	11.9	6
SC11206	11/32"	49.0	13.1	13.1	6
SC11207	3/8"	49.0	14.6	14.6	6
SC11208	7/16"	49.0	15.9	15.9	6
SC11209	1/2"	49.0	17.6	17.6	6

1/4" Drive Quick-Release Round Head Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST11901SC	142.0	4

1/4" Drive Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Flush mounted reversing lever allows user to change direction with one hand without removing the ratchet
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST11905ST	143.0	4



Article Code	Length (mm)	
ST11906ST	143.0	4

1/4" Drive Heavy Duty Offset Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- 45-tooth design requires as little as 8° of swing arc to move a fastener
- Offset handle design provides knuckle clearance in tight access application
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST11970SC	153.0	4

1/4" Drive 120XP Ratchet

- Designed with 120 positions providing a 3° swing arc so you can turn fasteners in tighter confines
- Designed with two double stacked 60-tooth pawls for exceptional strength
- Enclosed ratchet head design resists dirt infiltration for continuous and efficient execution
- Up to 50% thinner than conventional ratchet systems
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST11974	143.0	10

1/4" Drive Flex Handle / Breaker Bar

- Handle for more leverage to break stubborn fasteners free
- Flex head drive for multiple angles of use
- One-Piece alloy steel construction for rugged performance
- Ball detent helps to secure the socket to the drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST11909SC	140.0	6

1/4" Drive T-Handle

- Sliding T-Handle provides more leverage to break free stubborn fasteners
- Ball detent for secure socket retention
- Allows for use with 1 hand on each side of drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST11910SC	100.0	6

1/4" Drive Spinner Handle

- Ergonomic handle provides the optimal balance of strength and efficiency
- Ball detent for secure socket retention
- High impact composite handle
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST11911SC	150.0	6

1/4" Drive Universal Joint

- Universal joint for better access to hard-to-reach fasteners
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Length (mm)	
ST11912SC	34.7	6

1/4" Drive Adapter 3/8"

- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Length (mm)	
ST11913SC	25.5	6

1/4" Drive Bit Adapter

- Precise fit for bit in adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	
ST11914SC	12

1/4" Drive Flex Extension

- Flex shaft allows extension to bend into multiple positions
- Reach difficult to access fasteners standard sockets/extensions cannot reach
- Makes it possible to move at an angle up to 20°
- Designed to access extreme angled fasteners, for use in low torque applications
- Pin hole can be used with detent pin for secure socket retention to the extension
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Length (mm)	
ST11922SC	150.0	6

1/4" Drive Wobble Extensions

- Wobble extension for better reach to more fasteners
- Provides better angled access vs standard non-wobble extension bars
- Knurled grip provides a nonslip surface
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110





⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Size	Length (mm)	
ST11903SC	2"	50.8	6
ST11904SC	4"	101.6	6


1/4" Drive Bit Sockets

- Precision engineered bits for a better fit on fasteners
 - Large stamped size markings provide quick size identification
 - Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
 - S2 steel insert bits offer maximum strength and durability
 - Meets or exceeds ASME B107.110




Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC21301	Phillips #1	36.5	12.0	12
SC21302	Phillips #2	36.5	12.0	12
SC21303	Phillips #3	36.5	12.0	12

Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC21401	Pozidriv #1	36.5	12.0	12
SC21402	Pozidriv #2	36.5	12.0	12
SC21403	Pozidriv #3	36.5	12.0	12

Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC21501	Slotted 4.0 mm	36.5	12.0	12
SC21502	Slotted 5.5 mm	36.5	12.0	12
SC21503	Slotted 6.5 mm	36.5	12.0	12


Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC21201	Hex 3.0 mm	36.5	12.0	12
SC21202	Hex 4.0 mm	36.5	12.0	12
SC21203	Hex 5.0 mm	36.5	12.0	12
SC21204	Hex 6.0 mm	36.5	12.0	12
SC21206	Hex 7.0 mm	36.5	12.0	12
SC21205	Hex 8.0 mm	36.5	12.0	12

Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC21101	Torx® T8	36.5	12.0	12
SC21102	Torx® T10	36.5	12.0	12
SC21103	Torx® T15	36.5	12.0	12
ST21104SC	Torx® T20	36.5	12.0	12
ST21105SC	Torx® T25	36.5	12.0	12
ST21108BU	Torx® T27	36.5	12.0	12
ST21106	Torx® T30	36.5	12.0	12
SC21107	Torx® T40	36.5	12.0	12

 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.




5 Pc. 3/8" Drive Metric Spark Plug Socket Set

Article Code	Content	
ST09003SJ	1 - Wobble Extension Bar 6" 1 - Locking Extension Bar 6" 1 - Offset Flex Head Ratchet Handle 2 - Spark Plug Sockets 16, 21 mm	12




14 Pc. 3/8" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09523	1 - Quick-Release Round Head Ratchet 12 - 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	12




22 Pc. 3/8" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09524	1 - Quick-Release Ratchet 14 - 6pt. Metric Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 4 - 6pt. Metric Deep Sockets 12, 13, 17, 19 mm 1 - Spark Plug Socket 16 mm 1 - Extension Bar 6"	10




60 Pc. 3/8" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09004SJ	1 - Quick-Release Ratchet 18 - 6pt. Metric Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm 11 - 6pt. Metric Deep Sockets 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 2 - Spark Plug Sockets 16, 21 mm 24 - Bit Sockets Slotted 5.5, 6.5, 8 mm Phillips #1 [2x], #2 [2x], #3 Torx® T10, T15, T20, T25, T30, T40, T45, T50, T55 Hex 3, 4, 5, 6, 7, 8, 10 mm 4 - Accessories Wobble Extension Bars 3", 10" Universal Joint 1/2"F x 3/8"M 3-Way Adapter	3




16 Pc. 3/8" Drive 6 Point SAE Socket Set


Article Code	Content	
ST09085SJ	1 - Quick-Release Ratchet 11 - 6pt. SAE Sockets 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8" 4 - Accessories Wobble Extensions 3", 6" Flex Handle 8" 1/2"F x 3/8"M 3-Way Adapter	12



3/8" Drive 6 Point Socket

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST12301SC	6.0 mm	25.0	17.0	10.0	6
ST12302SC	7.0 mm	25.0	17.0	10.8	6
ST12303SC	8.0 mm	25.0	17.0	11.9	6
ST12304SC	9.0 mm	25.0	17.0	12.9	6
ST12305SC	10.0 mm	25.0	17.0	14.5	6
ST12306SC	11.0 mm	25.0	17.0	15.8	6
ST12307SC	12.0 mm	25.0	17.0	17.0	6
ST12308SC	13.0 mm	25.0	18.3	18.3	6
ST12309SC	14.0 mm	25.0	19.5	19.5	6
ST12310SC	15.0 mm	25.0	20.8	20.8	6
ST12311SC	16.0 mm	25.0	22.0	22.0	6
ST12312SC	17.0 mm	25.0	23.3	23.3	6
ST12313SC	18.0 mm	25.0	23.8	23.8	6
ST12314SC	19.0 mm	28.0	25.5	19.0	6
ST12315SC	20.0 mm	28.0	27.0	23.0	4
ST12316SC	21.0 mm	28.0	27.5	25.0	4
ST12317SC	22.0 mm	31.5	29.5	26.0	4
ST12318SC	24.0 mm	31.5	31.9	26.0	4
ST12101SC	1/4"	25.0	17.2	10.9	6
ST12102SC	5/16"	25.0	17.2	11.9	6
ST12103SC	3/8"	25.0	17.2	13.8	6
ST12104SC	7/16"	25.0	17.2	16.0	6
ST12105SC	1/2"	25.0	17.9	17.9	6
ST12106SC	9/16"	25.0	19.7	19.7	6
ST12107SC	5/8"	25.0	22.2	22.2	6
ST12108SC	11/16"	25.0	23.9	23.9	6
ST12109SC	3/4"	25.0	25.6	25.6	6
ST12110SC	13/16"	28.0	27.9	27.9	6
SC12111	7/8"	28.0	29.7	29.7	6

 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

3/8" Drive 12 Point Socket

- Double hex (12 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST12601BU	8.0 mm	25.0	17.0	11.9	6
ST12602BU	9.0 mm	25.0	17.0	12.9	6
ST12603BU	10.0 mm	25.0	17.0	14.5	6
ST12604BU	11.0 mm	25.0	17.0	15.8	6
ST12605BU	12.0 mm	25.0	17.0	17.0	6
ST12606BU	13.0 mm	25.0	18.3	18.3	6
ST12607BU	14.0 mm	25.0	19.5	19.5	6
ST12608BU	15.0 mm	25.0	20.8	20.8	6
ST12609BU	16.0 mm	25.0	22.0	22.0	6
ST12610BU	17.0 mm	25.0	23.3	23.3	6
ST12611BU	18.0 mm	25.0	23.8	23.8	6
ST12612BU	19.0 mm	28.0	25.5	19.0	6
ST12613BU	20.0 mm	28.0	27.0	23.0	4
ST12614BU	21.0 mm	28.0	27.5	25.0	4
ST12615BU	22.0 mm	31.5	29.5	26.0	4
ST12616BU	24.0 mm	31.5	31.9	26.0	4

3/8" Drive 6 Point Deep Socket

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST12401SC	8.0 mm	63.5	16.8	11.9	6
ST12402SC	9.0 mm	63.5	16.8	12.9	6
ST12403SC	10.0 mm	63.5	16.8	14.5	6
ST12404SC	11.0 mm	63.5	16.8	15.8	6
ST12405SC	12.0 mm	63.5	16.8	16.8	6
ST12406SC	13.0 mm	63.5	18.7	18.7	6
ST12407SC	14.0 mm	63.5	19.5	19.5	6
ST12408SC	15.0 mm	63.5	20.8	20.8	6
ST12409SC	16.0 mm	63.5	22.0	22.0	6
ST12410SC	17.0 mm	63.5	23.7	23.7	6
ST12411SC	18.0 mm	63.5	23.8	23.8	6
ST12412SC	19.0 mm	63.5	25.5	25.5	6
ST12413SC	20.0 mm	63.5	27.0	27.0	4
ST12414SC	21.0 mm	63.5	27.8	27.8	4
ST12415SC	22.0 mm	63.5	29.5	29.5	4
SC12201	3/8"	63.5	16.8	13.8	6
SC12202	7/16"	63.5	16.8	16.0	6
SC12203	1/2"	63.5	18.3	18.3	6
SC12204	9/16"	63.5	19.8	19.8	6
SC12205	5/8"	63.5	22.0	22.0	6
SC12206	11/16"	63.5	23.8	23.8	6
SC12207	3/4"	63.5	25.6	25.6	6
SC12208	13/16"	63.5	27.8	27.8	6
SC12209	7/8"	63.5	29.8	29.8	6

3/8" Drive External Torx® Sockets

- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durabilit
- Meets or exceeds Camcar TXF-701



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST12701SC	E4	26.0	17.0	7.0	6
ST12702SC	E5	26.0	17.0	8.0	6
ST12703SC	E6	26.0	17.0	8.0	6
ST12704SC	E7	26.0	17.0	9.0	6
ST12705SC	E8	26.0	17.0	10.5	6
ST12706SC	E10	26.0	17.0	13.0	6
ST12707SC	E11	26.0	17.0	14.0	6
ST12708SC	E12	26.0	17.0	15.0	6
ST12709SC	E14	28.5	18.3	18.3	6
ST12710SC	E16	28.5	18.3	18.3	6
ST12711SC	E18	28.5	19.5	19.5	6
ST12712SC	E20	30.5	22.0	22.0	6

3/8" Drive Spark Plug Socket

- Single hex [6 pt.] fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Fastener Size	
ST12915SC	16.0 mm	6
ST12916SC	21.0 mm	6
ST12919SC	5/8"	6
ST12920SC	13/16"	6

3/8" Drive Quick-Release Stubby Ratchet

- Stubby handle length for improved access
- Quick release design allows rapid socket removal
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST12960SC	169.0	6

3/8" Drive Quick-Release Round Head Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST12901SC	197.0	4


3/8" Drive Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST12971ST	200.0	4




Article Code	Length (mm)	
ST12972ST	200.0	4

3/8" Drive Offset Flex Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- 45-tooth design requires as little as 8° of swing arc to move a fastener
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Flex head provides access for hard to reach angeled fasteners
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST12911SC	275.0	4

3/8" Drive Heavy Duty Offset Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST12970SC	217.0	4

1/2" Drive Extendable Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Extends from 300 to 440 mm to reach hard-to-reach fasteners (6 positions)
- Ergonomic dual material improves grip and torque while reducing hand fatigue
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST13992BU	300.0 - 440.0	4

3/8" Drive 120XP Ratchet

- Designed with 120 positions providing a 3° swing arc so you can turn fasteners in tighter confines
- Designed with two double stacked 60-tooth pawls for exceptional strength
- Enclosed ratchet head design resists dirt infiltration for continuous and efficient execution
- Up to 50% thinner than conventional ratchet systems
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST12974	200.0	10

3/8" Drive Flex Handle / Breaker Bar

- Handle for more leverage to break stubborn fasteners free
- Flex head drive for multiple angles of use
- One-Piece alloy steel construction for rugged performance
- Ball detent helps to secure the socket to the drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST12909SC	213.0	6

3/8" Drive T-Handle

- Sliding T-Handle provides more leverage to break free stubborn fasteners
- Ball detent for secure socket retention
- Allows for use with one hand on each side of drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST12910SC	247.0	6

3/8" Drive Universal Joint

- Universal joint for better access to hard-to-reach fasteners
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Length (mm)	
ST12912SC	51.2	6

3/8" Drive Adapter

- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Size	Length (mm)	
ST12913SC	1/4"	25.6	6
ST12914SC	1/2"	25.7	6

3/8" Drive Bit Adapter 1/4"

- Precise fit for bit in adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	
ST12917SC	6

3/8" Drive 3-Way Adapter 1/2"

- 3 Position adapter
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durabilit
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	
ST12930SC	6

3/8" Drive Flex Extension

- Flex shaft allows extension to bend into multiple positions
- Reach difficult to access fasteners standard sockets/extensions cannot reach
- Makes it possible to move at an angle up to 20°
- Designed to access extreme angled fasteners, for use in low torque applications
- Pin hole can be used with detent pin for secure socket retention to the extension
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Length (mm)	
ST12922SC	200.0	6

3/8" Drive Wobble Extensions

- Wobble extension for better reach to more fasteners
- Provides better angled access versus standard non-wobble extension bars
- Knurled grip provides a nonslip surface
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Size	Length (mm)	
ST12903SC	3"	76.2	6
ST12904SC	6"	152.4	6
ST12905SC	10"	254.0	6

3/8" Drive Locking Extension

- Locking extension for better reach to more fasteners
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Locking mechanism securely attaches socket to extension
- Knurled grip provides a nonslip surface
- Ball detent for secure socket retention
- Meets or exceeds ASME B107.110





⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Size	Length (mm)	
ST12906SC	3"	76.2	6
ST12907SC	6"	152.4	6
ST12908SC	10"	254.0	6


3/8" Drive Bit Sockets


- Precision engineered bits for a better fit on fasteners
 - Large stamped size markings provide quick size identification
 - Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
 - S2 steel insert bits offer maximum strength and durability
 - Meets or exceeds ASME B107.110


Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC22301	Phillips #1	48.0	18.0	6
SC22302	Phillips #2	48.0	18.0	6
SC22303	Phillips #3	254	18.0	6

Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC22401	Pozidriv #1	48.0	18.0	6
SC22402	Pozidriv #2	48.0	18.0	6
SC22403	Pozidriv #3	254	18.0	6


Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC22504	Slotted 4.0 mm	48.0	18.0	6
SC22501	Slotted 5.5 mm	48.0	18.0	6
SC22502	Slotted 6.5 mm	48.0	18.0	6
SC22503	Slotted 8.0 mm	48.0	18.0	6

Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC22201	Hex 3.0 mm	48.0	18.0	6
SC22202	Hex 4.0 mm	48.0	18.0	6
SC22203	Hex 5.0 mm	48.0	18.0	6
SC22204	Hex 6.0 mm	48.0	18.0	6
SC22205	Hex 7.0 mm	48.0	18.0	6
SC22206	Hex 8.0 mm	48.0	18.0	6
SC22207	Hex 10.0 mm	48.0	18.0	6


Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC22101	Torx® T10	48.0	18.0	6
SC22102	Torx® T15	48.0	18.0	6
SC22103	Torx® T20	48.0	18.0	6
SC22104	Torx® T25	48.0	18.0	6
SC22105	Torx® T27	48.0	18.0	6
SC22106	Torx® T30	48.0	18.0	6
SC22107	Torx® T40	48.0	18.0	6
SC22108	Torx® T45	48.0	18.0	6
SC22109	Torx® T50	48.0	18.0	6
SC22110	Torx® T55	48.0	18.0	6
SC22111	Torx® T60	48.0	18.0	6

Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
SC22601	Tamper Proof Torx® T45	48.0	18.0	6
SC22602	Tamper Proof Torx® T50	48.0	18.0	6
SC22603	Tamper Proof Torx® T55	48.0	18.0	6
SC22604	Tamper Proof Torx® T60	48.0	18.0	6

 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.




16 Pc. 1/2" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09520	10 - 6pt. Metric Sockets 8, 10, 12, 13, 14, 17, 19, 21, 22, 24 mm 6 - 6pt. Metric Deep Sockets 10, 12, 14, 17, 19, 21 mm	8




17 Pc. 1/2" Drive 12 Point Metric Socket Set

Article Code	Content	
ST09086SJ	1 - Quick-Release Ratchet 13 - 12pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm 1 - Spark Plug Socket 16 mm 2 - Accessories Wobble Extension 5" Flex Handle 10"	6




15 Pc. 1/2" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09525SJ	1 - Quick-Release Round Head Ratchet 13 - 6pt. Metric Sockets 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm 1 - Wobble Extension Bar 5"	2




18 Pc. 1/2" Drive 12 Point Metric Socket Set

Article Code	Content	
ST09203SJ	1 - Quick-Release Ratchet 14 - 12pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 24, 27, 30, 32 mm 3 - Accessories Wobble Extensions 5", 10" T-Handle	6




18 Pc. 1/2" Drive 12 Point Metric Socket Set

Article Code	Content	
ST09204SJ	1 - Quick-Release Ratchet 14 - 12pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 24, 27, 30, 32 mm 3 - Accessories Wobble Extensions 5", 10" T-Handle	6




23 Pc. 1/2" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09005SJ	1 - Quick-Release Ratchet 12 - 6pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm 7 - 6pt. Metric Deep Sockets 13, 17, 19, 27, 30, 32, 34 mm 4 - Accessories Wobble Extension Bars 3", 10" Universal Joint 1/2"F x 3/8"M 3-Way Adapter	4




24 Pc. 1/2" Drive 12 Point Metric Socket Set

Article Code	Content	
ST09060SJ	1 - Quick-Release Ratchet 19 - 12pt. Metric Sockets 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm 4 - Accessories Wobble Extension Bars 5", 10" Universal Joint T-Handle	4




25 Pc. 1/2" Drive 12 Point Metric Socket Set

Article Code	Content	
ST09092ME-12	1 - Quick-Release Ratchet 20 - 12pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm 1 - Spark Plug Socket 21 mm 3 - Accessories Wobble Extension 10" Universal Joint Flex handle	4




23 Pc. 1/2" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09526	1 - Quick-Release Round Head Ratchet 15 - 6pt. Metric Sockets 10, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32, 34 mm 4 - 6pt. Metric Deep Sockets 12, 14, 17, 19 mm 2 - Spark Plug Sockets 16, 21 mm 1 - Extension Bar 10"	4




24 Pc. 1/2" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09060-6SJ	1 - Quick-Release Ratchet 19 - 6pt Metric Sockets 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm 4 - Accessories Wobble Extension 5", 10" Univeresal Joint T-Handle	4




28 Pc. 1/2" Drive 12 Point Metric Socket Set

Article Code	Content	
ST09090SJ	1 - Quick-Release Ratchet 21 - 12pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32 mm 6 - Accessories Wobble Extensions 5", 10" Flex Handle 10" T-Handle Universal Joint Speed Handle	4




60 Pc. 1/2" Drive 6 Point Metric Socket Set

Article Code	Content	
ST09007SJ	1 - Quick-Release Ratchet 17 - 6pt. Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm 10 - 6pt. Metric Deep Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 18 - 1/4" Shank 25L Bits Pozidriv #1, #2, #3 Hex 2, 3, 4, 5, 6, 7, 8 Torx T8, T10, T15, T20, T25, T27, T30, T40 6 - 1/4" Shank 25L Bits Slotted 4, 5.5, 6.5 mm Phillips #1, #2, #3 8 - Accessories Spark Plug Sockets 16, 21 mm Wobble Extension Bars 5", 10" Universal Joint 3/8"F x 1/2"M 3-Way Adapter 1/4" Bit Adapter 1/4" Dr. Socket Driver	3




20 Pc. 1/2" Drive 6 and 12 Point SAE Socket Set

Article Code	Content	
ST09087SJ	1 - Quick-Release Ratchet 8 - 6pt. SAE Sockets 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" 7 - 12pt. SAE Sockets 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" 4 - Accessories Wobble Extensions 5", 10" Flex Handle 15" 3/8"F x 1/2"M 3-Way Adapter	4




22 Pc. 1/2" Drive 12 Point SAE Socket Set

Article Code	Content	
ST09088SJ	1 - Quick-Release Ratchet 15 - 12pt. SAE Sockets 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" 6 - Accessories Wobble Extension Bars 5", 10" T-Handle Universal Joint Flex handle 10" Quick rocker	3



46 Pc. 1/2" Drive 6 Point Metric/SAE Socket Set

Article Code	Content	
ST09006SJ	1 - Quick-Release Ratchet 20 - 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34 mm 7 - 6pt. Metric Deep Sockets 10, 12, 13, 14, 15, 17, 19 mm 11 - 6pt. SAE Sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1" 2 - Metric Spark Plug Sockets 16, 21 mm 5 - Accessories Flex Handle 10" Wobble Extensions 5", 10" Universal Joint 3/8"F x 1/2"M 3-Way Adapter	3




1/2" Drive 6 Point Socket

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST13319SC	8.0 mm	38.0	22.2	13.3	6
ST13320SC	9.0 mm	38.0	22.2	14.3	6
ST13301SC	10.0 mm	38.0	22.2	15.3	6
ST13302SC	11.0 mm	38.0	22.2	16.5	6
ST13303SC	12.0 mm	38.0	22.2	17.8	6
ST13304SC	13.0 mm	38.0	22.2	19.0	6
ST13305SC	14.0 mm	38.0	22.2	20.3	6
ST13306SC	15.0 mm	38.0	22.2	22.2	6
ST13307SC	16.0 mm	38.0	22.2	22.2	6
ST13308SC	17.0 mm	38.0	23.9	23.9	6
ST13309SC	18.0 mm	38.0	24.9	24.9	6
ST13310SC	19.0 mm	38.0	25.9	24.0	6
ST13311SC	20.0 mm	38.0	27.8	24.0	4
ST13312SC	21.0 mm	38.0	27.9	24.0	4
ST13313SC	22.0 mm	38.0	29.9	26.0	4
ST13314SC	23.0 mm	40.0	31.1	26.0	4
ST13315SC	24.0 mm	40.0	31.9	26.0	4
ST13316SC	27.0 mm	40.0	35.9	29.0	4
ST13324	28.0 mm	40.0	37.6	30.0	4
ST13317SC	30.0 mm	42.0	39.9	33.0	2
ST13318SC	32.0 mm	42.0	41.9	34.0	2
ST13321SC	34.0 mm	42.0	43.9	35.0	2
ST13101SC	5/16"	37.8	22.2	13.3	6
ST13102SC	3/8"	37.8	22.2	14.5	6
ST13103SC	7/16"	37.8	22.2	17.0	6
ST13104SC	1/2"	37.8	22.2	18.6	6
ST13105SC	9/16"	37.8	22.2	20.6	6
ST13106SC	5/8"	37.8	22.2	22.2	6
ST13107SC	11/16"	37.8	23.8	23.8	6
ST13108SC	3/4"	37.8	25.9	25.9	6
ST13109SC	13/16"	37.8	27.9	27.9	4
ST13110SC	7/8"	37.8	29.9	29.9	4
ST13111SC	15/16"	37.8	31.9	31.9	4
ST13112SC	1"	40.0	33.9	33.9	4
ST13113SC	1.1/16"	40.0	35.9	35.9	4
ST13114SC	1.1/8"	42.0	37.9	37.9	4
ST13115SC	1.1/4"	42.0	41.9	41.9	2

1/2" Drive 12 Point Socket

- Double hex (12 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST13619SC	8.0 mm	38.0	22.2	13.3	6
ST13620SC	9.0 mm	38.0	22.2	14.3	6
ST13601SC	10.0 mm	38.0	22.2	15.3	6
ST13602SC	11.0 mm	38.0	22.2	16.5	6
ST13603SC	12.0 mm	38.0	22.2	17.8	6
ST13604SC	13.0 mm	38.0	22.2	19.0	6
ST13605SC	14.0 mm	38.0	22.2	20.3	6
ST13606SC	15.0 mm	38.0	22.2	22.2	6
ST13607SC	16.0 mm	38.0	22.2	22.2	6
ST13608SC	17.0 mm	38.0	23.9	23.9	6
ST13609SC	18.0 mm	38.0	24.9	24.9	6
ST13610SC	19.0 mm	38.0	25.9	24.0	6
ST13611SC	20.0 mm	38.0	27.8	24.0	4
ST13612SC	21.0 mm	38.0	27.9	24.0	4
ST13613SC	22.0 mm	38.0	29.9	26.0	4
ST13614SC	23.0 mm	40.0	31.1	26.0	4
ST13615SC	24.0 mm	40.0	31.9	26.0	4
ST13616SC	27.0 mm	40.0	35.9	29.0	4
ST13617SC	30.0 mm	42.0	39.9	33.0	2
ST13618SC	32.0 mm	42.0	41.9	34.0	2
ST13501SC	5/16"	37.8	22.2	13.3	6
ST13502SC	3/8"	37.8	22.2	14.5	6
ST13503SC	7/16"	37.8	22.2	17.0	6
ST13504SC	1/2"	37.8	22.2	18.6	6
ST13505SC	9/16"	37.8	22.2	20.6	6
ST13506SC	5/8"	37.8	22.2	22.2	6
ST13507SC	11/16"	37.8	23.8	23.8	6
ST13508SC	3/4"	37.8	25.9	25.9	4
ST13509SC	13/16"	37.8	27.9	27.9	4
ST13510SC	7/8"	37.8	29.9	29.9	4
ST13511SC	15/16"	37.8	31.9	31.9	4
ST13512SC	1"	40.0	33.9	33.9	4
ST13513SC	1.1/16"	40.0	35.9	35.9	4
ST13514SC	1.1/8"	42.0	37.9	37.9	4
ST13515SC	1.1/4"	42.0	41.9	41.9	2

1/2" Drive 6 Point Deep Socket

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST13401SC	10.0 mm	77.0	22.0	15.3	6
ST13402SC	11.0 mm	77.0	22.0	16.5	6
ST13403SC	12.0 mm	77.0	22.0	17.8	6
ST13404SC	13.0 mm	77.0	22.0	19.0	6
ST13405SC	14.0 mm	77.0	22.0	20.3	6
ST13406SC	15.0 mm	77.0	22.0	22.0	6
ST13407SC	16.0 mm	77.0	22.0	22.0	6
ST13408SC	17.0 mm	77.0	23.8	23.8	6
ST13409SC	18.0 mm	77.0	24.8	24.8	6
ST13410SC	19.0 mm	77.0	25.8	25.8	6
ST13411SC	20.0 mm	77.0	27.8	27.8	4
ST13412SC	21.0 mm	77.0	27.8	27.8	4
ST13413SC	22.0 mm	77.0	29.8	29.8	4
ST13414SC	24.0 mm	77.0	31.8	31.8	4
ST13415SC	27.0 mm	77.0	35.8	35.8	4
ST13416SC	30.0 mm	77.0	39.8	39.8	2
ST13417SC	32.0 mm	77.0	41.8	41.8	2
ST13201SC	3/8"	77.0	22.0	14.5	6
ST13202SC	7/16"	77.0	22.0	17.0	6
ST13203SC	1/2"	77.0	22.0	18.6	6
ST13204SC	9/16"	77.0	22.0	20.6	6
ST13205SC	5/8"	77.0	22.0	22.0	6
ST13206SC	11/16"	77.0	23.8	23.8	6
ST13207SC	3/4"	77.0	25.8	25.8	6
ST13208SC	13/16"	77.0	27.8	27.8	4
ST13209SC	7/8"	77.0	29.8	29.8	4
ST13210SC	15/16"	77.0	31.8	31.8	4
ST13211SC	1"	77.0	33.8	33.8	4
ST13212SC	1.1/16"	77.0	35.8	35.8	4
ST13213SC	1.1/8"	77.0	37.8	37.8	4
SC13214	1.1/4"	77.0	41.8	41.8	6



1/2" Drive 12 Point Deep Socket

- Double hex (12 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST13810	10.0 mm	77.0	22.0	15.3	6
ST13812	12.0 mm	77.0	22.0	17.8	6
ST13813	13.0 mm	77.0	22.0	19.0	6
ST13814	14.0 mm	77.0	22.0	20.3	6
ST13816	16.0 mm	77.0	22.0	22.0	6
ST13817	17.0 mm	77.0	23.8	23.8	6
ST13818	18.0 mm	77.0	24.8	24.8	6
ST13819	19.0 mm	77.0	25.8	25.8	6




1/2" Drive 6 Point VDE Insulated Socket

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Red socket base color for quick identification of VDE
- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Heat treated for long lasting durability
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST14010SC	10.0 mm	55.0	22.0	27.0	12
ST14011SC	11.0 mm	55.0	22.0	27.0	12
ST14012SC	12.0 mm	55.0	22.0	27.0	12
ST14013SC	13.0 mm	55.0	22.0	27.0	12
ST14014SC	14.0 mm	55.0	22.0	27.0	12
ST14016SC	16.0 mm	55.0	22.0	27.0	12
ST14017SC	17.0 mm	55.0	22.0	27.0	12
ST14018SC	18.0 mm	55.0	22.0	27.0	12
ST14019SC	19.0 mm	55.0	22.0	27.0	12
ST14021SC	21.0 mm	55.0	22.0	27.0	10
ST14022SC	22.0 mm	55.0	22.0	27.0	10
ST14024SC	24.0 mm	55.0	22.0	27.0	10




1/2" Drive 6 Point VDE Insulated Hexagon Socket

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Red socket base color for quick identification of VDE
- Precison engineered bits for a better fit on fasteners
- Large stamped size markings provide quick size identification
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Fastener Size	Length (mm)	Width (mm)	Hight (mm)	
ST24404IEC	4.0 mm	117.0	22.0	27.0	6
ST24405IEC	5.0 mm	117.0	22.0	27.0	6
ST24406IEC	6.0 mm	117.0	22.0	27.0	6
ST24408IEC	8.0 mm	117.0	22.0	27.0	18
ST24410IEC	10.0 mm	117.0	22.0	27.0	18

1/2" Drive Spark Plug Sockets

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Fastener Size	Length (mm)	Width (mm)	Hight (mm)	
ST13915SC	16.0 mm	64.0	45.0	22.0	4
ST13916SC	21.0 mm	70.0	46.0	27.0	4
ST13917SC	5/8"	64.0	45.0	22.9	4
ST13918SC	13/16"	70.0	46.0	27.0	4

1/2" Drive External Torx® Socket

- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds Camcar TXF-701




Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST13701SC	E10	38.0	22.0	13.3	6
ST13702SC	E12	38.0	22.0	15.0	6
ST13703SC	E14	38.0	22.0	17.0	6
ST13704SC	E16	38.0	22.0	19.0	6
ST13705SC	E18	38.0	23.8	21.0	6
ST13706SC	E20	38.0	25.8	23.5	4
ST13707SC	E22	38.0	25.8	25.8	4
ST13708SC	E24	40.0	27.8	27.8	4

1/2" Drive Quick-Release Stubby Ratchet

- Stubby handle length for improved access
- Quick release design allows rapid socket removal
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST13960SC	194.0	6

1/2" Drive Quick-Release Round Head Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST13901SC	244.0	4

1/2" Drive Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- 60-tooth design requires as little as 6° of swing arc to move a fastener
- Flush mounted reversing lever allows user to change direction with one hand without removing the ratchet
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST13971ST	250.0	4



Article Code	Length (mm)	
ST13972ST	250.0	4

1/2" Drive Heavy Duty Offset Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- 45-tooth design requires as little as 8° of swing arc to move a fastener
- Offset handle design provides knuckle clearance in tight access application
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST13970SC	261.0	4

1/2" Drive 120XP Ratchet

- Designed with 120 positions providing a 3° swing arc so you can turn fasteners in tighter confines
- Designed with two double stacked 60-tooth pawls for exceptional strength
- Enclosed ratchet head design resists dirt infiltration for continuous and efficient execution
- Up to 50% thinner than conventional ratchet systems
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST13974	250.0	10

1/2" Insulated Quick-Release Teardrop Ratchet



- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Quick release design allows rapid socket removal
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST12983SC	250.0	6

1/2" Drive Flex Handle / Breaker Bar

- Handle for more leverage to break stubborn fasteners free
- Flex head drive for multiple angles of use
- One-Piece alloy steel construction for rugged performance
- Ball detent helps to secure the socket to the drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Size	Length (mm)	
ST13909SC	10"	254	4
ST13911SC	15"	375	4
ST13951SC	17"	432	4

1/2" Drive T-Handle

- Sliding T-Handle provides more leverage to break free stubborn fasteners
- Ball detent for secure socket retention
- Allows for use with one hand on each side of drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST13910SC	250.0	4

1/2" Drive Speed Handle

- Free rotating top handle grip delivers ultra-fast action for tightening and removing fasteners
- Ball detent for secure socket retention
- Knurled grip for comfort and control
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST17001SC	410.0	6

1/2" Drive Offset Handle

- 10" L-Shaped handle for better leverage and torque to break free stubborn fasteners
- Ball detent helps to secure the socket to the wrench
- Offset handles ideal for working in cramped areas
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST13919SC	260.0	4

1/2" Drive Universal Joint

- Universal joint for better access to hard-to-reach fasteners
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Length (mm)	
ST13912SC	68.2	4

1/2" Drive Adapter

- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Size	Length (mm)	
ST13913SC	3/8"	35.1	4
ST13950SC	3/4"	35.1	4

1/2" Drive Bit Adapter

- Precise fit for bit in adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	
ST13914SC	6

1/2" Drive 3-Way Adapter 3/8"

- 3 Position adapter
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Length (mm)	
ST13930SC	43.6	4

1/2" Drive Wobble Extensions

- Wobble extension for better reach to more fasteners
- Provides better angled access versus standard non-wobble extension bars
- Knurled grip provides a nonslip surface
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Size	Length (mm)	
ST13904SC	5"	127.0	4
ST13905SC	10"	254.0	4

1/2" Drive Locking Extensions

- Locking extension for better reach to more fasteners
- Locking mechanism securely attaches socket to extension
- Knurled grip provides a nonslip surface
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Size	Length (mm)	
ST13906SC	3"	76.2	4
ST13907SC	5"	127.0	4
ST13908SC	10"	254.0	4


1/2" Insulated Extension



- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Extension for better reach to more fasteners
- Ball detent for secure socket retention
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110





⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Length (mm)	
ST12985SC	55.0	6

1/2" Drive Bit Sockets

- Precision engineered bits for a better fit on fasteners
- Large stamped size markings provide quick size identification
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- S2 steel insert bits offer maximum strength and durability
- Meets or exceeds ASME B107.110




Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
ST24201SC	Hex 4.0 mm	75.0	24.0	6
ST24202SC	Hex 5.0 mm	75.0	24.0	6
ST24203SC	Hex 6.0 mm	75.0	24.0	6
ST24204SC	Hex 7.0 mm	75.0	24.0	6
ST24205SC	Hex 8.0 mm	75.0	24.0	6
ST24206SC	Hex 10.0 mm	75.0	24.0	6
ST24207SC	Hex 12.0 mm	75.0	24.0	6
ST24208SC	Hex 14.0 mm	75.0	24.0	6
ST24209SC	Hex 17.0 mm	75.0	24.0	6
ST24401BU	Hex 1/4"	75.0	24.0	6
ST24402BU	Hex 5/16"	75.0	24.0	6
ST24403BU	Hex 3/8"	75.0	24.0	6
SC24404	Hex 7/16"	75.0	24.0	6
SC24405	Hex 1/2"	75.0	24.0	6
ST24406BU	Hex 9/16"	75.0	24.0	6
ST24407BU	Hex 5/8"	75.0	24.0	6

Continued on next page

Continued from previous page

1/2" Drive Bit Sockets

- Precision engineered bits for a better fit on fasteners
 - Large stamped size markings provide quick size identification
 - Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
 - S2 steel insert bits offer maximum strength and durability
 - Meets or exceeds ASME B107.110



Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
ST24101SC	Torx® T20	75.0	24.0	6
ST24102SC	Torx® T25	75.0	24.0	6
ST24103SC	Torx® T27	75.0	24.0	6
ST24104SC	Torx® T30	75.0	24.0	6
ST24105SC	Torx® T40	75.0	24.0	6
ST24106SC	Torx® T45	75.0	24.0	6
ST24107SC	Torx® T50	75.0	24.0	6
ST24108SC	Torx® T55	75.0	24.0	6
ST24109SC	Torx® T60	75.0	24.0	6



Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
ST24801SC	Triple Square M5	75.0	24.0	6
ST24802SC	Triple Square M6	75.0	24.0	6
ST24803SC	Triple Square M8	75.0	24.0	6
ST24804SC	Triple Square M10	75.0	24.0	6
ST24805SC	Triple Square M12	75.0	24.0	6
ST24806SC	Triple Square M14	75.0	24.0	6
ST24807SC	Triple Square M16	75.0	24.0	6



These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

9 Pc. 1/2" Drive Hex Bit Socket Set


Article Code	Size	Length (mm)	Content	
ST09057-02	Hex 10"	254.0	9 - Bit Sockets Hex 4, 5, 6, 7, 8, 10, 12, 14, 17 mm	12

These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.



1/2" Drive Long Bit Sockets

- Precision engineered bits for a better fit on fasteners
 - Long socket to reach more fasteners
 - Large stamped size markings provide quick size identification
 - Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
 - S2 steel insert bits offer maximum strength and durability
 - Meets or exceeds ASME B107.110



Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
ST25201SC	Hex 4.0 mm	125.0	24.0	6
ST25202SC	Hex 5.0 mm	125.0	24.0	6
ST25203SC	Hex 6.0 mm	125.0	24.0	6
ST25204SC	Hex 7.0 mm	125.0	24.0	6
ST25205SC	Hex 8.0 mm	125.0	24.0	6
ST25206SC	Hex 10.0 mm	125.0	24.0	6
ST25207SC	Hex 12.0 mm	125.0	24.0	6
ST25208SC	Hex 14.0 mm	125.0	24.0	6
ST25209SC	Hex 17.0 mm	125.0	24.0	6



Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
ST25101SC	Torx® T20	125.0	24.0	6
ST25102SC	Torx® T25	125.0	24.0	6
ST25103SC	Torx® T27	125.0	24.0	6
ST25104SC	Torx® T30	125.0	24.0	6
ST25105SC	Torx® T40	125.0	24.0	6
ST25106SC	Torx® T45	125.0	24.0	6
ST25107SC	Torx® T50	125.0	24.0	6
ST25108SC	Torx® T55	125.0	24.0	6
ST25109SC	Torx® T60	125.0	24.0	6




Article Code	Fastener Size	Length (mm) (Dimension B)	Drive End (mm) (Dimension A)	
ST25801SC	Triple Square M5	125.0	24.0	6
ST25802SC	Triple Square M6	125.0	24.0	6
ST25803SC	Triple Square M8	125.0	24.0	6
ST25804SC	Triple Square M10	125.0	24.0	6
ST25805SC	Triple Square M12	125.0	24.0	6
ST25806SC	Triple Square M14	125.0	24.0	6
ST25807SC	Triple Square M16	125.0	24.0	6



These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


15 Pc. 3/4" Drive 12 Point Socket Set

Article Code	Description	Content	
ST09015SJ	15 Pc. 3/4" Drive 12 Point Metric Socket Set	1 - Quick-Release Ratchet 10 - 12pt. Metric Sockets 30, 32, 34, 36, 38, 41, 46, 50, 55, 60 mm 4 - Accessories T-Handle Extensions Bars 4", 8" Universal Joint	1
ST09148SJ	15 Pc. 3/4" Drive 12 Point SAE Socket Set	1 - Quick-Release Ratchet 10 - 12pt. Metric Sockets 1", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2" 4 - Accessories T-Handle Extensions Bars 4", 8" Universal Joint	1





3/4" Drive 6 Point Socket

- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST16401SC	19.0 mm	47.5	36.0	28.5	6
ST16402SC	21.0 mm	49.5	36.0	31.5	6
ST16403SC	22.0 mm	49.5	36.0	32.5	6
ST16404SC	23.0 mm	49.5	36.0	33.5	6
ST16405SC	24.0 mm	49.5	36.0	34.5	6
ST16406SC	25.0 mm	50.0	36.2	35.0	6
ST16407SC	26.0 mm	50.0	37.2	36.0	6

Article Code	Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST16408SC	27.0 mm	52.0	38.2	36.0	6
ST16409SC	28.0 mm	52.0	39.2	36.0	6
ST16410SC	29.0 mm	52.0	40.2	38.0	6
ST16411SC	30.0 mm	54.0	42.2	38.0	6
ST16412SC	32.0 mm	56.0	44.2	38.0	6
ST16413SC	33.0 mm	56.0	46.2	38.0	6
ST16414SC	34.0 mm	56.0	47.2	38.0	6
ST16415SC	35.0 mm	56.0	48.2	42.0	6
ST16416SC	36.0 mm	58.0	50.2	42.0	6
ST16417SC	38.0 mm	60.0	52.5	45.0	4
ST16418SC	41.0 mm	64.0	56.0	45.0	4
ST16419SC	46.0 mm	68.0	62.0	48.0	4
ST16420SC	50.0 mm	72.0	68.0	48.0	2
ST16421SC	55.0 mm	76.0	74.0	48.0	2
ST16422SC	60.0 mm	78.0	80.0	48.0	2
ST16301SC	3/4"	49.5	36.0	29.5	6
ST16302SC	13/16"	49.5	36.0	31.5	6
ST16303SC	7/8"	49.5	36.0	32.5	6
ST16304SC	15/16"	49.5	36.0	34.5	6
ST16305SC	1"	50.0	36.0	35.0	6
ST16306SC	1.1/16"	52.0	37.8	36.0	6
ST16307SC	1.1/8"	54.0	39.8	36.0	6
ST16308SC	1.3/16"	54.0	41.8	38.0	6
ST16309SC	1.1/4"	56.0	44.2	38.0	6
ST16310SC	1.5/16"	56.0	46.2	38.0	6
ST16311SC	1.3/8"	56.0	48.2	42.0	6
ST16312SC	1.7/16"	60.0	48.2	42.0	6
ST16313SC	1.1/2"	60.0	50.2	42.0	4
ST16320SC	1.9/16"	60.0	52.5	45.0	4
ST16314SC	1.5/8"	64.0	53.5	45.0	4
ST16315SC	1.11/16"	68.0	56.0	45.0	4
ST16316SC	1.3/4"	68.0	57.0	45.0	4
ST16317SC	1.13/16"	68.0	60.5	45.0	4
ST16318SC	1.7/8"	72.0	63.5	48.0	2
ST16319SC	2"	73.0	68.0	48.0	2
ST16321SC	2.1/16"	74.0	70.5	48.0	2
ST16322SC	2.1/8"	76.0	72.0	48.0	2
ST16323SC	2.1/4"	80.0	76.0	48.0	2


Continued on next page


3/4" Drive 12 Point Socket

- Double hex (12 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Double line (SAE) & knurled line (MM) to easily identify standard and metric sockets
- Manufactured to industrial specifications assuring a thin wall design with precise nut end dimensions
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST16602SC	19.0 mm	47.5	36.0	28.5	6
ST16603SC	21.0 mm	49.5	36.0	31.5	6
ST16604SC	22.0 mm	49.5	36.0	32.5	6
ST16605SC	23.0 mm	49.5	36.0	33.5	6
ST16606SC	24.0 mm	49.5	36.0	34.5	6
ST16607SC	25.0 mm	50.0	36.2	35.0	6
ST16608SC	26.0 mm	50.0	37.2	36.0	6
ST16609SC	27.0 mm	52.0	38.2	36.0	6
ST16610SC	28.0 mm	52.0	39.2	36.0	6
ST16611SC	29.0 mm	52.0	40.2	38.0	6
ST16612SC	30.0 mm	54.0	42.2	38.0	6
ST16613SC	32.0 mm	56.0	44.2	38.0	6
ST16614SC	33.0 mm	56.0	46.2	38.0	6
ST16615SC	34.0 mm	56.0	47.2	38.0	6
ST16616SC	35.0 mm	56.0	48.2	42.0	6
ST16617SC	36.0 mm	58.0	50.2	42.0	6
ST16618SC	38.0 mm	60.0	52.5	45.0	4
ST16619SC	41.0 mm	64.0	56.0	45.0	4
ST16620SC	46.0 mm	68.0	62.0	48.0	4
ST16622SC	50.0 mm	72.0	68.0	48.0	2
ST16623SC	55.0 mm	76.0	74.0	48.0	2
ST16624SC	60.0 mm	78.0	80.0	48.0	2

Article Code	Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST16504SC	15/16"	49.5	36.0	34.5	6
ST16501SC	3/4"	49.5	36.0	29.5	6
ST16502SC	13/16"	49.5	36.0	31.5	6
ST16503SC	7/8"	49.5	36.0	32.5	6
ST16505SC	1"	50.0	36.0	35.0	6
ST16506SC	1.1/16"	52.0	37.8	36.0	6
ST16507SC	1.1/8"	54.0	39.8	36.0	6
ST16508SC	1.3/16"	54.0	41.8	38.0	6
ST16509SC	1.1/4"	56.0	44.2	38.0	6
ST16510SC	1.5/16"	56.0	46.2	38.0	6
ST16511SC	1.3/8"	56.0	48.2	42.0	6
ST16512SC	1.7/16"	60.0	48.2	42.0	6
ST16513SC	1.1/2"	60.0	50.2	42.0	4
ST16520SC	1.9/16"	60.0	52.5	45.0	4
ST16514SC	1.5/8"	64.0	53.5	45.0	4
ST16515SC	1.11/16"	68.0	56.0	45.0	4
ST16516SC	1.3/4"	68.0	57.0	45.0	4
ST16517SC	1.13/16"	68.0	60.5	45.0	4
ST16518SC	1.7/8"	72.0	63.5	48.0	2
ST16519SC	2"	73.0	68.0	48.0	2
ST16521SC	2.1/16"	74.0	70.5	48.0	2
ST16522SC	2.1/8"	76.0	72.0	48.0	2
ST16523SC	2.1/4"	80.0	76.0	48.0	2

3/4" Drive Quick-Release Teardrop Ratchet

- Quick release design allows rapid socket removal
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST16901SC	500.0	1

Continued on next page

3/4" Drive Flex Handle / Breaker Bar 19"

- Handle for more leverage to break stubborn fasteners free
- Flex head drive for multiple angles of use
- One-Piece alloy steel construction for rugged performance
- Ball detent helps to secure the socket to the drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST16906SC	450.0	1

3/4" Drive T-Handle

- Sliding T-Handle provides more leverage to break free stubborn fasteners
- Ball detent for secure socket retention
- Allows for use with one hand on each side of drive tang
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST16905SC	450.0	1

3/4" Drive Offset Handle

- 13" L-Shaped handle for better leverage and torque to break free stubborn fasteners
- Ball detent helps to secure the socket to the wrench
- Offset handles ideal for working in cramped areas
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST16919SC	380.0	4

3/4" Drive Universal Joint

- Universal joint for better access to hard-to-reach fasteners
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Length (mm)	
ST16907SC	75.2	3

3/4" Drive Adapter 1/2"

- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.


Article Code	Length (mm)	
ST16908SC	35.1	6


3/4" Drive Standard Extension Bar

- Locking extension for better reach to more fasteners
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110




 These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

Article Code	Size	Length (mm)	
ST16902SC	4"	102.0	6
ST16903SC	8"	203.0	3
ST16904SC	16"	406.0	2




Pass-Thru® Ratchet & Socket Systems

30 Pc. 1/4" and 3/8" Drive 6 Point Metric Pass-Thru® Socket Set

Article Code	Content	
ST09132SJ	1 - 1/4" Dr. Pass-Thru® Ratchet 1 - 3/8" Dr. Pass-Thru® Ratchet 13 - 1/4" Dr. Metric Pass-Thru® Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 10 - 3/8" Dr. Metric Pass-Thru® Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 5 - Accessories 1/4" Dr. Pass-Thru® Extension Bar 3" 1/4" Dr. Quick-Release Adapter 3/8" Dr. Pass-Thru® Extension Bar 3" 3/8" Dr. x 1/4" Quick-Release Adapter 3/8" Dr. x 3/8" Quick-Release Adapter	4




21 Pc. 3/8" Drive 6 Point Metric/SAE Pass-Thru® Socket Set

Article Code	Content	
ST09134SJ	1 - Pass-Thru® Ratchet 10 - Metric Pass-Thru® Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm 7 - SAE Pass-Thru® Sockets 3/8, 7/16, 1/2, 5/8, 9/16, 11/16, 3/4" 3 - Accessories 3/8" Dr. x 1/4" Quick-Release Adapter 3/8" Dr. x 3/8" Quick-Release Adapter Pass-Thru® Extension Bar 3"	3



25 Pc. 1/4" Drive 6 Point Metric/SAE Pass-Thru® Socket Set

Article Code	Content	
ST09131SJ	1 - Pass-Thru® Ratchet 13 - Metric Pass-Thru® Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 9 - SAE Pass-Thru® Sockets 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2" 2 - Accessories Quick-Release Adapter Pass-Thru® Extension Bar 3"	6




BOLTBITER




1/4" AND 3/8" DRIVE METRIC/SAE BOLTBITER SETS

ST09137
ST09138



Rapid socket removal




Flush reversing lever



Removes rusted and rounded fasteners



Innovative tapered flutes



Bi-directional design



Dual sized sockets



SAE

METRIC

1/4"

3/8"



13 Pc. 1/4" and 3/8" Drive Metric/SAE BoltBiter Set

- Ratchet with quick release design allows rapid socket removal
- Ratchet flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Removes rusted and rounded fasteners
- Innovative tapered flutes for easy seating onto a damaged fastener
- Bi-directional design removes or tightens damaged fasteners
- Dual sized sockets work with both SAE and metric fasteners
- Hexagonal base for use with impact guns, ratchets, wrenches, or pliers
- Up to 5 times greater gripping force
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Comes with a durable blow mold case for storage and organization

Article Code	Content	
ST09137	1 - 3/8" Dr. Quick-Release Ratchet 2 - 1/4" Extraction Sockets 7, 8 mm 8 - 3/8" Extraction Sockets 10, 11, 12, 13, 14, 16, 17, 19 mm 2 - Accessories 3/8" Drive Wobble Extension Bar 6" 3/8" Drive Adapter 3/8"FX1/4"M	4



23 PC. 1/4" and 3/8" Drive Metric/SAE BoltBiter Set


- Ratchet with quick release design allows rapid socket removal
- Ratchet flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Removes rusted and rounded fasteners
- Minus-sized sockets designed to fit extremely worn-down fasteners
- Innovative tapered flutes for easy seating onto a damaged fastener
- Bi-directional design removes or tightens damaged fasteners
- Dual sized sockets work with both SAE and metric fasteners
- Hexagonal base for use with impact guns, ratchets, wrenches, or pliers
- Up to 5 times greater gripping force
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Comes with a durable blow mold case for storage and organization

Article Code	Content	
ST09138	1 - 3/8" Dr. Quick-Release Ratchet 2 - 1/4" Extraction Sockets 7, 8 mm 2 - 1/4" Minus Sized Extraction Sockets -7, -8 mm 8 - 3/8" Extraction Sockets 10, 11, 12, 13, 14, 16, 17, 19 mm 8 - 3/8" Minus Sized Extraction Sockets -10, -11, -12, -13, -14, -16, -17, -19 mm 2 - Accessories 3/8" Drive Wobble Extension Bar 6" 3/8" Drive Adapter 3/8"FX1/4"M	4



BoltBiter Extraction Socket

- Removes rusted and rounded fasteners
- Minus-sized sockets designed to fit extremely worn-down fasteners
- Innovative tapered flutes for easy seating onto a damaged fastener
- Bi-directional design removes or tightens damaged fasteners
- Dual sized sockets work with both SAE and metric fasteners
- Hexagonal base for use with impact guns, ratchets, wrenches, or pliers
- High-visibility laser-etched markings for quick size identification
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Black oxide finish to resist corrosion
- Meets or exceeds ASME B107.110



Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Wrench End (mm) (Dimension B)	
SC12801	1/4" -7.0 mm	37.5	18.0	6
SC12802	1/4" 7.0 mm	37.5	18.0	6
SC12803	1/4" -8.0 mm	37.5	18.0	6
SC12804	1/4" 8.0 mm	37.5	18.0	6
SC12807	3/8" -10.0 mm	37.5	21.4	6
SC12808	3/8" 10.0 mm	37.5	21.4	6
SC12809	3/8" -11.0 mm	37.5	21.4	6
SC12810	3/8" 11.0 mm	37.5	21.4	6
SC12811	3/8" -12.0 mm	37.5	21.4	6
SC12812	3/8" 12.0 mm	37.5	21.4	6
SC12814	3/8" -13.0 mm	37.5	21.4	6
SC12815	3/8" 13.0 mm	37.5	21.4	6
SC12816	3/8" -14.0 mm	37.5	22.0	6
SC12817	3/8" 14.0 mm	37.5	22.0	6
SC12820	3/8" -16.0 mm	37.5	24.0	6
SC12821	3/8" 16.0 mm	37.5	24.0	6
SC12822	3/8" -17.0 mm	37.5	24.0	6
SC12823	3/8" 17.0 mm	37.5	26.0	6
SC12826	3/8" -19.0 mm	37.5	28.0	6
SC12827	3/8" 19.0 mm	37.5	28.0	6





Impact Sockets

1/4" Drive Impact Adapter 1/4"F X 3/8"M

- Pin hole can be used with detent pin for secure socket retention to the adapter
- For use with impact drivers
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST34714SC	26.5	6

3/8" Drive Impact Adapter 3/8"F X 1/2"M

- Pin hole can be used with detent pin for secure socket retention to the adapter
- For use with impact drivers
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST34715SC	36.0	6

3/8" Drive Impact Universal Joint

- Universal joint for better access to hard-to-reach fasteners
- Pin hole can be used with detent pin for secure socket retention to the adapter
- For use with impact drivers
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST32902	53.0	6

3/8" Drive Impact Extension


- Extension for better reach to more fasteners
- For use with impact drivers
- Ball detent for secure socket retention
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Size	Length (mm)	
ST34701SC	3"	75.0	6
ST34702SC	6"	150.0	6


3/8" Drive 6 Point Impact Socket

- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34201BU	6.0 mm	28,0	18,8	10,6	6
ST34202SC	7.0 mm	28,0	18,8	11,6	6
ST34203SC	8.0 mm	28,0	18,8	12,8	6
SC34204	9.0 mm	28,0	18,8	14,2	6
ST34205SC	10.0 mm	28,0	18,8	15,9	6
ST34206SC	11.0 mm	28,0	18,8	17,1	6
ST34207SC	12.0 mm	28,0	18,8	18,5	6
ST34208SC	13.0 mm	30,0	19,8	20.0	6
ST34209SC	14.0 mm	30,0	21,8	21.0	6
SC34210	15.0 mm	30,0	22,0	21.0	6
ST34211SC	16.0 mm	30,0	23,8	22,0	6
ST34212SC	17.0 mm	30,0	24,8	22,0	6
SC34213	18.0 mm	30,0	25,8	22,0	6
ST34214SC	19.0 mm	30,0	26,8	22,0	6

12 Pc. 1/2" Drive 6 Point Metric Impact Socket Set


Article Code	Content	
ST09009SJ	10 - 6pt. Metric Impact Sockets 10, 11, 13, 14, 17, 19, 21, 22, 23, 24 mm 2 - Accessories Impact Universal Joint Impact Extension Bar 5"	8




14 Pc. 1/2" Drive 6 Point Metric Thin Wall Impact Socket Set


Article Code	Content	
ST34397T	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 mm	12



 Excluded from Lifetime Warranty terms


13 Pc. 1/2" Drive 6 Point Metric Deep Thin Wall Impact Socket Set

Article Code	Content	
ST34398T	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm	6

 Excluded from Lifetime Warranty terms



12 Pc. 1/2" Drive 6 Point SAE Impact Socket Set

Article Code	Content	
ST09008SJ	10 - 6pt. SAE Impact Sockets 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" 2 - Accessories Impact Universal Joint Impact Extension Bar 5"	10




26 PC. 1/2" DRIVE 6 POINT METRIC STANDARD & DEEP THIN WALL IMPACT SOCKET SET

ST34399T



Thin wall socket design




For use with impact drivers




Single hex (6 pt.) fastener end



Sockets feature off-corner loading



Standard & deep sockets



Large easy ID size markings

METRIC

1/2"



26 Pc. 1/2" Drive 6 Point Metric Standard & Deep Thin Wall Impact Socket Set

Article Code	Content	
ST34399T	13 - 6pt. Metric Thin Wall Impact Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm 13 - 6pt. Metric Thin Wall Deep Impact Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm	5

⚠ Excluded from Lifetime Warranty terms



1/2" Drive Impact Adapter

- Pin hole can be used with detent pin for secure socket retention to the adapter
- For use with impact drivers
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Size	Length (mm)	
ST34716SC	1/2" F X 3/8" M	38.0	20
ST34717SC	1/2" F X 3/4" M	45.0	6

1/2" Drive Impact Universal Joint

- Universal joint for better access to hard-to-reach fasteners
- Pin hole can be used with detent pin for secure socket retention to the adapter
- For use with impact drivers
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Length (mm)	
ST34719SC	65.5	6

1/2" Drive Impact Extension


- Extension for better reach to more fasteners
- For use with impact drivers
- Ball detent for secure socket retention
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Size	Length (mm)	
ST33911SC	3"	75.0	4
ST34703SC	5"	125.0	6
ST34704SC	6"	150.0	6
ST34705SC	10"	250.0	6
ST34706SC	12"	300.0	6

1/2" Drive 6 Point Impact Socket

- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34303SC	10.0 mm	38.0	24.8	14.5	6
ST34304SC	11.0 mm	38.0	24.8	15.4	6
ST34305SC	12.0 mm	38.0	24.8	17.8	6
ST34306SC	13.0 mm	38.0	24.8	18.3	6
ST34307SC	14.0 mm	38.0	24.8	19.5	6
ST34308SC	15.0 mm	38.0	24.8	20.4	6
ST34309SC	16.0 mm	38.0	24.8	21.8	6
ST34310SC	17.0 mm	38.0	25.8	23.2	6
ST34311SC	18.0 mm	38.0	27.8	24.6	4
ST34312SC	19.0 mm	41.0	29.8	27.2	4
ST34314SC	21.0 mm	41.0	31.8	27.4	4
ST34315SC	22.0 mm	41.0	31.8	30.0	4
ST34316SC	23.0 mm	41.0	33.8	30.0	4
ST34317SC	24.0 mm	41.0	33.8	30.0	4


Continued on next page

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34320SC	27.0 mm	41.0	37.8	30.0	4
ST34322SC	29.0 mm	41.0	41.8	31.0	2
ST34323SC	30.0 mm	41.0	41.8	32.0	2
ST34325SC	32.0 mm	41.0	43.8	34.0	2
ST33101SC	7/16"	38.0	24.8	17.5	6
ST33102SC	1/2"	38.0	24.8	20.5	6
ST33103SC	9/16"	38.0	24.8	21.7	6
ST33104SC	5/8"	38.0	24.8	23.2	6
ST33105SC	11/16"	38.0	25.8	24.6	6
ST33106SC	3/4"	41.0	29.8	27.2	4
ST33107SC	13/16"	41.0	31.8	28.4	4
ST33108SC	7/8"	41.0	31.8	30.0	4
ST33109SC	15/16"	41.0	35.8	30.0	4
ST33110SC	1"	41.0	37.8	30.0	4

1/2" Drive 6 Point Thin Wall Impact Socket

- Thin wall socket design for access in spaces standard sockets will not fit
- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110


 Excluded from Lifetime Warranty terms



Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
SC34303T	10.0 mm	38.0	21.8	15.3	6
SC34304T	11.0 mm	38.0	21.8	16.5	6
SC34305T	12.0 mm	38.0	21.8	17.8	6
SC34306T	13.0 mm	38.0	23.8	19.0	6
SC34307T	14.0 mm	38.0	23.8	20.3	6
SC34308T	15.0 mm	38.0	23.8	21.5	6
SC34309T	16.0 mm	38.0	23.8	22.8	6
SC34310T	17.0 mm	38.0	23.8	23.2	6
SC34311T	18.0 mm	38.0	24.8	24.6	4
SC34312T	19.0 mm	41.0	25.8	27.2	4
SC34314T	21.0 mm	41.0	27.8	28.4	4
SC34315T	22.0 mm	41.0	29.5	30.0	4
SC34316T	23.0 mm	41.0	31.1	30.0	4
SC34317T	24.0 mm	41.0	31.8	30.0	4
SC34320T	27.0 mm	41.0	35.8	32.5	4

1/2" Drive 6 Point Impact Deep Socket


- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34403SC	10.0 mm	82.0	24.3	14.7	6
ST34404SC	11.0 mm	82.0	24.3	15.7	6
ST34405SC	12.0 mm	82.0	24.3	18.1	6
ST34406SC	13.0 mm	82.0	24.3	18.9	6
ST34407SC	14.0 mm	82.0	24.3	20.6	4
ST34408SC	15.0 mm	82.0	24.3	21.5	6
ST34409SC	16.0 mm	82.0	24.3	22.8	6
ST34410SC	17.0 mm	82.0	25.8	23.2	6
ST34411SC	18.0 mm	82.0	27.8	24.6	6
ST34412SC	19.0 mm	82.0	29.8	27.2	4
ST34414SC	21.0 mm	82.0	31.3	28.4	4
ST34415SC	22.0 mm	82.0	31.8	30.0	4
ST34417SC	24.0 mm	82.0	33.8	30.0	4
ST34419SC	26.0 mm	82.0	37.8	30.0	4
ST34420SC	27.0 mm	82.0	37.8	30.0	4
ST34422SC	29.0 mm	82.0	39.8	31.0	2
ST34423SC	30.0 mm	82.0	41.8	32.0	2
ST34425SC	32.0 mm	82.0	43.8	34.0	2

1/2" Drive 6 Point Thin Wall Impact Deep Socket

- Thin wall socket design for access in spaces standard sockets will not fit
- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110




 Excluded from Lifetime Warranty terms

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
SC34403T	10.0 mm	82.0	21.8	15.3	6
SC34404T	11.0 mm	82.0	21.8	16.5	6
SC34405T	12.0 mm	82.0	21.8	17.8	6
SC34406T	13.0 mm	82.0	23.8	19.0	6
SC34407T	14.0 mm	82.0	23.8	20.3	6
SC34408T	15.0 mm	82.0	23.8	21.5	6
SC34409T	16.0 mm	82.0	23.8	22.8	6
SC34410T	17.0 mm	82.0	23.8	23.2	6
SC34411T	18.0 mm	82.0	24.8	24.6	6
SC34412T	19.0 mm	82.0	25.8	27.2	4
SC34414T	21.0 mm	82.0	27.8	28.4	4
SC34415T	22.0 mm	82.0	29.5	30.0	4
SC34417T	24.0 mm	82.0	31.8	30.0	4
SC34419T	26.0 mm	82.0	34.8	30.0	4
SC34420T	27.0 mm	82.0	35.8	30.0	4

3/4" Drive Impact Adapter

- Pin hole can be used with detent pin for secure socket retention to the adapter
- For use with impact drivers
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Size	Length (mm)	
ST34718SC	3/4" F X 1/2" M	56.0	6
ST34721SC	3/4" F X 1" M	57.0	4

3/4" Drive Impact Universal Joint

- Universal joint for better access to hard-to-reach fasteners
- Pin hole can be used with detent pin for secure socket retention to the adapter
- For use with impact drivers
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Length (mm)	
ST34720SC	88.5	6

3/4" Drive Impact Extension


- Extension for better reach to more fasteners
- For use with impact drivers
- Ball detent for secure socket retention
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Size	Length (mm)	
ST34708SC	4"	100.0	3
ST34712SC	10"	250.0	1

3/4" Drive 6 Point Impact Socket

- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability



Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34505SC	17.0 mm	51.0	30.0	38.0	6
ST34506SC	18.0 mm	51.0	31.0	38.0	6
ST34507SC	19.0 mm	51.0	32.0	38.0	6


Continued on next page

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34508SC	20.0 mm	51.0	33.0	38.0	6
ST34509SC	21.0 mm	51.0	34.0	38.0	6
ST34510SC	22.0 mm	51.0	35.0	38.0	6
ST34511SC	23.0 mm	51.0	36.0	38.0	6
ST34512SC	24.0 mm	51.0	38.0	38.0	6
ST34513SC	25.0 mm	51.0	38.0	38.0	6
ST34514SC	26.0 mm	51.0	38.0	38.0	6
ST34515SC	27.0 mm	53.0	40.0	40.0	6
ST34516SC	28.0 mm	53.0	40.0	40.0	6
ST34517SC	29.0 mm	53.0	42.0	42.0	6
ST34518SC	30.0 mm	53.0	44.0	44.0	6
ST34519SC	31.0 mm	53.0	48.0	44.0	6
ST34520SC	32.0 mm	57.0	48.0	44.0	6
ST34521SC	33.0 mm	57.0	48.0	44.0	6
ST34522SC	34.0 mm	57.0	51.0	44.0	6
ST34523SC	35.0 mm	57.0	50.0	44.0	6
ST34524SC	36.0 mm	57.0	52.0	44.0	6
ST34525SC	37.0 mm	57.0	55.0	44.0	6
ST34526SC	38.0 mm	57.0	56.0	44.0	6
ST34527SC	39.0 mm	57.0	58.0	44.0	6
ST34528SC	40.0 mm	57.0	59.0	44.0	6
ST34529SC	41.0 mm	57.0	60.0	44.0	6
ST34530	42.0 mm	57.0	61.0	44.0	6
ST33501BU	3/4"	51.0	32.0	38.0	6
ST33502BU	13/16"	51.0	34.0	38.0	6
ST33503BU	7/8"	51.0	35.0	38.0	6
ST33504BU	15/16"	51.0	38.0	38.0	6
ST33505BU	1"	51.0	38.0	38.0	6
ST33506BU	1.1/16"	53.0	40.0	40.0	6
ST33507BU	1.1/8"	53.0	42.0	42.0	6
ST33508BU	1.3/16"	53.0	44.0	44.0	6
ST33509BU	1.1/4"	57.0	48.0	44.0	6
ST33510BU	1.5/16"	57.0	48.0	44.0	6
ST33511BU	1.3/8"	57.0	50.0	44.0	6
ST33512BU	1.7/16"	57.0	52.0	44.0	6
ST33513BU	1.1/2"	57.0	56.0	44.0	6
ST33514BU	1.9/16"	57.0	59.0	44.0	6
ST33515BU	1.5/8"	57.0	60.0	44.0	6

3/4" Drive 6 Point Deep Impact Socket


- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110




Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34605SC	17.0 mm	90.0	30.0	44.0	1
ST34606SC	18.0 mm	90.0	31.0	44.0	1
ST34607SC	19.0 mm	90.0	33.0	44.0	1
ST34608SC	20.0 mm	90.0	34.0	44.0	1
ST34609SC	21.0 mm	90.0	35.0	44.0	1
ST34610SC	22.0 mm	90.0	37.0	44.0	1
ST34611SC	23.0 mm	90.0	38.0	44.0	1
ST34612SC	24.0 mm	90.0	39.0	44.0	1
ST34613SC	25.0 mm	90.0	40.0	44.0	1
ST34614SC	26.0 mm	90.0	41.0	44.0	1
ST34615SC	27.0 mm	90.0	43.0	44.0	1
ST34616SC	28.0 mm	90.0	44.0	44.0	1
ST34617SC	29.0 mm	90.0	45.0	44.0	1
ST34618SC	30.0 mm	90.0	46.0	44.0	1
ST34619SC	31.0 mm	90.0	48.0	44.0	1
ST34620SC	32.0 mm	90.0	49.0	44.0	1
ST34621SC	33.0 mm	90.0	51.0	44.0	1
ST34622SC	34.0 mm	90.0	51.0	44.0	1
ST34623SC	35.0 mm	90.0	53.0	44.0	1
ST34624SC	36.0 mm	90.0	54.0	44.0	1
ST34625SC	37.0 mm	90.0	55.0	44.0	1
ST34626SC	38.0 mm	90.0	56.0	44.0	1
ST34628SC	40.0 mm	90.0	59.0	44.0	1
ST34629SC	41.0 mm	90.0	60.0	44.0	1
SC34630	42.0 mm	90.0	61.0	44.0	1
SC34631	43.0 mm	90.0	63.0	44.0	1
ST34632	44.0 mm	90.0	64.0	44.0	1
SC34633	45.0 mm	90.0	65.0	44.0	1
SC34634	46.0 mm	90.0	66.0	44.0	1
SC34635	47.0 mm	90.0	68.0	44.0	1
SC34636	48.0 mm	90.0	69.0	44.0	1
SC34637	49.0 mm	90.0	70.0	44.0	1
SC34638	50.0 mm	90.0	71.0	54.0	1
SC34640	55.0 mm	90.0	78.0	54.0	1

1" Drive 6 Point Impact Socket

- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34824SC	36.0 mm	66.0	54.0	56.5	4
ST34825SC	37.0 mm	66.0	54.0	58.0	4
ST34826SC	38.0 mm	66.0	54.0	59.0	4
ST34827SC	39.0 mm	66.0	54.0	60.0	4
ST34828SC	40.0 mm	66.0	54.0	61.0	4
ST34829SC	41.0 mm	68.0	54.0	62.5	4
ST34830SC	42.0 mm	68.0	54.0	64.0	4
ST34831SC	43.0 mm	70.0	54.0	65.0	4
ST34832SC	44.0 mm	70.0	54.0	66.0	4
ST34833SC	45.0 mm	70.0	54.0	67.5	4
ST34834SC	46.0 mm	72.0	54.0	69.0	4
ST34835SC	47.0 mm	72.0	54.0	70.0	4
ST34836SC	48.0 mm	76.0	54.0	71.5	4
ST34837SC	49.0 mm	76.0	54.0	73.0	4
ST34838SC	50.0 mm	76.0	54.0	74.0	4
ST34839SC	51.0 mm	76.0	54.0	75.0	2
ST34840SC	52.0 mm	80.0	54.0	76.5	2
ST34841SC	53.0 mm	80.0	54.0	78.0	2
ST34842SC	54.0 mm	80.0	54.0	79.0	2
ST34843SC	55.0 mm	84.0	54.0	80.0	2
ST34844SC	56.0 mm	84.0	54.0	81.5	2
ST34845SC	57.0 mm	84.0	54.0	82.5	2
ST34846SC	58.0 mm	84.0	54.0	84.0	1
ST34847SC	59.0 mm	88.0	54.0	85.0	1
ST34848SC	60.0 mm	88.0	54.0	86.5	1
ST34849SC	63.0 mm	88.0	54.0	90.0	1
ST34850SC	65.0 mm	92.0	54.0	92.5	1
ST34851SC	67.0 mm	92.0	54.0	95.0	1
ST34852SC	68.0 mm	96.0	54.0	96.5	1
ST34853SC	69.0 mm	96.0	54.0	98.0	1
ST33801BU	1.7/16"	66.0	54.0	56.5	4
ST33802BU	1.1/2"	66.0	54.0	59.0	4
ST33803BU	1.9/16"	66.0	54.0	61.0	4


Continued on next page


Continued from previous page

Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST33804BU	1.5/8"	68.0	54.0	62.5	4
ST33805BU	1.11/16"	70.0	54.0	65.0	4
ST33806BU	1.3/4"	70.0	60.3	67.5	4
ST33807BU	1.13/16"	72.0	60.3	69.0	4
ST33808BU	1.7/8"	72.0	60.3	70.0	4
ST33809BU	1.15/16"	76.0	60.3	72.5	4
ST33810BU	2"	76.0	60.3	74.0	2
ST33811BU	2.1/16"	80.0	60.3	76.5	2
ST33812BU	2.1/8"	80.0	60.3	79.0	2
ST33813BU	2.3/16"	84.0	60.3	80.0	2
ST33814BU	2.1/4"	84.0	60.3	82.5	1
ST33815BU	2.5/16"	84.0	60.3	84.0	1
ST33816BU	2.3/8"	84.0	60.3	86.5	1
ST33817BU	2.7/16"	88.0	60.3	89.0	1
ST33818BU	2.1/2"	88.0	60.3	91.5	1
ST33819BU	2.9/16"	92.0	60.3	92.5	1
ST33820BU	2.5/8"	92.0	60.3	95.0	1
ST33821BU	2.11/16"	96.0	60.3	96.5	1
ST33822BU	2.3/4"	96.0	60.3	99.0	1

1" Drive 6 Point Deep Impact Socket

- Single hex (6 pt.) fastener end design
- For use with impact drivers
- Off-corner loading design reduces fastener rounding
- Deep socket to reach more fasteners
- Large markings offer easy size identification
- Black oxide finish to resist corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Fastener Size	Overall Length (mm) (Dimension C)	Drive End (mm) (Dimension A)	Wrench End (mm) (Dimension B)	
ST34924SC	36.0 mm	90.0	57.0	54.0	1
ST34925SC	37.0 mm	90.0	58.0	54.0	1
ST34926SC	38.0 mm	90.0	59.0	54.0	1
ST34928SC	40.0 mm	90.0	62.0	54.0	1
ST34929SC	41.0 mm	90.0	63.0	54.0	1
ST34930SC	42.0 mm	90.0	64.0	54.0	1
ST34931SC	43.0 mm	90.0	66.0	54.0	1
ST34934SC	46.0 mm	100.0	69.0	54.0	1
ST34937SC	49.0 mm	100.0	73.0	54.0	1
ST34938SC	50.0 mm	100.0	74.0	54.0	1
ST34940SC	55.0 mm	100.0	81.0	54.0	1





07

Wrenches

6 Pc. Metric Combination Wrench Set 7 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09018SJ	8, 10, 12, 13, 14, 15 mm	3



Article Code	Content	
ST09030	8, 10, 12, 14, 17, 19, 21 mm	4



7 Pc. Metric Combination Wrench Set 9 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09070SJ	8, 10, 12, 13, 14, 17, 19 mm	12




Article Code	Content	
ST09020SJ	8, 10, 11, 12, 13, 14, 15, 17, 19 mm	3




2 PC. REVERSIBLE WRENCH RACK UP TO 13 OR 16 WRENCHES

ST95410
ST95411



Holds metric or SAE wrenches



Adjustable design




Reinforced composite construction



Self-aligning , drop-in feature



Space-saving system



Fits up to 1" or 25 mm

METRIC

SAE



2 Pc. Reversible Wrench Rack

- Reversible wrench rack holds metric or SAE wrenches
- Adjustable design takes up 30% less space, allowing you to conveniently store your wrenches
- Reinforced composite construction offers long-lasting durability
- Self-aligning , drop-in feature provides quick and easy access to your tools
- Space-saving system for compact storage in shallow drawers
- Fits up to 1" or 25 mm

⚠ Excluded from Lifetime Warranty terms

Article Code	Description	
ST95410	For up to 13 Wrenches	24
ST95411	For up to 16 Wrenches	18



11 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09064SJ	8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 24 mm	12



11 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09022SJ	8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22 mm	2



12 Pc. Metric Combination Wrench Set 12 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09063	6, 8, 10, 12, 13, 14, 17, 19, 22, 24, 30, 32 mm	12

Article Code	Content	
ST08001SJ	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22 mm	12



15 Pc. Metric Combination Wrench Set

Article Code	Content	
ST08002SJ	6, 7, 8, 9, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm	4



17 Pc. Metric Offset Combination Wrench Set

Article Code	Content	
ST08018-02	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm	4



14 Pc. Metric Combination Wrench Set 14 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09026SJ	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	3

Article Code	Content	
ST09062-02	10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30, 32 mm	4




23 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09027SJ	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm	4



26 Pc. Metric Combination Wrench Set

Article Code	Content	
ST09093	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm	1



6 Pc. SAE Combination Wrench Set

Article Code	Content	
ST09017SJ	5/16, 3/8, 7/16, 1/2, 9/16, 5/8"	3



9 Pc. SAE Combination Wrench Set

Article Code	Content	
ST09019SJ	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"	3



11 Pc. SAE Combination Wrench Set

Article Code	Content	
ST09068SJ	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"	12



11 Pc. SAE Combination Wrench Set

Article Code	Content	
ST09021SJ	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"	2



14 Pc. SAE Combination Wrench Set

Article Code	Content	
ST09069SJ	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"	4




16 Pc. SAE Combination Wrench Set


Article Code	Content	
ST09074SJ	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"	4




Combination Wrench


- Combination wrenches feature open end & box end
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Combination wrenches feature a 15° offset box end for added knuckle clearance
- Sleek head design enables access to tight spots where a ratchet will not fit
- High-visibility stamped markings provide quick size identification
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST40233SC	5.5 mm	127.0	13.0	11.4	6
ST40201SC	6.0 mm	127.0	13.0	11.4	6
ST40202SC	7.0 mm	133.0	14.4	12.3	6
ST40203SC	8.0 mm	140.0	16.5	13.6	6
ST40204SC	9.0 mm	149.0	18.5	15.0	6
ST40205SC	10.0 mm	159.0	20.5	16.0	6
ST40206SC	11.0 mm	165.0	22.5	17.5	6
ST40207SC	12.0 mm	171.0	25.0	18.5	6
ST40208SC	13.0 mm	177.0	27.0	20.0	6
ST40209SC	14.0 mm	190.0	19.0	21.5	6
ST40210SC	15.0 mm	199.0	31.0	22.5	6
ST40211SC	16.0 mm	208.0	33.0	24.0	6
ST40212SC	17.0 mm	225.0	35.0	26.0	6
ST40213SC	18.0 mm	237.0	37.0	26.6	6
ST40214SC	19.0 mm	248.0	39.0	28.0	6
ST40215SC	20.0 mm	265.0	42.0	30.0	4
ST40216SC	21.0 mm	271.0	43.0	31.0	4
ST40217SC	22.0 mm	293.0	45.3	32.0	4
ST40218SC	23.0 mm	304.0	47.5	33.0	4
ST40219SC	24.0 mm	316.0	49.0	34.0	4
ST40220SC	25.0 mm	335.0	51.0	37.5	4
ST40235SC	26.0 mm	348.0	54.0	37.5	4
ST40221SC	27.0 mm	359.0	55.0	39.0	4
ST40236SC	28.0 mm	402.0	62.5	42.6	2
ST40237SC	29.0 mm	402.0	62.5	42.6	2
ST40222SC	30.0 mm	415.0	65.0	43.0	2
ST40223SC	32.0 mm	426.0	66.5	46.0	2
ST40241SC	34.0 mm	476.0	71.0	50.0	2
ST40242SC	35.0 mm	476.0	71.0	50.0	2
ST40243SC	36.0 mm	501.0	79.0	55.5	2
ST40244SC	38.0 mm	501.0	79.0	55.5	2


Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST40245SC	41.0 mm	578.0	86.5	61.0	2
ST40246SC	42.0 mm	578.0	86.5	61.0	2
ST40248SC	46.0 mm	615.0	93.0	65.5	2
ST40249SC	48.0 mm	654.0	100.0	74.5	2
ST40250SC	50.0 mm	654.0	100.0	74.5	2
ST40251SC	55.0 mm	670.0	109.0	80.0	2
ST40252SC	60.0 mm	692.0	120.0	87.0	2
ST40101SC	1/4"	127.0	13.0	11.4	6
ST40102SC	5/16"	140.0	16.5	13.6	6
ST40103SC	3/8"	159.0	20.5	16.0	6
ST40104SC	7/16"	165.0	22.5	17.5	6
ST40105SC	1/2"	177.0	27.0	20.0	6
ST40106SC	9/16"	190.0	29.0	21.5	6
ST40107SC	5/8"	208.0	33.0	24.0	6
ST40108SC	11/16"	225.0	35.0	26.0	6
ST40109SC	3/4"	248.0	29.0	28.0	6
ST40110SC	13/16"	271.0	43.0	31.0	4
ST40111SC	7/8"	293.0	45.3	32.0	4
ST40112SC	15/16"	316.0	49.0	34.0	4
ST40113SC	1"	335.0	51.0	37.5	4
ST40114SC	1-1/16"	359.0	55.0	39.0	4
ST40115SC	1-1/8"	402.0	65.5	42.6	2
ST40116SC	1-1/4"	426.0	66.6	46.0	2
ST40117SC	1-5/16"	476.0	71.0	50.0	2
ST40118SC	1-3/8"	476.0	71.0	50.0	2
ST40119SC	1-7/16"	501.0	79.0	55.5	2
ST40120SC	1-1/2"	501.0	79.0	55.5	2
ST40121SC	1-5/8"	578.0	86.5	61.0	2
ST40122SC	1-3/4"	578.0	86.5	61.0	2
ST40123SC	1-7/8"	615.0	93.0	65.5	2
ST40124SC	2"	654.0	100.0	74.5	2

7 Pc. Metric XL X-Beam Combination Wrench Set

Article Code	Content	
ST08017	8, 10, 12, 13, 14, 17, 19 mm	4




10 Pc. Metric XL X-Beam Combination Wrench Set


Article Code	Content	
ST08006SJ	8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm	4



XL X-Beam Combination Wrench

- Combination wrenches feature open end & box end
- X-Beam™ design lets you apply force to the flat side of the wrench, reducing hand fatigue and increasing torque output by 25%
- Off-corner loading design on box end provides better grip and reduces fastener rounding
- Combination wrenches feature a 15° offset box end for added knuckle clearance
- Up to 25% longer for improved access and leverage
- Hand and wrench contact area increased 5 times when operating
- Sleek head design enables access to tight spots where a ratchet will not fit
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST40281SC	8.0 mm	147.0	18.5	13.6	6
ST40282SC	9.0 mm	158.0	20.5	15.0	6
ST40283SC	10.0 mm	166.0	23.2	16.1	6
ST40284SC	11.0 mm	185.0	25.5	17.4	6
ST40285SC	12.0 mm	196.0	27.5	18.5	6
ST40286SC	13.0 mm	206.0	28.5	19.8	6
ST40287SC	14.0 mm	222.0	32.5	21.5	6
ST40288SC	15.0 mm	232.0	33.5	22.6	6
ST40289SC	16.0 mm	242.0	35.5	24.0	6
ST40290SC	17.0 mm	260.0	38.5	26.0	6
ST40291SC	18.0 mm	269.0	39.0	26.6	6
ST40292SC	19.0 mm	278.7	42.5	28.0	6

7 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST09073SJ	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 19x21 mm	12



7 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST09071SJ	8x10, 10x12, 12x14, 14x17, 17x19, 21x23, 22x24 mm	12



10 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST08010	5.5x7, 8x10, 9x11, 10x12, 12x14, 14x17, 17x19, 19x22, 24x27, 30x32 mm	2



10 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST08019-02	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x23, 24x27, 30x32 mm	6



8 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST08013	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x22 mm	6



8 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST08014SJ	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	12



11 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST08041	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm	6




13 Pc. Metric Double Open End Wrench Set

Article Code	Content	
ST09029SJ	6x7, 8x10, 10x12, 11x13, 12x14, 14x17, 17x19, 19x21, 21x23, 22x24, 23x26, 24x27, 30x32 mm	4



Double Open End Wrench

- Double open end design with 2 sizes per wrench
- Sleek head design enables access to tight spots where a ratchet will not fit
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST41216SC	5.5x7 mm	124.0	16.5	12.5	6
ST41201SC	6x7 mm	124.0	16.5	12.5	6
ST41301SC	8x9 mm	137.0	18.8	16.7	6
ST41202SC	8x10 mm	150.0	20.8	16.5	6
ST41217SC	9x11 mm	150.0	23.0	20.8	6
ST41302SC	10x11 mm	150.0	23.0	20.8	6
ST41203SC	10x12 mm	163.0	25.0	20.8	6
ST41204SC	11x13 mm	175.0	27.0	23.0	6
ST41303SC	12x13 mm	163.0	27.2	24.6	6
ST41205SC	12x14 mm	187.0	29.0	25.0	6
ST41218SC	13x15 mm	182.0	33.4	27.0	6
ST41219SC	13x16 mm	182.0	33.4	27.0	6
ST41304SC	14x15 mm	182.0	33.4	29.0	6
ST41206SC	14x17 mm	201.0	35.5	29.0	6
ST41305SC	16x17 mm	201.0	35.5	33.4	6
ST41214SC	16x18 mm	201.0	35.5	33.4	6
ST41207SC	17x19 mm	228.0	39.7	35.5	6
ST41225ST	18x19 mm	228.0	39.7	35.5	4
ST41208SC	19x21 mm	240.0	43.8	39.7	4
ST41215SC	19x22 mm	254.0	46.0	43.8	4

Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST41227ST	20x22 mm	254.0	45.3	42.0	4
ST41226	21x22 mm	254.0	46.0	43.8	4
ST41209SC	21x23 mm	262.0	48.0	43.8	4
ST41210SC	22x24 mm	285.0	50.0	46.0	4
ST41211SC	23x26 mm	300.0	54.3	48.0	4
ST41212SC	24x27 mm	300.0	54.3	48.0	4
ST41220SC	27x30 mm	290.0	62.5	56.4	4
ST41213SC	30x32 mm	310.0	66.8	62.0	4
ST41221SC	30x34 mm	329.0	69.7	66.8	4
ST41222SC	32x34 mm	329.0	69.7	66.8	4
ST41223SC	34x36 mm	341.0	75.5	70.0	4
ST41101SC	1/4"x5/16"	124.0	16.5	12.5	6
ST41102SC	3/8"x7/16"	150.0	23.0	20.8	6
ST41103SC	1/2"x9/16"	175.0	27.0	23.0	6
ST41104SC	5/8"x11/16"	201.0	35.5	33.4	6
ST41105SC	11/16"x3/4"	228.0	39.7	35.5	6
ST41106SC	13/16"x7/8"	254.0	46.0	43.8	4
ST41107SC	15/16"x1"	279.0	52.5	50.0	4
ST41108SC	1-1/8x1-1/4"	310.0	66.8	62.0	4

7 Pc. Metric Double Box End Wrench Set

Article Code	Content	
ST09072SJ	8x10, 10x12, 12x14, 14x17, 17x19, 21x23, 22x24 mm	12



8 Pc. Metric Double Box End Wrench Set

Article Code	Content	
ST08004SJ	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 17x19, 21x23 mm	12



10 Pc. Metric Double Box End Wrench Set

Article Code	Content	
ST08012	5.5x7, 8x10, 9x11, 10x12, 12x14, 14x17, 17x19, 19x22, 24x27, 30x32 mm	6




12 Pc. Metric Double Box End Wrench Set


Article Code	Content	
ST08007SJ	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 17x19, 19x22, 21x23, 22x24, 27x30, 30x32 mm	4



Double Box End Wrench


- Double box end wrench design with 2 sizes per wrench
- 40° offset double box end design provides better access to recessed fasteners
- Off-corner loading design on box ends provide better grip and reduces fastener rounding
- Sleek head design enables access to tight spots where a ratchet will not fit
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100

Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST42221SC	5.5x7 mm	163.0	24.6	27.2	6
ST42213SC	6x7 mm	187.0	25.0	29.0	6
ST42214SC	8x9 mm	182.0	27.0	33.4	6
ST42201SC	8x10 mm	182.0	27.0	33.4	6
ST42222SC	9x11 mm	182.0	29.0	33.4	6
ST42215SC	10x11 mm	201.0	29.0	35.5	6
ST42202SC	10x12 mm	201.0	33.4	35.5	6
ST42203SC	11x13 mm	201.0	33.4	35.5	6
ST42216SC	12x13 mm	228.0	35.5	39.7	6
ST42204SC	12x14 mm	228.0	35.5	39.7	6
ST42223SC	13x15 mm	240.0	39.7	43.8	6
ST42224SC	13x16 mm	254.0	43.8	46.0	6
ST42217SC	14x15 mm	254.0	42.0	45.3	6
ST42205SC	14x17 mm	254.0	43.8	46.0	6
ST42218SC	16x17 mm	262.0	43.8	48.0	6
ST42219SC	16x18 mm	285.0	46.0	50.0	6
ST42206SC	17x19 mm	300.0	48.0	54.3	6
ST42207SC	19x21 mm	300.0	48.0	54.3	4
ST42220SC	19x22 mm	290.0	56.4	62.5	4



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST42208SC	21x23 mm	310.0	62.0	66.8	4
ST42209SC	22x24 mm	329.0	66.8	69.7	4
ST42210SC	23x26 mm	329.0	66.8	69.7	4
ST42211SC	24x27 mm	341.0	70.0	75.5	4
ST42225SC	27x30 mm	124.0	12.5	16.5	4
ST42212SC	30x32 mm	150.0	20.8	23.0	4
ST42101SC	3/8x7/16"	175.0	23.0	27.0	6
ST42102SC	1/2x9/16"	201.0	33.4	35.5	6
ST42104SC	11/16x3/4"	228.0	35.5	39.7	6
ST42105SC	13/16x7/8"	254.0	43.8	46.0	4
ST42106SC	7/8x15/16"	279.0	50.0	52.5	4
ST42107SC	15/16"x1"	310.0	62.0	66.8	4


11 Pc. Metric Deep Offset Double Box End Wrench Set

Article Code	Content	
ST08023	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm	6




Deep Offset Double Box End Wrench

- Double box end wrench design with 2 sizes per wrench
- 70° offset double box ends for better access to recessed fasteners
- Off-corner loading design on box ends provide better grip and reduces fastener rounding
- Sleek head design enables access to tight spots where a ratchet will not fit
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100




Article Code	Size	Length (mm)	Width (mm)	Hight (mm)	
ST42301	6x7 mm	10.7	11.2	170.0	16
ST42302	8x9 mm	11.8	13.3	183.0	16
ST42303	10x11 mm	14.7	16.1	195.0	16
ST42304	12x13 mm	17.9	19.1	213.0	16
ST42305	14x15 mm	20.6	21.5	225.0	12
ST42306	16x17 mm	23.6	24.6	245.0	12
ST42307	18x19 mm	26.3	27.3	265.0	12
ST42309	20x22 mm	28.8	31.8	288.0	12
ST42310	21x23 mm	30.1	34.1	305.0	12
ST42312	24x27 mm	34.6	38.1	325.0	6
ST42315	30x32 mm	42.7	45.7	370.0	6

6 Pc. Metric Flex Head Socket & Open Wrench Set

Article Code	Content	
ST09037SJ	10, 12, 13, 14, 17, 19 mm	6




3 Pc. Metric Double Flex Head Socket Wrench Set

Article Code	Content	
ST08042	8x10, 12x14, 17x19 mm	6



Double Flex Head Socket Wrench

- Double box end wrench design with 2 sizes per wrench
- 12 pt. socket end pivots 180° for better access to hard-to-reach fasteners
- Off-corner loading design on box ends provide better grip and reduces fastener rounding
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100




Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST47501ST	8x9 mm	183.0	12.7	14.0	6
ST47507ST	8x10 mm	189.0	13.7	14.8	6
ST47502ST	10x11 mm	197.0	14.7	15.8	6
ST47503ST	12x13 mm	211.0	16.2	17.4	6

Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST47504ST	14x15 mm	240.0	19.8	21.9	6
ST47505ST	16x17 mm	256.0	23.9	24.0	6
ST47509ST	17x19 mm	264.0	25.0	25.0	6
ST47506ST	18x19 mm	272.0	26.9	27.0	6

Box End Slugging Wrench

- Stubby beam length for when clearance is limited
- Off-corner loading design provides better grip and reduces fastener rounding
- Sleek head design enables access to tight spots where a ratchet will not fit
- Hammer striking surface on end for more force when tightening or loosening fasteners
- Features a safety through hole for connection to equipment via wire, string etc. in confined spaces
- High-visibility stamped markings provide quick size identification
- Heat treated for long lasting durability
- Meets or exceeds ASME B107.410



Article Code	Size	Length L (mm)	Width A (mm)	
ST48505	27.0 mm	175.0	45.0	4
ST48506	30.0 mm	185.0	50.0	4
ST48507	32.0 mm	195.0	55.0	4
ST48509	36.0 mm	200.0	55.0	4
SC48512	41.0 mm	222.0	62.0	4
ST48515	46.0 mm	240.0	75.0	4
ST48516	50.0 mm	245.0	75.0	3
ST48517	55.0 mm	265.0	85.0	2
ST48519	60.0 mm	270.0	90.0	2
ST48520	65.0 mm	270.0	90.0	2
ST48521	70.0 mm	320.0	105.0	2
SC48522	75.0 mm	330.0	110.0	1
SC48523	80.0 mm	359.0	131.0	1

Article Code	Size	Length L (mm)	Width A (mm)	
SC48524	85.0 mm	359.0	131.0	1
SC48525	90.0 mm	391.0	145.0	1
SC48526	95.0 mm	391.0	145.0	1
SC48527	100.0 mm	421.0	158.0	1
SC48528	105.0 mm	421.0	158.0	1
SC48529	110.0 mm	450.0	172.0	1
SC48530	115.0 mm	450.0	172.0	1
SC48531	120.0 mm	480.0	185.0	1

Open End Slugging Wrench

- Stubby beam length for when clearance is limited
- Sleek head design enables access to tight spots where a ratchet will not fit
- Hammer striking surface on end for more force when tightening or loosening fasteners
- Features a safety through hole for connection to equipment via wire, string, etc. in confined spaces
- High-visibility stamped markings provide quick size identification
- Heat treated for long lasting durability
- Meets or exceeds ASME B107.410



Article Code	Size	Length L (mm)	Width A (mm)	
SC48603	27.0 mm	175.0	55.0	6
SC48604	30.0 mm	185.0	60.0	6
SC48605	32.0 mm	190.0	65.0	6
SC48607	36.0 mm	210.0	70.0	6
SC48609	41.0 mm	230.0	85.0	6
SC48610	46.0 mm	240.0	95.0	6
SC48611	50.0 mm	270.0	100.0	6
SC48612	55.0 mm	295.0	115.0	6
SC48613	60.0 mm	310.0	120.0	3
SC48614	65.0 mm	330.0	145.0	3
SC48615	70.0 mm	365.0	150.0	3
SC48616	75.0 mm	390.0	156.0	1

Article Code	Size	Length L (mm)	Width A (mm)	
SC48617	80.0 mm	408.0	173.0	1
SC48618	85.0 mm	408.0	173.0	1
SC48619	90.0 mm	445.0	193.0	1
SC48620	95.0 mm	445.0	193.0	1
SC48621	100.0 mm	485.0	214.0	1
SC48622	105.0 mm	485.0	214.0	1


7 Pc. Stubby Combination Wrench Set

Article Code	Content	
ST09033SJ	10, 11, 12, 13, 14, 17, 19 mm	12



Stubby Combination Wrench

- Stubby beam length for when clearance is limited
- Combination wrenches feature open end & box end
- Off-corner loading design provides better grip and reduces fastener rounding
- Sleek head design enables access to tight spots where a ratchet will not fit
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
SC49201	10.0 mm	95.5	20.5	16.0	6
ST49202BU	11.0 mm	103.0	22.6	17.5	6
SC49203	12.0 mm	106.5	24.6	18.5	6
SC49204	13.0 mm	108.5	26.7	20.0	6

Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
SC49205	14.0 mm	115.0	29.0	21.5	6
SC49208	17.0 mm	127.5	35.0	26.0	6
SC49210	19.0 mm	139.5	39.5	28.0	6

T-Handle 6 Point Socket Wrench

- T-Handle provides more leverage to break free stubborn fasteners
- Single hex (6 pt.) fastener end design
- 31 cm extension bar uniquely designed for working in a limited space
- 20 cm handle length ensures higher torque
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.110



Article Code	Size	Length (mm)	
ST47701SC	8.0 mm	310.0	6
ST47702SC	9.0 mm	310.0	6
ST47703SC	10.0 mm	310.0	6
ST47704SC	11.0 mm	310.0	6
ST47705SC	12.0 mm	310.0	6

Article Code	Size	Length (mm)	
ST47706SC	13.0 mm	310.0	6
ST47707SC	14.0 mm	310.0	6
ST47710SC	17.0 mm	313.0	6
ST47712SC	19.0 mm	313.0	6

3 Pc. Metric Flare Nut Wrench Set

Article Code	Content	
ST09031SJ	9x11, 13x14, 16x17 mm	6



3 Pc. Metric Flare Nut Wrench Set

Article Code	Content	
ST09033U	9x10, 11x12, 13x14 mm	12




3 Pc. SAE Flare Nut Wrench Set

Article Code	Content	
ST09032	3/8x7/16", 1/2x9/16", 5/8x11/16"	6



Flare Nut Wrench

- Flare nut wrench design with 2 sizes per wrench
- Flare nut hex shaped heads give more points of contact on the fastener to prevent damage
- Rugged one piece steel alloy construction
- Use for removing or replacing nuts on fuel, brake lines, and air conditioning lines
- Sleek head design enables access to tight spots where a ratchet will not fit
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST48200SC	8x10 mm	140.0	17.3	21.0	6
ST48201SC	9x11 mm	152.0	19.4	22.2	6
ST48204SC	10x12 mm	166.0	21.0	23.4	6
ST48202SC	13x14 mm	178.0	24.9	26.1	6

Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST48203SC	16x17 mm	193.0	27.5	30.5	6
ST48301SC	3/8x7/16"	152.0	19.4	22.2	6
ST48302SC	1/2x9/16"	178.0	24.9	26.1	6
ST48303SC	5/8x11/16"	193.0	27.5	30.5	6


4 Pc. E-Torx® Box Wrench Set

Article Code	Content	
ST09012SJ	E6xE8, E10xE12, E14xE18, E20xE24	6



Double Box E-Torx® Wrench


- Double box end wrench design with 2 sizes per wrench
- Off-corner loading design on box ends provide better grip and reduces fastener rounding
- Torx wrenches feature a 15° offset box end for added knuckle clearance
- Sleek head design enables access to tight spots where a ratchet will not fit
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds Camcar TXF-701



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST45201SC	E6xE8	113.0	10.0	12.2	6
ST45202SC	E10xE12	141.0	13.5	15.5	6
ST45203SC	E14xE18	181.0	17.7	11.0	6
ST45204SC	E20xE24	225.0	25.0	28.6	6

VDE Insulated Open End Wrench

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Sleek head design enables access to tight spots where a ratchet will not fit
- Red color for quick identification of VDE
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	Size	Length L (mm)	Width B (mm)	Hight A (mm)	
ST41306SC	6.0 mm	90.0	23.0	7.0	6
ST41307SC	7.0 mm	90.0	25.0	7.0	6
ST41308SC	8.0 mm	100.0	27.0	7.5	6
ST41309SC	9.0 mm	100.0	29.0	7.5	6
ST41310SC	10.0 mm	110.0	31.0	8.0	6
ST41311SC	11.0 mm	110.0	34.0	8.5	6
ST41312SC	12.0 mm	130.0	36.0	8.5	6
ST41313SC	13.0 mm	135.0	39.0	10.5	6
ST41314SC	14.0 mm	145.0	40.0	10.5	6
ST41315SC	15.0 mm	150.0	42.0	11.5	6
ST41316SC	16.0 mm	160.0	43.0	11.5	6
ST41317SC	17.0 mm	160.0	47.0	12.5	6
ST41318SC	18.0 mm	175.0	50.0	13.0	6
ST41319SC	19.0 mm	175.0	53.0	14.0	6
ST41321SC	21.0 mm	195.0	55.0	14.0	6
ST41322SC	22.0 mm	195.0	58.0	14.0	6
ST41324SC	24.0 mm	225.0	62.0	16.5	6

VDE Insulated Single Offset Ring Wrench


- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Off-corner loading design provides better grip and reduces fastener rounding
- Offset box end design provides better access to recessed fasteners
- Red color for quick identification of VDE
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	Size	Length L (mm)	Width B (mm)	Hight A (mm)	
ST42406SC	6.0 mm	150.0	16.0	5.5	6
ST42407SC	7.0 mm	150.0	18.0	5.7	6
ST42408SC	8.0 mm	155.0	19.0	6.1	6
ST42409SC	9.0 mm	155.0	20.0	7.2	6
ST42410SC	10.0 mm	170.0	21.0	7.3	6
ST42411SC	11.0 mm	170.0	22.5	7.7	6
ST42412SC	12.0 mm	190.0	23.0	7.7	6
ST42413SC	13.0 mm	194.0	26.0	8.5	6
ST42414SC	14.0 mm	205.0	28.0	9.5	6
ST42415SC	15.0 mm	208.0	28.0	10.1	6
ST42416SC	16.0 mm	220.0	30.0	10.5	6
ST42417SC	17.0 mm	225.0	32.0	10.7	6
ST42418SC	18.0 mm	230.0	33.0	11.5	6
ST42419SC	19.0 mm	230.0	36.0	12.0	6
ST42421SC	21.0 mm	235.0	37.0	12.0	6
ST42422SC	22.0 mm	245.0	44.0	12.2	6
ST42424SC	24.0 mm	265.0	44.0	13.0	6


VDE Insulated Adjustable Wrench

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Hex jaw design reduces slippage and tightly grips bolt
- Larger knurl provides a tighter fit, is easier to adjust and is less likely to bind up
- Built-in scale measures metric sizes for quick fastener identification
- Cushion handle for ease of use and slip protection
- Tempered steel construction offers strength and durability for long-lasting performance



Article Code	Size	Length L (mm)	Jaw Capacity C (mm)	Head Thickness A (mm)	
ST47101SC	6"	163.0	24.0	11.6	6
ST47102SC	8"	215.0	28.2	11.7	6
ST47103SC	10"	260.0	36.6	16.4	6
ST47104SC	12"	312.0	38.0	20.4	6

11 Pc. X6 Pass-Thru Adjustable Wrench Set - Black Edition

Article Code	Content	
ST09000	1 - 8" Adjustable Wrenche 3 in 1 10 - Sockets Vortex 10 mm (3/8"), 11 mm (7/16"), 12 mm (15/32"), 13 mm (1/2"), 14 mm (9/16"), 15 mm (19/32"), 16 mm (5/8"), 17 mm (11/16"), 18 mm (23/32"), 19 mm (3/4")	6




11 PC. X6 PASS-THRU ADJUSTABLE WRENCH SET - BLACK EDITION


ST09000




Universal
socket style




Pass-Through
system



Standard and
deep socket
combined



Flush mounted
reversing lever



8" adjustable
wrench



Reversible
lower jaw

METRIC SAE



Adjustable Wrench

- Wide jaw opening for greater capacity
- Wide handle for improved comfort and better leverage
- Hex jaw design reduces slippage and tightly grips bolt
- Larger knurl provides a tighter fit, is easier to adjust and is less likely to bind up
- Built-in scale measures metric sizes for quick fastener identification
- High-visibility stamped markings provide quick size identification
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Jaw Capacity C (mm)	Head Thickness A (mm)	
ST47201SC	4"	100.0	12.7	9.4	6
ST47202SC	6"	150.0	23.8	11.0	6
ST47203SC	8"	200.0	28.5	12.6	6
ST47204SC	10"	250.0	33.3	15.7	6
ST47205SC	12"	300.0	38.1	19.0	4
ST47206SC	15"	375.0	42.8	23.9	3
ST47207SC	18"	450.0	52.4	28.5	1
ST47208SC	24"	600.0	61.9	34.5	1

2 Pc. Wide Jaw 6" and 10" Adjustable Wrench Set


Article Code	Content	
ST47130	Wide Jaw Adjustable Wrench 6", 10"	12



Wide Jaw Adjustable Wrench

- Extra wide jaw opening for greater capacity
- Wide handle for improved comfort and better leverage
- Hex jaw design reduces slippage and tightly grips bolt
- Larger knurl provides a tighter fit, is easier to adjust and is less likely to bind up
- Built-in scale measures in both SAE standard and metric sizes for quick fastener identification
- High-visibility stamped markings provide quick size identification
- Black oxide finish to resist corrosion
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Jaw Capacity C (mm)	Head Thickness A (mm)	
ST47122	6"	150.0	28.6	11.0	6
ST47123	8"	200.0	35.9	13.2	6
ST47124	10"	250.0	39.0	15.5	6
ST47125	12"	300.0	43.0	19.0	4

Dipping Handle Adjustable Wrench

- Wide jaw opening for greater capacity
- Wide handle for improved comfort and better leverage
- Hex jaw design reduces slippage and tightly grips bolt
- Larger knurl provides a tighter fit, is easier to adjust and is less likely to bind up
- Built-in scale measures metric sizes for quick fastener identification
- Professional, ergonomic, oil resistant dipped grips wipe clean easily
- High-visibility size markings provide quick size identification
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100




Article Code	Size	Length L (mm)	Jaw Capacity C (mm)	Head Thickness A (mm)	
ST47221SC	4"	100.0	12.7	8.6	6
ST47222SC	6"	150.0	23.8	9.5	6
ST47223SC	8"	200.0	28.5	12.0	6
ST47224SC	10"	250.0	33.3	14.0	6
ST47225SC	12"	300.0	38.1	16.5	4
ST47226SC	15"	375.0	42.8	21.0	3

Heavy Duty Pipe Wrench

- Forged jaw, featuring easing spinning adjusting nut
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	Size	Length (mm)	Jaw Capacity (mm)	Head Thickness (mm)	
ST70812ST	8"	200.0	25.0	20.0	6
ST70813ST	10"	250.0	30.0	30.0	6
ST70814ST	12"	300.0	40.0	30.0	6
ST70815ST	14"	350.0	50.0	35.0	6
ST70816ST	18"	450.0	60.0	38.0	3
ST70817ST	24"	600.0	75.0	40.0	2
ST70818ST	36"	900.0	85.0	55.0	1
ST70819ST	48"	1200.0	110.0	70.0	1



Ratcheting Wrenches

3 Pc. Metric Double Ratcheting Wrench Set

Article Code	Content	
ST09075	10, 13, 17 mm	10



5 Pc. Metric Combination Ratcheting Wrench Set

Article Code	Content	
ST09078SJ	10, 11, 12, 13, 14 mm	12



comes in a tool roll

7 Pc. Metric Double Ratcheting Wrench Set

Article Code	Content	
ST09024SJ	8, 10, 12, 13, 14, 15, 18 mm	6




8 Pc. Metric Double Ratcheting Wrench Set

Article Code	Content	
ST08007ASJ	8, 10, 12, 13, 14, 15, 17, 19 mm	3



12 PC. METRIC DOUBLE RATCHETING WRENCH SET


ST09066-02



Ratcheting function on open end and box end



Needs as little as 5° to remove fasteners




Head design enables access to tight spots



Open end quickly ratchet



Off-Corner loading design



5° ratcheting arc versus 30°


METRIC

12



Double Ratcheting Wrench


- Ratcheting function on open end and box end
- Ratcheting box end needs as little as 5° to remove fasteners
- Sleek head design enables access to tight spots where a ratchet will not fit
- Open end quickly ratchet nuts and bolts without removing the wrench from the fastener
- Off-corner loading design on ratcheting box ends provide better grip and reduces fastener rounding
- 5° ratcheting arc versus 30° on standard combination wrenches
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST43601	5.5 mm	126.0	15.0	17.8	6
ST43602	6.0 mm	126.0	15.0	17.8	6
ST43603	7.0 mm	133.0	17.0	17.8	6
ST43604	8.0 mm	140.0	20.0	19.0	5
ST43605	9.0 mm	150.0	20.3	19.7	5
ST43606	10.0 mm	159.0	22.5	21.4	5
ST43607	11.0 mm	165.5	25.0	23.0	5
ST43608	12.0 mm	172.0	27.4	24.5	5
ST43609	13.0 mm	178.0	30.0	26.5	3
ST43610	14.0 mm	191.0	32.0	28.6	3
ST43611	15.0 mm	200.0	34.5	30.0	3
ST43612	16.0 mm	209.0	35.0	32.0	3
ST43613	17.0 mm	226.0	38.5	33.5	3
ST43614	18.0 mm	237.0	40.5	34.6	3
ST43615	19.0 mm	248.0	43.0	37.0	3
ST43616	21.0 mm	292.0	46.0	42.0	4
ST43617	22.0 mm	292.0	46.0	42.0	4
ST43618	24.0 mm	334.0	52.5	49.0	4
ST43619	25.0 mm	334.0	52.5	49.0	4
ST43501	5/16"	140.0	20.0	19.0	5
ST43502	3/8"	159.0	22.5	21.4	5
ST43503	7/16"	165.5	25.0	23.0	5
ST43504	1/2"	178.0	30.0	26.5	3
ST43505	9/16"	191.0	32.0	28.6	3
ST43506	5/8"	209.0	35.0	32.0	3
ST43508	3/4"	248.0	43.0	37.0	3
ST43511	15/16"	334.0	52.2	49.0	4
ST43512	1"	334.0	52.2	49.0	4

7 PC. METRIC X6 OPEN END RATCHETING COMBINATION WRENCH SET - BLACK EDITION


ST47530



Universal spline drive




Open end quickly ratchet



Head design enables access to tight spots



Off-Corner loading design



High-Visibility stamped markings



Black oxide finish



METRIC



7 Pc. Metric X6 Open End Ratcheting Combination Wrench Set - Black Edition

Article Code	Content	
ST47530	8, 10, 12, 13, 14, 15, 17 mm	3



7 Pc. Metric Stubby Combination Ratcheting Wrench Set

Article Code	Content	
ST09034	10, 12, 13, 14, 15, 17, 19 mm	3



8 Pc. Metric Combination Ratcheting Wrench Set

Article Code	Content	
ST08008SJ	8, 10, 12, 13, 14, 15, 17, 19 mm	8



12 Pc. Metric Combination Ratcheting Wrench Set

Article Code	Content	
ST09040-02	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	4



7 Pc. Metric Combination Ratcheting Wrench Set

Article Code	Content	
ST09050SJ	8, 10, 12, 14, 17, 19, 22 mm	4




8 Pc. Metric Combination Ratcheting Wrench Set

Article Code	Content	
ST09038SJ	10, 11, 12, 13, 14, 15, 17, 19 mm	6



12 PC. METRIC COMBINATION RATCHETING WRENCH SET - BLACK EDITION

ST08032



Open end & ratcheting box end




Needs as little as 5° to remove fasteners



Thin head and beam



Off-Corner loading design



High-visibility stamped markings



Black oxide finish

METRIC

12



12 Pc. Metric Combination Ratcheting Wrench Set - Black Edition

Article Code	Content	
ST08032	8, 9, 10, 11, 1, 13, 14, 15, 1, 17, 18, 19 mm	8



7 Pc. Metric 120XP Combination Ratcheting Wrench Set

Article Code	Content	
ST08043U	8, 10, 12, 13, 14, 15, 18 mm	10



7 Pc. SAE 120XP Combination Ratcheting Wrench Set

Article Code	Content	
ST08044U	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"	10




7 Pc. SAE Combination Ratcheting Wrench Set


Article Code	Content	
ST09023SJ	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"	6




Combination Ratcheting Wrench


- Ratcheting Wrenches feature open end & ratcheting box end
- Ratcheting box end needs as little as 5° to remove fasteners
- Sleek head design enables access to tight spots where a ratchet will not fit
- Off-corner loading design on ratcheting box end provides better grip and reduces fastener rounding
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST43220ST	5.5 mm	126.0	15.0	17.8	6
ST43221ST	6.0 mm	126.0	15.0	17.8	6
ST43222ST	7.0 mm	133.0	17.0	17.8	6
ST43201ST	8.0 mm	140.0	20.0	19.0	6
ST43202ST	9.0 mm	150.0	20.3	19.7	6
ST43203ST	10.0 mm	159.0	22.5	21.4	6
ST43204ST	11.0 mm	165.5	25.0	23.0	6
ST43205ST	12.0 mm	172.0	27.4	24.5	6
ST43206ST	13.0 mm	178.0	30.0	26.5	6
ST43207ST	14.0 mm	191.0	32.0	28.6	6
ST43208ST	15.0 mm	200.0	34.5	30.0	6
ST43209ST	16.0 mm	209.0	35.0	32.0	6
ST43210ST	17.0 mm	226.0	38.5	33.5	6
ST43211ST	18.0 mm	237.0	40.5	34.6	6
ST43212ST	19.0 mm	248.0	43.0	37.0	6
ST43213ST	21.0 mm	292.0	46.0	42.0	4
ST43214ST	22.0 mm	292.0	46.0	42.0	4
ST43215ST	24.0 mm	334.0	52.5	49.0	4
ST43216ST	25.0 mm	334.0	52.5	49.0	4
ST43217ST	27.0 mm	359.0	56.4	52.5	4
ST43218ST	30.0 mm	402.0	62.0	58.5	2
ST43219ST	32.0 mm	426.0	65.6	62.0	2
ST43101ST	5/16"	140.0	20.0	19.0	6
ST43102ST	3/8"	159.0	22.5	21.4	6


Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST43103ST	7/16"	165.5	25.0	23.0	6
ST43104ST	1/2"	178.0	30.0	26.5	6
ST43105ST	9/16"	191.0	32.0	28.6	6
ST43106ST	5/8"	209.0	35.0	32.0	6
ST43107ST	11/16"	226.0	38.5	33.5	6
ST43108ST	3/4"	248.0	43.0	37.0	6
ST43109ST	13/16"	292.0	46.0	42.0	4
ST43110ST	7/8"	292.0	46.0	42.0	4
ST43111ST	15/16"	334.0	52.2	49.0	4
ST43112ST	1"	334.0	52.2	49.0	4
ST43113ST	1-1/16"	359.0	56.4	52.5	4
ST43114ST	1-1/8"	402.0	62.0	58.5	2
ST43115ST	1-1/4"	426.0	65.6	62.0	2

4 Pc. Metric Double Box Ratcheting Wrench Set

Article Code	Content	
ST46135U	8x10, 12x13, 16x18, 17x19 mm	6



6 Pc. Metric Double Box Ratcheting Wrench Set


Article Code	Content	
ST09025SJ	8x9, 10x11, 12x13, 14x15, 16x18, 17x19 mm	6




Continued on next page


Double Box Ratcheting Wrench

- Double box end wrench design with 2 sizes per wrench
- Ratcheting box end needs as little as 5° to remove fasteners
- Sleek head design enables access to tight spots where a ratchet will not fit
- Off-corner loading design on ratcheting box ends provide better grip and reduces fastener rounding
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100




Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST46201ST	8x9 mm	131.0	18.0	19.5	6
ST46200ST	8x10 mm	131.0	18.5	21.8	6
ST46202ST	10x11 mm	151.0	21.8	23.5	6
ST46203ST	12x13 mm	171.0	25.0	26.5	6
ST46204ST	14x15 mm	191.0	28.5	30.5	6
ST46205ST	16x18 mm	211.0	32.5	35.5	6
ST46206ST	17x19 mm	231.0	34.5	36.6	6

8 Pc. Metric XL X-Beam Ratcheting Wrench Set

Article Code	Content	
ST08015SJ	8, 10, 12, 13, 14, 15, 17, 19 mm	4

10 Pc. Metric XL X-Beam Ratcheting Wrench Set


Article Code	Content	
ST08016	8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm	4



XL X-Beam™ Ratcheting Wrench

- Ratcheting Wrenches feature open end & ratcheting box end
- Ratcheting box end needs as little as 5° to remove fasteners
- X-Beam™ design lets you apply force to the flat side of the wrench, reducing hand fatigue and increasing torque output by 25%
- Sleek head design enables access to tight spots where a ratchet will not fit
- Off-corner loading design on ratcheting box ends provide better grip and reduces fastener rounding
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST46301	8.0 mm	151,0	20,0	18,5	6
ST46302	9.0 mm	165,0	20,3	19,6	6
ST46303ST	10.0 mm	181,0	22,7	22,0	6
ST46304ST	11.0 mm	196,0	25,0	24,0	6
ST46305ST	12.0 mm	207,8	27,0	25,3	6
ST46306ST	13.0 mm	220,8	29,0	27,4	6
ST46307ST	14.0 mm	235,8	32,0	29,0	6
ST46308ST	15.0 mm	250,0	34,0	31,3	6
ST46309	16.0 mm	261,0	35,0	33,3	6
ST46310ST	17.0 mm	276,0	38,5	35,0	6
ST46311	18.0 mm	290,0	40,5	36,0	6
ST46312ST	19.0 mm	306,0	42,0	37,0	6
ST46322	3/8"	181,0	22,7	22,0	6
ST46323	7/16"	196,0	25,0	24,0	6
ST46324	1/2"	220,0	29,0	27,4	6
ST46325	9/16"	235,0	32,0	29,0	6
ST46326	5/8"	261,0	35,0	33,3	6
ST46327	11/16"	276,0	38,5	35,0	6
ST46328	3/4"	306,0	42,0	37,0	6

5 Pc. Metric Reversible Ratcheting Wrench Set

Article Code	Content	
ST09083SJ	10, 11, 12, 13, 14 mm	12



6 Pc. Metric Reversible Ratcheting Wrench Set

Article Code	Content	
ST09080SJ	10, 12, 13, 14, 17, 19 mm	12



12 Pc. Metric Reversible Ratcheting Wrench Set

Article Code	Content	
ST08044	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	8




12 Pc. Metric Reversible Ratcheting Wrench Set - Black Edition

Article Code	Content	
ST08044B	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	8



12 PC. METRIC REVERSIBLE RATCHETING WRENCH SET - BLACK EDITION


ST08044B



Open end & ratcheting box end




Needs as little as 5° to remove fasteners




Head design enables access to tight spots



Off-Corner loading design



Flush mounted reversing lever



Black oxide finish

METRIC


12




Reversible Ratcheting Wrench


- Ratcheting Wrenches feature open end & ratcheting box end
- Ratcheting box end needs as little as 5° to remove fasteners
- Sleek head design enables access to tight spots where a ratchet will not fit
- Off-corner loading design on ratcheting box ends provide better grip and reduces fastener rounding
- Flush mounted reversing lever allows user to change direction without removing the wrench
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST46601ST	8.0 mm	140.0	20.0	18.0	6
ST46602ST	9.0 mm	150.0	20.0	19.6	6
ST46603ST	10.0 mm	159.0	22.5	21.6	6
ST46604ST	11.0 mm	165.0	25.0	23.5	6
ST46605ST	12.0 mm	172.0	27.0	25.0	6
ST46606ST	13.0 mm	178.0	30.0	27.0	6
ST46607ST	14.0 mm	191.0	32.0	28.5	6
ST46608ST	15.0 mm	200.0	34.5	31.0	6
ST46609ST	16.0 mm	208.0	35.0	33.0	6
ST46610ST	17.0 mm	226.0	38.5	34.5	6
ST46611ST	18.0 mm	236.0	41.0	36.0	6
ST46612ST	19.0 mm	248.0	42.0	37.0	6
ST46617	20.0 mm	292.0	46.0	42.0	4
ST46613	21.0 mm	292.0	46.0	42.0	4
ST46614	22.0 mm	292.0	46.0	42.0	4
ST46615	24.0 mm	334.0	52.0	49.0	4
ST46616	25.0 mm	334.0	52.0	49.0	4
ST46671BU	5/16"	140.0	20.0	18.0	6
ST46672BU	11/32"	150.0	20.0	19.6	6
ST46673BU	3/8"	159.0	22.5	21.6	6
ST46674BU	7/16"	165.0	25.0	23.5	6
ST46675BU	1/2"	178.0	30.0	27.0	6
ST46676BU	9/16"	191.0	32.0	28.5	6


Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST46677BU	5/8"	208.0	35.0	33.0	6
ST46678BU	11/16"	226.0	38.5	34.5	6
ST46679BU	3/4"	248.0	42.0	37.0	4
ST46680BU	13/16"	292.0	46.0	42.0	4
ST46681BU	7/8"	292.0	46.0	42.0	4
ST46682BU	15/16"	334.0	52.0	49.0	4
ST46683BU	1"	334.0	52.0	49.0	4

5 Pc. Metric Flex Head Ratcheting Wrench Set

Article Code	Content	
ST09082SJ	10, 11, 12, 13, 14 mm	12



12 Pc. Metric Flex Head Ratcheting Wrench Set - Black Edition


Article Code	Content	
ST08033	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	8



Continued on next page

12 PC. METRIC FLEX HEAD RATCHETING WRENCH SET - BLACK EDITION


ST08033




Open end & ratcheting box end



Needs as little as 5° to remove fasteners



Head design enables access to tight spots



Flex head ratcheting box end



Off-Corner loading design



Black oxide finish


METRIC

12




Flex Head Ratcheting Wrench

- Ratcheting Wrenches feature open end & ratcheting box end
- Ratcheting box end needs as little as 5° to remove fasteners
- Sleek head design enables access to tight spots where a ratchet will not fit
- Flex head ratcheting box end provides access for hard to reach angled fasteners
- Off-corner loading design on ratcheting box ends provide better grip and reduces fastener rounding
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100



Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST46421	8.0 mm	144.0	20.0	18.5	6
ST46422	9.0 mm	152.0	20.0	20.0	6
ST46401ST	10.0 mm	161.0	22.5	22.0	6
ST46402ST	11.0 mm	168.0	25.0	24.0	6
ST46403ST	12.0 mm	174.0	27.0	25.0	6
ST46404ST	13.0 mm	181.0	30.0	27.4	6
ST46405ST	14.0 mm	193.0	32.0	28.8	6
ST46406ST	15.0 mm	202.0	34.5	30.8	6
ST46407ST	16.0 mm	210.0	35.0	33.0	6
ST46408ST	17.0 mm	227.0	38.5	35.0	6
ST46409ST	18.0 mm	238.0	41.0	36.0	6
ST46410ST	19.0 mm	249.0	42.0	36.9	6
ST46412	21.0 mm	292.0	46.0	42.0	4
ST46413ST	22.0 mm	292.0	46.0	42.0	4
ST46414	24.0 mm	334.0	52.5	49.0	4
ST46415	25.0 mm	334.0	52.5	49.0	4
ST46471BU	5/16"	144.0	20.0	18.5	6
ST46473BU	7/16"	168.0	25.0	24.0	6
ST46476BU	5/8"	210.0	35.0	33.0	6
ST46477BU	11/16"	227.0	38.5	35.0	6
ST46478BU	3/4"	249.0	42.0	36.9	6
ST46479BU	13/16"	292.0	46.0	42.0	4
ST46480BU	7/8"	292.0	46.0	42.0	4
ST46481BU	15/16"	334.0	52.5	49.0	4
ST46482BU	1"	334.0	52.5	49.0	4


7 Pc. Metric XL Locking Flex Head Ratcheting Wrench Set


Article Code	Content	
ST09043SJ	10, 12, 13, 14, 15, 17, 19 mm	3




XL Locking Flex Head Ratcheting Wrench

- Ratcheting Wrenches feature open end & ratcheting box end
- Ratcheting box end needs as little as 5° to remove fasteners
- Sleek head design enables access to tight spots where a ratchet will not fit
- Flex head ratcheting box end provides access for hard to reach angled fasteners
- Off-corner loading design on ratcheting box ends provide better grip and reduces fastener rounding
- One finger operated lever with options of “locking” or “not locking” positions
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100




Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST46801ST	8.0 mm	146.0	16.9	17.9	6
ST46802ST	9.0 mm	159.0	18.8	19.6	6
ST46803ST	10.0 mm	171.0	20.9	21.3	6
ST46804ST	11.0 mm	183.0	23.1	23.0	6
ST46805ST	12.0 mm	195.0	25.0	24.1	6
ST46806ST	13.0 mm	207.0	27.1	26.2	6
ST46807ST	14.0 mm	219.0	29.3	26.7	6
ST46808ST	15.0 mm	231.0	31.2	29.9	6
ST46809ST	16.0 mm	242.0	33.2	31.7	6
ST46810ST	17.0 mm	254.0	35.5	32.2	6
ST46811ST	18.0 mm	267.0	37.5	33.3	6


Continued on next page

Article Code	Size	Length L (mm)	Width A (mm)	Width B (mm)	
ST46812ST	19.0 mm	280.0	39.8	36.0	6
ST46813ST	20.0 mm	297.0	45.9	42.0	6
ST46814ST	21.0 mm	316.0	45.9	42.0	6
ST46815ST	22.0 mm	335.0	48.4	42.0	6
ST46816ST	24.0 mm	356.0	51.9	49.0	6
ST46817ST	25.0 mm	378.0	53.9	49.0	6
ST46902	11/32"	159.0	18.8	19.6	6
ST46904	7/16"	183.0	23.1	23.0	6
ST46905	1/2"	207.0	27.1	26.2	6
ST46906	9/16"	219.0	29.3	26.7	6
ST46909	3/4"	280.0	39.8	36.0	6
ST46911	7/8"	335.0	48.4	42.0	6
ST46912	15/16"	345.0	52.4	42.0	6

Construction Ratcheting Wrench


- Construction Ratcheting Wrench design with 2 sizes per wrench
- Designed with ratcheting function for increased speed and efficiency while fastening
- Tip end can be used to twist wire
- Composite function of socket and ratchet
- High-visibility stamped markings provide quick size identification
- Black oxide finish to resist corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.100




Article Code	Size	Length L (mm)	Width A (mm)	
SC47305	12x14 mm	225.0	31.0	2
SC47308	14x17 mm	270.0	35.0	2
ST47309ST	17x19 mm	305.0	42.0	2
SC47310	17x21 mm	310.0	40.0	2
SC47312	19x21 mm	310.0	40.0	2
SC47313	19x22 mm	310.0	40.0	2
SC47314	19x24 mm	310.0	45.0	2
SC47317	21x26 mm	370.0	54.0	2
SC47319	22x24 mm	370.0	55.0	2
SC47321	24x27 mm	400.0	65.0	2
SC47322	24x30 mm	400.0	60.0	2
SC47324	30x32 mm	400.0	60.0	2
SC47325	32x36 mm	400.0	65.0	2

Ratcheting Adjustable Wrench 8"


- Adjustable wrench for versatility
- Ratcheting function increases speed when tightening and loosening fasteners
- Wide handle for improved comfort and better leverage
- Hex jaw design reduces slippage and tightly grips bolt
- Larger knurl provides a tighter fit, is easier to adjust and is less likely to bind up
- Built-in scale measures metric sizes for quick fastener identification
- Meets or exceeds ASME B107.100

 Excluded from Lifetime Warranty terms



Article Code	Size	Length L (mm)	Jaw Capacity (mm)	Head Thickness (mm)	
ST47403	8"	215.2	25.0	14.5	6

3 Pc. Metric Drive Adapter Set


Article Code	Content	
ST09084SJ	1/4" Dr. x 10 mm, 3/8" Dr. x 13 mm, 1/2" Dr. x 19 mm	10^



1/4" Metric Ratcheting Wrench Socket Adapter Quick Release Function

- Converts a 10 mm box end ratcheting wrench into a 1/4" drive tool
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability




Article Code	Overall Length (mm)	
ST46654ST	20.3	10

3/8" Metric Ratcheting Wrench Socket Adapter with Quick Release Function

- Converts a 13 mm box end ratcheting wrench into a 3/8" drive tool
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability




Article Code	Overall Length (mm)	
ST46655ST	24.3	10


1/2" Metric Ratcheting Wrench Socket Adapter with Quick Release Function

- Converts a 19 mm box end ratcheting wrench into a 1/2" drive tool
- Pin hole can be used with detent pin for secure socket retention to the adapter
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	Overall Length (mm)	
ST46656ST	29.3	10


Torque Wrenches




A-Series Mechanical Torque Wrench

- Teardrop, low-profile head and flush-mounted on/off switch allow better access in tight spaces
- High accuracy with deviation of +/- 3 % max.
- Knurled grip for comfort and control
- Flush mounted reversing lever allows user to change direction with one hand without removing the wrench
- Audible click and/or impulse when torque setting is reached
- Detent style locking collar prevents accidental change of torque setting
- Matt finish
- Tempered steel construction offers strength and durability for long-lasting performance
- High strength protective case
- Meets or exceeds ASME B107.300




Article Code	Size	Overall Length (mm)	Primary Scale Range (Nm)	Max. Torque (Nm)	
ST96211SC	1/4"	228.0	1.0	5.0	4
ST96212SC	3/8"	268.0	5.0	25.0	4
ST96311SC	1/2"	472.0	20.0	100.0	4
ST96312SC	1/2"	555.0	40.0	200.0	2
ST96313SC	1/2"	616.0	68.0	340.0	2
ST96411SC	3/4"	864.0	110.0	550.0	1
ST96412SC	3/4"	1107.0	160.0	800.0	1



 Torque wrench is a precision instrument. Warranty conditions:
SATA torque products are warrantee to
(1) be free of defects in material and workmanship.
(2) Accuracy standards for calibration are warrantee for 90 days from date of purchase. Products for which warranty repair is requested should be returned, at buyer's cost, to your nearest repair center.

SATA torque products are precision instruments that contain moving parts. These components are subject to normal wear through use, and replacement there of is the responsibility of the buyer. Torque products should be routinely checked for calibration at an authorized repair center using SATA repair parts.

This warranty shall not apply to products which have been misused, abused, damaged by accident or otherwise, repaired by anyone other than an authorized repair center or modified by anyone other than SATA tools.




10

Pliers & Crimping Tools


3 Pc. VDE Insulated Pliers Set



Article Code	Content	
ST09261SJ	1 - 8" VDE Insulated Linesman Pliers 1 - 6" VDE Insulated Diagonal Pliers 1 - 6" VDE Insulated Long Nose Pliers	6




3 Pc. Pliers Set

Article Code	Content	
ST70002U	1 - 8" Universal Pliers 1 - 8" Long Nose Pliers 1 - 7" Diagonal Pliers	6



5 Pc. Pliers Set

Article Code	Content	
ST70001U	2 - Tongue-and-Groove Pliers, 10", 12" 1 - Long Nose Pliers 8" 1 - Diagonal Pliers 7" 1 - Slip-Joint Pliers 6"	5



Long Nose Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Serrated jaws for precision gripping in restricted areas
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70101AST	6"	165.0	10.0	20.0	57.0	Copper Wire Ø 2.2, Iron Wire Ø 2.0, Hard Wire Ø 1.6	6
ST70102AST	8"	207.0	12.0	22.8	57.0	Copper Wire Ø 2.6, Iron Wire Ø 24, Hard Wire Ø 2.0	6

High Leverage Long-Nose Pliers

- High leverage joint design provides greater cutting power while reducing effort to make cuts
- TPE two-tone anti-slip handle provides superior comfort and grip
- Serrated jaws for precision gripping in restricted areas
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST72401	6"	164.4	10.0	20.0	57.6	Copper Wire Ø 2.2, Iron Wire Ø 2.0, Hard Wire Ø 1.6	6

VDE Insulated Long Nose Pliers

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Serrated jaws for precision gripping in restricted areas
- Induction hardened with angled teeth grip flat, curved, square or hexagonal objects
- Anti-slip handle provides superior comfort and grip
- Clear anti-rust coating prolongs tool life
- Heat treated for long lasting durability
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.13M



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70131ST	6"	170.0	9.0	15.5	56.0	Medium Hard Wire Ø 1.6	6
ST70132ST	8"	212.0	9.0	16.5	58.6	Medium Hard Wire Ø 1.6	6

Diagonal Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70201AST	5"	131.0	9.8	17.0	54.0	Copper Wire Ø 2.2, Iron Wire Ø 2.0, Hard Wire Ø 1.6	6
ST70202AST	6"	161.0	11.2	18.5	57.0	Copper Wire Ø 2.6, Iron Wire Ø 24, Hard Wire Ø 2.0	6
ST70203AST	7"	187.0	13.8	30.0	57.0	Copper Wire Ø 2.6, Iron Wire Ø 24, Hard Wire Ø 2.0	6

High Leverage Diagonal Pliers

- High leverage joint design provides greater cutting power while reducing effort to make cuts
- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST72302B-02	7"	190.0	13.8	30.0	60.0	Copper Wire Ø 2.6, Iron Wire Ø 24, Hard Wire Ø 2.0	6

VDE Insulated Diagonal Pliers

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Anti-slip handle provides superior comfort and grip
- Clear anti-rust coating prolongs tool life
- Heat treated for long lasting durability
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.11M




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70232ST	6"	170.0	11.5	21.0	59.0	Medium Hard Wire Ø 1.6	6
ST70233ST	7"	191.0	12.5	30.0	68.0	Medium Hard Wire Ø 2.0	6

Linesman Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70301AST	6"	154.0	10.0	23.5	52.0	Copper Wire Ø 2.6, Iron Wire Ø 2.4, Hard Wire Ø 2.0	6
ST70302AST	7"	177.0	10.5	25.0	55.0	Copper Wire Ø 2.6, Iron Wire Ø 2.4, Hard Wire Ø 2.0	6
ST70303AST	8"	208.0	11.5	28.5	55.0	Copper Wire Ø 2.6, Iron Wire Ø 2.5, Hard Wire Ø 2.0	6

High Leverage Linesman Pliers

- High leverage joint design provides greater cutting power while reducing effort to make cuts
- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST72203AST	8"	250.0	11.5	28.8	60.0	6

VDE Insulated Linesman Pliers

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Anti-slip handle provides superior comfort and grip
- Induction hardened with angled teeth grip flat, curved, square or hexagonal objects
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Heat treated for long lasting durability
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.20M




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70331ST	6"	171.0	9.5	26.0	58.0	Medium Hard Wire Ø 1.6	6
ST70332ST	7"	184.0	10.0	28.0	58.0	Medium Hard Wire Ø 2.0	6
ST70333ST	8"	212.0	10.0	30.0	58.0	Medium Hard Wire Ø 2.0	6

Mini Linesman Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70611AST	4"	111.5	6.5	11.0	11.0	Copper Wire Ø 1.5, Iron Wire Ø 1.3, Hard Wire Ø 1.0	6

Mini Long Nose Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70612AST	5"	123.5	6.5	11.0	11.0	Copper Wire Ø 1.5, Iron Wire Ø 1.3, Medium Hard Wire Ø 1.0	6

Mini Bent Nose Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70613AST	5"	123.5	6.5	11.0	11.0	Copper Wire Ø 1.5, Iron Wire Ø 1.3, Hard Wire Ø 1.0	6

Mini Flat Nose Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70614AST	5"	123.5	6.5	11.0	11.0	Copper Wire Ø 1.5, Iron Wire Ø 1.3, Hard Wire Ø 1.0	6

Mini Diagonal Pliers

- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70615AST	4"	110.5	6.5	11.0	11.0	Copper Wire Ø 1.5, Iron Wire Ø 1.3, Hard Wire Ø 1.0	6

Mini End Cutting Pliers


- TPE two-tone anti-slip handle provides superior comfort and grip
- Laser hardened cutting edges cut clean and remain sharp 50% longer
- Clear anti-rust coating prolongs tool life
- Manufactured from chrome-nickel steel for better strength and longer tool life
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70616AST	4"	103.5	13.0	16.5	16.5	Copper Wire Ø 1.5, Iron Wire Ø 1.3, Medium Hard Wire Ø 1.0	6

VDE Insulated End Cutting Nipper

- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Anti-slip handle provides superior comfort and grip
- Clear anti-rust coating prolongs tool life
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.13M



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST70141ST	6"	170.0	9.0	24.6	108.3	6

End Cutting Pliers

- Heavy duty cutting edges treated with additional induction hardening
- Polished head resists rust and corrosion
- Professional, ergonomic grips wipe clean easily
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Overall Width (mm)	
ST70601ME	6"	158.0	47.0	10
ST70602ME	8"	199.0	47.0	10


Groove Joint Pliers


- Angled tooth locking pliers pattern for superior grip
- Interlocking tongue and groove design won't slip
- Multiple jaw positions for optimized handle span and improved gripping comfort
- Induction hardened with angled teeth grip flat, curved, square or hexagonal objects
- Anti-slip handle provides superior comfort and grip
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Overall Width (mm)	Pipe Diameter (mm)	
ST70411ST	8"	208.0	10.0	48.0	4-31	6
ST70412ST	10"	262.0	11.0	61.0	5-45	6
ST70413ST	12"	321.0	12.0	68.0	5-54	2
ST70414ST	16"	426.0	17.0	71.0	10-92	3


Slip Joint Pliers

- Two different jaw positions with wire cutter near pivot to provide maximum leverage and powerful cutting
 - Rivet construction with precision machined joint interlock assures smooth, positive joint action, no chance of slipping position or coming apart under load
 - Anti-slip handle provides superior comfort and grip
 - Induction hardened with angled teeth grip flat, curved, square or hexagonal objects
 - Meets or exceeds ASME B107.500
- 

Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Pipe Diameter (mm)	
ST70511ST	6"	160.0	9.5	29.0	55.0	5-30	6
ST70512ST	8"	208.0	10.5	31.0	55.0	6-36	6

2-piece Double X-Pliers Set

Article Code	Content	
ST70003U	1 - Straight Double-X Pliers 1 - 45° Double-X Pliers	3





Double-X Pliers

- Jaws open wider than the handles for added reach in tight locations
- Flush rivets are stronger and have a thinner profile
- Compound joint opens wider with less effort and minimal handle movement
- Serrated jaws for precision gripping in restricted areas
- TPE two-tone anti-slip handle provides superior comfort and grip
- Manufactured from Chrome Vanadium Steel (Cr-V) for greater strength and durability
- Meets or exceeds ASME B107.500

Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	
ST70711ST	Straight, 13-1/2"	340.0	10.0	17.0	3



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	
ST70721ST	45°, 13-1/2"	355.0	10.0	17.0	3





Wire and Cable Cutting Pliers


- Optimized blade angle for cutting copper and aluminum cable
 - Professional dipped grips for easy cleaning and better control
 - Anti-slip handle provides superior comfort and grip
 - Meets or exceeds ASME B107.500
- 

Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST72501ST	6"	150.0	160.0	51.0	13.0	Ø 9	6
ST72502ST	8"	200.0	12.0	68.0	5-54	Ø 11	6
ST72503ST	10"	250.0	17.0	71.0	10-92	Ø 13	6


Plastic Flush Cutting Pliers


- Sharp edges for slicing plastic and vinyl-coated cable
 - Professional dipped grips for easy cleaning and better control
 - Laser hardened cutting edges cut clean and remain sharp 50% longer
 - Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
 - Not for use in cutting metal material
 - Meets or exceeds ASME B107.500
- 

 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Overall Length (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST70642ST	6"	161.0	55.0	Resin Ø 5	6

Curved Jaw Locking Pliers


- Versatile curved jaw features integral wire cutter
 - Angled tooth locking pliers pattern for superior grip
 - Compound locking action for powerful non-slip locking grip
 - Locking mechanism provides strong and stable hold
 - Nickel-plated finish resists rust and corrosion
 - Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
 - Meets or exceeds ASME B107.500
- 

Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST70621ME	7"	189.0	13.0	52.0	52.0	6
ST70622ME	10"	244.0	21.2	65.8	65.8	6

Curved Jaw Locking Pliers

- Versatile curved jaw features integral wire cutter
- Angled tooth locking pliers pattern for superior grip
- Compound locking action for powerful non-slip locking grip
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST71101ST	5"	144.0	6.4	37.0	38.0	6
ST71102ST	7"	186.0	7.1	51.0	52.0	6
ST71103ST	10"	244.0	9.7	63.0	65.8	6

X-Jaw Locking Pliers

- Versatile X-jaw features integral wire cutter
- Angled tooth locking pliers pattern for superior grip
- Compound locking action for powerful non-slip locking grip
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST71002	10"	220.0	9.7	63.0	65.8	6

Straight Jaw Locking Pliers

- Versatile straight jaw features integral wire cutter
- Angled tooth locking pliers pattern for superior grip
- Compound locking action for powerful non-slip locking grip
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST71202ST	7"	185.0	11.2	51.0	52.0	6
ST71203ST	10"	224.0	16.0	57.0	65.8	6

Long Nose Locking Pliers

- Versatile jaw features integral wire cutter
- Angled tooth locking pliers pattern for superior grip
- Compound locking action for powerful non-slip locking grip
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Capacity (mm)	Max. Cutter Opening (mm)	
ST71301ST	6"	169.0	4.1	62.0	7.0	6
ST71302ST	9"	225.0	4.8	86.0	23	6

Welding Clamp Locking Pliers

- Compound action for powerful non-slip locking grip
- Aggressive grip pattern on tightening knurl
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST71401SC	9"	204.0	79.5	62.0	70.0	6

Metal Sheet Clamp Locking Pliers

- Compound action for powerful non-slip locking grip
- Aggressive grip pattern on tightening knurl
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	
ST71501SC	8"	232.0	79.5	52.0	78.5	6

C-Clamps Locking Pliers

- Compound action for powerful non-slip locking grip
- Aggressive grip pattern on tightening knurl
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Capacity (mm)	Jaw Width (mm)	Jaw Depth (mm)	
ST71601SC	11"	280.0	12.7	93.0	139.7	78.0	6

Chain Clamp Locking Pliers

- Compound action for powerful non-slip locking grip
- Aggressive grip pattern on tightening knurl
- Locking mechanism provides strong and stable hold
- Nickel-plated finish resists rust and corrosion
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Chain Length (mm)	
ST71701SC	19"	213.0	5.8	60.7	485.0	6

5 Pc. Combination Snap Ring Pliers Set


Article Code	Content	
ST09251SJ	1 - Snap Ring Pliers 1 - 1.2 mm Straight Tip 1 - 1.4 mm Straight Tip 1 - 45° Tip 1 - 90° Tip	6




Snap Ring Pliers

- Professional dipped grips for easy cleaning and better control
- Heat treated for long lasting durability
- Black oxide finish to resist corrosion
- Tempered steel construction offers strength and durability for long-lasting performance
- Meets or exceeds ASME B107.500


Article Code	Size	Overall Length (mm)	Circlip (mm)	Dia.(±0.2) (mm)	
ST72001ST	External, Straight, 7"	175.0	19.0 - 60.0	Ø 1.7	6




Article Code	Size	Overall Length (mm)	Circlip (mm)	Dia.(±0.2) (mm)	
ST72004ST	Internal, Straight, 7"	175.0	19.0 - 60.0	Ø 1.7	6



Article Code	Size	Overall Length (mm)	Circlip (mm)	Dia.(±0.2) (mm)	
ST72002ST	External, Curved, 7"	175.0	19.0 - 60.0	Ø 1.7	6




Article Code	Size	Overall Length (mm)	Circlip (mm)	Dia.(±0.2) (mm)	
ST72005ST	Internal, Curved, 7"	175.0	19.0 - 60.0	Ø 1.7	6





German Style Snap Ring Pliers

- Professional dipped grips for easy cleaning and better control
- Heat treated for long lasting durability
- Black oxide finish to resist corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.500




Article Code	Size	Overall Length (mm)	Circlip (mm)	Overall Width (mm)	Dia.(±0.2) (mm)	
ST72011ST	External, Straight, 5"	142.0	10.0 - 18.0	50.0	1.25	6
ST72012ST	External, Straight, 7"	175.0	19.0 - 60.0	51.0	1.75	6
ST72013ST	External, Straight, 9"	228.0	32.0 - 80.0	51.0	2.15	6
ST72014ST	External, Straight, 13"	325.0	80.0 - 140.0	50.0	2.95	6




Article Code	Size	Overall Length (mm)	Circlip (mm)	Overall Width (mm)	Dia.(±0.2) (mm)	
ST72021ST	External, Curved, 5"	134.0	10.0 - 18.0	50.0	1.25	6
ST72022ST	External, Curved, 7"	163.0	19.0 - 60.0	51.0	1.75	6
ST72023ST	External, Curved, 9"	213.0	32.0 - 80.0	51.0	2.15	6
ST72024ST	External, Curved, 13"	303.0	80.0 - 140.0	50.0	2.95	6



Article Code	Size	Overall Length (mm)	Circlip (mm)	Overall Width (mm)	Dia.(±0.2) (mm)	
ST72031ST	Internal, Straight, 5"	141.0	10.0 - 18.0	50.0	1.25	6
ST72032ST	Internal, Straight, 7"	180.0	19.0 - 60.0	51.0	1.75	6
ST72033ST	Internal, Straight, 9"	230.0	32.0 - 80.0	51.0	2.15	6
ST72034ST	Internal, Straight, 13"	317.0	80.0 - 140.0	50.0	2.95	6




Article Code	Size	Overall Length (mm)	Circlip (mm)	Overall Width (mm)	Dia.(±0.2) (mm)	
ST72041ST	Internal, Curved, 5"	133.0	10.0 - 18.0	50.0	1.25	6
ST72042ST	Internal, Curved, 7"	169.0	19.0 - 60.0	51.0	1.75	6
ST72043ST	Internal, Curved, 9"	215.0	32.0 - 80.0	51.0	2.15	6
ST72044ST	Internal, Curved, 13"	297.0	80.0 - 140.0	50.0	2.95	6

Electrical Wire Stripper and Crimper

- All-purpose tool includes pliers type nose, crimper, wire cutter, stripper and bolt cutter
- Wire Stripping Range: 0.5 - 6.0 mm
- Crimps insulated and non insulated terminals:
non-insulated auto 7 - 8 mm;
insulated electrical 22 - 20 to 12 - 10 AWG;
electrical 22 - 20 to 22 - 10 AWG
- Bolt cutting range M2.6 to M5
- Professional dipped grips for easy cleaning
- Ergonomic handle with dipping for optimal comfort and control
- Meets or exceeds ASME B107.500



Article Code	Size	Overall Length (mm)	
ST97521ST	8"	200.0	6

Crimping Pliers

- Locking mechanism is easy to operate – push button, set and release
- Made of carbon steel with fiberglass handle
- High accuracy crimping pin securely connects connector with cable wire without any damage

Crimping Pliers for D-SUB Terminals

AWG	Capacity (mm ²)
30 - 24	0.05 - 0.25
22 - 18	0.5 - 1.0



Cat. No.	Size	Overall Length (mm)	Jaw Width (mm)	
ST91101	8"	204.0	67.0	4

Crimping Pliers for European Cable Terminals

AWG	Capacity (mm ²)
22 - 20	0.5 - 0.75
18 - 16	1.0 - 1.5
16 - 14	2.5
14 - 12	4.0
12 - 10	6.0



Cat. No.	Size	Overall Length (mm)	Jaw Width (mm)	
ST91102ST	8"	204.0	67.0	6

Crimping Pliers for Coaxial Cable


Crimping Range (mm ²)
1.72
2.5
5.4
6.48
8.2



Cat. No.	Size	Overall Length (mm)	Jaw Width (mm)	
ST91104ST	9 - 1/2"	241.0	72.0	6

Crimping Pliers for Insulated Terminals

AWG	Capacity (mm ²)
22 - 18	0.5 - 1.0
16 - 14	1.1 - 2.5
12 - 10	4.0 - 6.0



Cat. No.	Size	Overall Length (mm)	Jaw Width (mm)	
ST91105ST	9"	228.0	67.0	6

Crimping Pliers for Non-Insulated Terminals

AWG	Capacity (mm ²)
22 - 16	1.5
16 - 12	2.5 - 4.0
12 - 10	6.0 - 8.0
8 - 6	10.0



Cat. No.	Size	Overall Length (mm)	Jaw Width (mm)	
ST91106ST	10 - 1/4"	260.0	76.0	6

Crimping Pliers for Non-Insulated Terminals

AWG	Capacity (mm ²)
22 - 18	0.5 - 1.0
16 - 14	1.1 - 2.5
12 - 10	4.0 - 6.0




Cat. No.	Size	Overall Length (mm)	Jaw Width (mm)	
ST91107ST	9"	228.0	67.0	6


Cutters & Snips




5 Pc. Mini File Set 8"

Article Code	Content	
ST03901ME	1 - Mini Flat Second Cut File 1 - Mini Half Round Second Cut File 1 - Mini Square Second Cut File 1 - Mini Round Second Cut File 1 - Mini Three Square Second Cut File	12




 This product is consumable, not within SATA Lifetime Warranty

5 Pc. 3/8" Medium Ratcheting Tap and Die Drive Tool Set

Article Code	Content	
ST50402	1 - Ratcheting T-Handle 1 - Small Tap Adapter 1 - Medium Tap Adapter 1 - Die Adapter 1 - T-Handle Bar for Adapters	5




 This product is consumable, not within SATA Lifetime Warranty



Wire Stripper with Cutter

- Accurate wire stripping pin for easy cutting of insulated wire surface without damaging the inner wire
- Professional dipped grips for easy cleaning and better control
- Circlip design for convenient storage
- Made of high carbon steel
- Meets or exceeds ASME B107.500





Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Overall Width (mm)	AWG	Capacity (mm ²)	
ST91201ST	6"	155.0	7.5	51.0	77.0	20 - 30	0.05 - 0.52	6
ST91202ST	7"	183.0	7.5	60.0	77.0	10 - 22	0.52 - 5.26	6

Automatic Wire Stripper

- Accurate wire stripping pin for easy cutting of insulated wire surface without damaging the inner wire
- Anti-slip handle provides superior comfort and grip
- Adjustable wire stop lets you set exactly how much insulation is removed without the need of marking wires
- Spring mechanism automatically returns back to the open position
- Oxide finish to resist corrosion
- Meets or exceeds ASME B107.500



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Overall Length (mm)	Wire Capacity (mm)	
ST91212ST	7"	204.0	Ø 0.5, 1.2, 1.6, 2.0	6
ST91213ST	7"	204.0	Ø 1, 1.6, 2.6, 3.2	6

Self Adjusting Wire Stripper

- Self-adjusting with hardened steel blades
- Meets or exceeds ASME B107.500





Article Code	Size	Overall Length (mm)	Jaw Thickness (mm)	Jaw Width (mm)	Wire Stripping Range (mm)	
ST91108ST	6 - 1/2"	170.0	18.5	80.0	Single wire or flat cable of diameter from 0.5 to 6.0	6

Aviation Tin Snips, Left

- Left cuts steel up to 1.2 mm (18 ga)
- Induction hardened serrated cutting edges for a long tool life
- Optimized hand & finger contact points in handle to maximize fit, control, and user ergonomics
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Hardened HRC 55 - 60
- Meets or exceeds ASME B107.16M




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Overall Length (mm)	Blade Length (mm)	Overall Width (mm)	
ST93101ST	10"	250.00	40.0	77.0	6

Aviation Tin Snips, Right

- Right cuts steel up to 1.2 mm (18 ga)
- Induction hardened serrated cutting edges for a long tool life
- Optimized hand & finger contact points in handle to maximize fit, control, and user ergonomics
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Hardened HRC 55 - 60
- Meets or exceeds ASME B107.16M




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Overall Length (mm)	Blade Length (mm)	Overall Width (mm)	
ST93102ST	10"	250.00	40.0	77.0	6

Aviation Tin Snips, Straight

- Straight cuts steel up to 1.2 mm (18 ga)
- Induction hardened serrated cutting edges for a long tool life
- Optimized hand & finger contact points in handle to maximize fit, control, and user ergonomics
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Hardened HRC 55 - 60
- Induction hardened cutting edges 6 - 62 HRC
- Meets or exceeds ASME B107.16M




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Overall Length (mm)	Blade Length (mm)	Overall Width (mm)	
ST93103ST	10"	250.0	40.0	77.0	6
ST93104ST	11"	275.0	80.0	77.0	6

Straight Pattern Tinner's Snip

- Cuts cold rolled steel
- Drop forged construction
- Induction hardened serrated cutting edges for a long tool life
- Comfort grips for ease of use and slip protection
- For trimming extra heavy stock
- Meets or exceeds ASME B107.16M




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Overall Length (mm)	Blade Length (mm)	Overall Width (mm)	Cold Rolled Iron Sheet (mm)	Stainless Steel Sheet (mm)	
ST93302ST	8"	205.0	40.0	87.0	0.61	0.41	6
ST93303ST	10"	254.0	60.0	105.0	0.78	0.45	6
ST93304ST	12"	305.0	70.0	110.0	0.91	0.63	12
ST93305ST	14"	355.0	90.0	110.0	1.2	0.7	6
ST93306ST	16"	425.0	100.0	145.0	1.6	1.0	6

Heavy Duty Bolt Cutter

- Drop forged, precision ground alloy steel jaws for maximum durability and cut life
- Cuts low carbon steel and carbon steel
- Center cut jaws
- Ergonomic non-slip grips for safe cutting
- Adjustable jaw for better cuts, depending on the material
- Hardened steel jaws with angled cutting grooves
- Meets or exceeds ASME B107.16M




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Overall Length (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST93501SC	8"	212.5	63.5	Low Carbon Steel Ø 3.17 (1/8"), Medium Carbon Steel Ø 3.17 (1/8")	6

Heavy Duty Bolt Cutter

- Drop forged, precision ground alloy steel jaws for maximum durability and cut life
- Cuts low carbon steel and carbon steel
- Center cut jaws
- Ergonomic non-slip grips for safe cutting
- Adjustable jaw for better cuts, depending on the material
- Hardened steel jaws with angled cutting grooves
- Meets or exceeds ASME B107.16M




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Overall Length (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST93502ST	12"	325.0	139.0	Low Carbon Steel Ø 5 (3/16"), Medium Carbon Steel Ø 4 (5/12")	1
ST93503ST	14"	370.0	140.0	Low Carbon Steel Ø 7 (1/4"), Medium Carbon Steel Ø 5 (3/16")	1
ST93504ST	18"	470.0	141.0	Low Carbon Steel Ø 8 (5/16"), Medium Carbon Steel Ø 6 (1/4")	1
ST93505ST	24"	634.0	160.0	Low Carbon Steel Ø 10 (3/8"), Medium Carbon Steel Ø 8 (5/16")	1
ST93506ST	30"	765.0	180.0	Low Carbon Steel Ø 13 (1/2"), Medium Carbon Steel Ø 10 (3/8")	1
ST93507ST	36"	917.0	190.0	Low Carbon Steel Ø 16 (5/8"), Medium Carbon Steel Ø 12 (7/16")	1
ST93508ST	42"	1053.0	210.0	Low Carbon Steel Ø 19 (3/4"), Medium Carbon Steel Ø 14 (9/16")	1
ST93509ST	48"	1213.0	250.0	Low Carbon Steel Ø 22 (7/8"), Medium Carbon Steel Ø 16 (5/8")	1

Plastic Snap-off Knife, 13-point

- Built in blade snapper that slides out of the body for easy access
- SK2 blades available for extended blade life
- Steel blade sleeve for increased durability
- 13-point snap-off blade




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93426SC	80.0	9.0	0.4	12

Rubber Grip Snap-off Knife, 8-point

- Built in blade snapper that slides out of the body for easy access
- SK2 blades available for extended blade life
- Steel blade sleeve for increased durability
- Comfort grip for ease of use and slip protection
- 8-point snap-off blade




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93428SC	100.0	18.0	0.5	12

Plastic Snap-off Knife, 8-point

- Built in blade snapper that slides out of the body for easy access
- SK2 blades available for extended blade life
- Steel blade sleeve for increased durability
- Comfort grip for ease of use and slip protection
- 8-point snap-off blade




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93429	100.0	18.0	0.5	12

T Series 18 mm Soft Grip Utility Knife

- Steel blade sleeve for increased durability
- Unique dual material case with thumb bridge for added comfort
- Built in blade snapper that slides out of the body for easy access
- SK2 blades available for extended blade life
- Ergonomic dual material improves grip while reducing hand fatigue




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93482	100.0	18.0	0.5	8

Folding Utility Knife

- Blade locks in the open position for secure cutting
- Easy access blade storage compartment in the body holds additional blades
- Quick blade replacement for user convenience
- SK2 blades available for extended blade life
- Ergonomic dual material improves grip while reducing hand fatigue
- Includes 11 black coated blades (1 loaded, 2 in on board storage, 8 in blade caddy)




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93486	60.0	19.0	0.6	8

Zinc Alloy Utility Knife

- Zinc phosphate coating for corrosion resistance
- SK2 blades available for extended blade life
- Comfort grip for ease of use and slip protection
- Easy access blade storage compartment in the body holds additional blades
- Includes 5 spare blades which are stored inside the body




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93441SC	60.0	19.0	0.6	6

Self-Retracting Utility Knife

- Blade automatically retracts when it loses contact with cut material to ensure safety when cutting
- Easy access blade storage compartment in the body holds additional blades
- Quick blade replacement for user convenience
- Unique dual material, ergonomically designed comfort grip. Ideal for repeated cuts
- Includes 5 professional spare blades made from SK2 carbon steel




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93442SC	60.0	19.0	0.6	8

Heavy Duty Utility Knife

- Zinc phosphate coating for corrosion resistance
- SK2 blades available for extended blade life
- Comfort grip for ease of use and slip protection
- Includes 5 spare blades which are stored inside the body




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93443SC	60.0	19.0	0.6	8

Multipurpose Zinc Alloy Utility Knife

- Zinc phosphate coating for corrosion resistance
- Rotate lock design
- SK2 blades available for extended blade life
- Comfort grip for ease of use and slip protection
- Includes 5 spare blades which are stored inside the body



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	
ST93446SC	60.0	19.0	0.6	8


VDE Cable Knife



- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- With sharp and durable ultra-finished blade
- Durable two-tone grip provides comfort, control, and slip prevention
- Scythe hook blade with sliding guard on cutting tip ensures blade will not damage inner core of the wire
- For use in electric power and related industry wire and cable work
- Red color for quick identification of VDE




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Total Length (mm)	
ST93470SC	185.0	6

Mini Tubing Cutter

- Ideal for handyman, plumbers, electricians and vehicle mechanics
- Large knurled knob for non-slip grip and precise control
- Compact size for use in tight spaces




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Overall Length (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST97305ST	197.0	155.0	3 - 16 [0.12" - 5/8"]	6

Tubing Cutter

- Durable steel construction
- Large knurled handle for maximum grip power
- Spare cutter wheel stored in the handle




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Overall Length (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST97301ST	245.0	210.0	3 - 28 [0.12 - 1.18"]	12
ST97302ST	245.0	210.0	3 - 32 [0.12 - 1-1/4"]	12

Tubing Cutter

- Durable steel construction
- Large knurled handle for maximum grip power
- Spare cutter wheel stored in the handle





 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Overall Length (mm)	Overall Width (mm)	Cutting Capacity (mm)	
ST97303ST	300.0	140.0	6 - 64 [1/4" - 2-1/2"]	12

2 Pc. Replacement Cutter Wheels

- For cutting copper, aluminum, brass and thin wall tubing
- Tempered steel offers strength and durability for long-lasting performance
- Black oxide finish to resist corrosion
- Blade for ST97301ST, ST97302ST and ST97305ST Tubing Cutter




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Overall Width (mm)	Overall Lenght (mm)	Cutting Capacity (mm)	
ST97311ST	155.0	197.0	3.0 x 18.0	12

PVC Pipe Cutter

- Heat treated stainless steel blade for long lasting durability
- Handle latch keeps tool closed during storage or when not in use




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Cutting Capacity (mm)	
ST97304ST	3.0 - 42.0 (0.1" - 1-1/2")	6

Ratcheting Cable Cutter

- Drop forged, precision ground alloy steel jaws for maximum durability and cut life
- Special ratcheting tooth mechanism
- Ergonomic handles and ratcheting action for comfort during repeated cuts
- Compact and leightweight design




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Overall Length (mm)	Cutting Capacity (mm)	
ST72511	245.0	up to 240 mm ² (0.372" ²)	3

Mini Hack Saw

- ABS handle provides comfort and durability
- Sawtooth body made of high quality spring steel
- Sawtooth edges made of high-speed steel
- Powerful and sharp sawtooth, for smooth cutting and long lasting durability
- One bi-metal 6" saw blade included




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Overall Length (mm)	
ST93404	6"	150.0	6

Aluminum Hacksaw

- Ergonomic handle increases overall comfort
- Sawtooth body made of high quality spring steel
- Sawtooth edges made of high-speed steel
- Powerful and sharp sawtooth, for smooth cutting and long lasting durability
- One bi-metal 12" saw blade included




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Overall Length (mm)	
ST93405SC	12"	300.0	6

100 Pc. Bi-metal Saw Blade

- Sawtooth body made of high quality spring steel
- Sawtooth edges made of high-speed steel
- Powerful and sharp sawtooth, for smooth cutting and long lasting durability




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Teeth per inch	Application	
ST93404ME	12"	18	For sawing 1/4" to 1" thick material, pipe, angle iron and steel bar	1
ST93405ME	12"	24	For sawing 1/8" to 1/4" thick material, conduit, heavy steel metal and tubing	1
ST93406ME	12"	32	For sawing 1/8" or thinner metal, thin sheet metal and metal trim	1

Wood Handle Hand Saw

- Precision hardened teeth for improved cutting performance
- Hardened area at cutting edge around each tooth, softer core avoids tooth rippage
- Teeth sharpened on both sides to provide faster and cleaner cuts
- High frequency heat treated teeth to maintain sharpness
- For cutting wood fiber




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Overall Length (mm)	Teeth per inch	
ST93621ME	16"	400.0	7	6
ST93622ME	18"	450.0	7	6
ST93623ME	20"	500.0	7	6
ST93624ME	22"	550.0	7	6
ST93625ME	24"	600.0	7	6

Bi-Metal Hole Saw

- Designed to cut wood, copper, aluminum, metal and stainless steel
- High-speed, HRC 65 - 68 steel constructed teeth for faster cutting and longevity
- Body constructed from alloy steel sheet for superior safety and durability
- Specialized tooth design for higher cutting efficiency




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	
ST53301	16.0 mm	20
ST53302	19.0 mm	20
ST53303	20.0 mm	20
ST53304	22.0 mm	20
ST53305	25.0 mm	20
ST53306	30.0 mm	20
ST53307	32.0 mm	12
ST53308	35.0 mm	12
ST53309	38.0 mm	12
ST53310	44.0 mm	18
ST53311	51.0 mm	18
ST53312	57.0 mm	12
ST53313	60.0 mm	12
ST53314	64.0 mm	12

Hole Saw Arbor

- Used for connecting the hole saw and drill chuck, and also for positioning when the hole saw is working
- Guide drill bit made of high speed alloy steel for strength and durability
- Quick release spring allows the round disc to easily be taken out after cutting




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Applicable Aperture (mm)	Drill Pipe Diameter (mm)	
ST53401	14.0 - 30.0	9.5	16
ST53402	32.0 - 152.0	11.1	12

Screwdrivers & Nut Drivers



6 Pc. Acetate Combination Screwdriver Set

Article Code	Content	
ST09303ESJ	3 - Acetate Screwdrivers Phillips #0x75 mm , #1x100 mm, #2x100 mm 3 - Acetate Screwdrivers Slotted 3.2x75 mm, 5x75 mm, 6x100 mm	5




8 Pc. Acetate Combination Screwdriver Set

Article Code	Content	
ST09306SJ	4 - Acetate Screwdrivers Phillips #1x75 mm, #2x38 mm, #2x100 mm, #2x150 mm 4 - Acetate Screwdrivers Slotted 5x75 mm, 6x38 mm, 6x100 mm, 6x150 mm	5




10 Pc. Acetate Combination Screwdriver Set

Article Code	Content	
ST09304ESJ	5 - Acetate Screwdrivers Phillips #1x100 mm, #2x38 mm, #2x100 mm, #2x150 mm, #3x150 mm 5 - Acetate Screwdrivers Slotted 5x75 mm, 6x38 mm, 6x100 mm, 6x150 mm, 8x150 mm	4



8 Pc. Acetate Torx® Screwdriver Set

Article Code	Content	
ST09305SJ	T8x75 mm, T10x100 mm, T15x100 mm, T20x100 mm, T25x100 mm, T27x100 mm, T30x100 mm, T40x100 mm	5



Acetate Screwdriver Slotted

- Blade is made of high performance alloy steel for maximum strength and durability
- Ergonomic acetate handle provides increased comfort and maximized torque
- 100% solid impact resistant acetate handle for lasting durability
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with “through hole” for easy storage
- Tempered steel construction offers strength and durability for long-lasting performance
- Meets or exceeds ASME B107.600



Article Code	Size (mm)	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST62202SC	3.2	75.0	146.0	23.0	12
ST62203SC	3.2	100.0	172.0	23.0	12
ST62204SC	3.2	150.0	221.0	23.0	12
ST62205SC	3.2	200.0	271.0	23.0	12
ST62207SC	5.0	75.0	165.0	28.0	12
ST62208SC	5.0	100.0	190.0	28.0	12
ST62209SC	5.0	150.0	240.0	28.0	6
ST62210SC	5.0	200.0	290.0	28.0	12
ST62211SC	6.0	38.0	99.0	35.0	6
ST62212SC	6.0	100.0	202.0	32.0	12
ST62213SC	6.0	150.0	252.0	32.0	12
ST62214SC	6.0	200.0	312.0	32.0	12
ST62215SC	6.0	250.0	352.0	32.0	12
ST62216SC	8.0	150.0	260.0	35.0	12
ST62217SC	8.0	200.0	312.0	35.0	12

Acetate Screwdriver Phillips

- Blade is made of high performance alloy steel for maximum strength and durability
- Ergonomic acetate handle provides increased comfort and maximized torque
- 100% solid impact resistant acetate handle for lasting durability
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with “through hole” for easy storage
- Tempered steel construction offers strength and durability for long-lasting performance
- Meets or exceeds ASME B107.600




Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST62302SC	#0	75.0	146.0	23.0	6
ST62303SC	#0	100.0	221.0	23.0	6
ST62304SC	#0	150.0	222.0	23.0	6
ST62305SC	#0	200.0	272.0	23.0	6
ST62307SC	#1	75.0	166.0	28.0	6
ST62308SC	#1	100.0	190.0	28.0	6
ST62309SC	#1	150.0	240.0	28.0	6
ST62310SC	#1	200.0	288.0	28.0	6
ST62311SC	#2	38.0	99.0	35.0	6
ST62312SC	#2	100.0	202.0	32.0	6
ST62313SC	#2	150.0	250.0	32.0	6
ST62314SC	#2	200.0	312.0	32.0	6
ST62315SC	#2	250.0	325.0	32.0	6
ST62316SC	#3	150.0	260.0	35.0	6
ST62317SC	#3	200.0	312.0	35.0	6

Acetate Screwdriver Torx®

- Blade is made of high performance alloy steel for maximum strength and durability
- Ergonomic acetate handle provides increased comfort and maximized torque
- 100% solid impact resistant acetate handle for lasting durability
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with "through hole" for easy storage
- Tempered steel construction offers strength and durability for long-lasting performance
- Meets or exceeds Camcar TXF-705




Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61108SC	T8	75.0	147.0	23.0	6
ST61101SC	T10	100.0	190.0	28.0	6
ST61102SC	T15	100.0	190.0	28.0	6
ST61103SC	T20	100.0	190.0	28.0	6
ST61104SC	T25	100.0	312.0	32.0	6
ST61105SC	T27	100.0	202.0	32.0	6
ST61106SC	T30	100.0	202.0	32.0	6
ST61107SC	T40	100.0	212.0	35.0	6

1/4" Drive Magnetic Bit Driver

- Magnetic bit holder for fastener retention
- Ergonomic acetate handles provide increased comfort and maximized torque
- 100% solid impact resistant acetate handle for lasting durability
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with "through hole" for easy storage
- Meets or exceeds ASME B107.110




Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61002SC	1/4"	100.0	212.0	35.0	6


1/4" Drive Pistol Grip Ratcheting Bit Driver

- Forward, reverse and lock positions for fast driving on screws and nuts
- Large and soft textured handle for added comfort and excellent grip
- Fitted with bit storage for keeping the most commonly used bits close at hand
- Chrome vanadium bit holder with powerful magnet for strength and holding bit securely in place
- For standard 1/4" Drive bits
- Meets or exceeds ASME B107.110




Article Code	Size	
ST61003SJ	1/4" x 100.0 mm	6

6 Pc. Cushion Grip Combination Screwdriver Set

Article Code	Content	
ST09309SJ	3 - Cushion Grip Screwdrivers Phillips #1x75 mm, #2x100 mm, #2x150 mm 3 - Cushion Grip Screwdrivers Slotted 5x75 mm, 5x100 mm, 6x150 mm	6



10 Pc. Cushion Grip Combination Screwdriver Set

Article Code	Content	
ST09303ME	5 - Cushion Grip Screwdrivers Phillips #0x75 mm, #1x75 mm, #2x38 mm, #2x100 mm, #3x150 mm 5 - Cushion Grip Screwdrivers Slotted 3x75 mm, 5x100 mm, 6x38 mm, 6x150 mm, 8x150 mm	4



- Comes in a durable blow mold case for storage and organisation

Cushion Grip Screwdriver Slotted

- Blade is made of high performance alloy steel for maximum strength and durability
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with “through hole” for easy storage
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.600



Article Code	Size (mm)	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST63402SC	3.2	75.0	160.0	25.0	6
ST63403SC	3.2	100.0	185.0	25.0	6
ST63404SC	3.2	150.0	235.0	25.0	6
ST63405SC	3.2	200.0	286.0	25.0	6
ST63407SC	5.0	75.0	180.0	31.0	6
ST63408SC	5.0	100.0	205.0	31.0	6
ST63409SC	5.0	150.0	255.0	31.0	6
ST63410SC	5.0	200.0	306.0	31.0	6
ST63411SC	6.0	38.0	98.0	37.0	6
ST63412SC	6.0	100.0	217.0	35.0	6
ST63413SC	6.0	150.0	267.0	35.0	6
ST63414SC	6.0	200.0	317.0	35.0	6
ST63415SC	6.0	250.0	367.0	35.0	6
ST63416SC	8.0	150.0	276.0	38.0	6
ST63417SC	8.0	200.0	326.0	38.0	6

Cushion Grip Screwdriver Phillips


- Blade is made of high performance alloy steel for maximum strength and durability
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with “through hole” for easy storage
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.600




Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST63502SC	#0	75.0	160.0	25.0	6
ST63503SC	#0	100.0	185.0	25.0	6
ST63504SC	#0	150.0	235.0	25.0	6
ST63505SC	#0	200.0	286.0	25.0	6
ST63507SC	#1	75.0	180.0	31.0	6
ST63508SC	#1	100.0	205.0	31.0	6
ST63509SC	#1	150.0	255.0	31.0	6
ST63510SC	#1	200.0	305.0	31.0	6
ST63511SC	#2	38.0	98.0	37.0	6
ST63512SC	#2	100.0	217.0	35.0	6
ST63513SC	#2	150.0	267.0	35.0	6
ST63514SC	#2	200.0	317.0	35.0	6
ST63515SC	#2	250.0	367.0	35.0	6
ST63516SC	#3	150.0	276.0	38.0	6
ST63517SC	#3	200.0	326.0	38.0	6

Cushion Grip Reversible Screwdriver

- Blade is made of high performance alloy steel for maximum strength and durability
- Reversible tip for Phillips and Slotted applications
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with “through hole” for easy storage
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.600




 Nature of this product is subject to wear and tear upon usage.
Not covered under Lifetime Warranty.

Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST66202SC	#2 x 6.0 mm	38.0	98.0	37.0	6
ST66203SC	#1 x 5.0 mm	100.0	220.0	35.0	6
ST66204SC	#2 x 6.0 mm	100.0	220.0	35.0	6
ST66205SC	#1 x 5.0 mm	150.0	270.0	35.0	6
ST66206SC	#2 x 6.0 mm	150.0	270.0	35.0	6

Cushion Grip Go-Through Screwdriver - Slotted

- Blade is made of high performance alloy steel for maximum strength and durability
- Through-metal shaft and cap for striking
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.600



Article Code	Size (mm)	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61603SC	6.0	100.0	220.0	34.0	6
ST61605SC	6.0	150.0	269.0	34.0	6
ST61606SC	8.0	150.0	280.0	38.0	6
ST61607SC	8.0	200.0	330.0	38.0	6
ST61608SC	8.0	250.0	380.0	38.0	6

Cushion Grip Go-Through Screwdriver - Phillips


- Blade is made of high performance alloy steel for maximum strength and durability
- Through-metal shaft and cap for striking
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with “through hole” for easy storage
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.600



Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61703SC	#2	100.0	220.0	34.0	6
ST61705SC	#2	150.0	269.0	34.0	6
ST61706SC	#3	150.0	280.0	38.0	6
ST61707SC	#3	200.0	330.0	38.0	6
ST61708SC	#3	250.0	380.0	38.0	6

5 Pc. T-Series VDE Insulated Screwdriver Set




Article Code	Content	
ST09302U	2 - VDE Insulated Screwdrivers Slotted 3.0 x 100 mm, 5.5 x 125 mm 2 - VDE Insulated Screwdrivers Phillips 1 x 80 mm, 2 x 100 mm 1 - Circuit Tester	6



7 Pc. T-Series VDE Insulated Screwdriver Set



Article Code	Content	
ST09303	3 - VDE Insulated Screwdrivers Phillips #0 x 60 mm, #1 x 80 mm, #2 x 100 mm 4 - VDE Insulated Screwdrivers Slotted 2.5 x 75 mm, 4. x 100 mm, 5.5 x 125 mm, 6.5 x 150 mm	10



T-Series VDE Insulated Screwdrivers - Slotted




- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Blade is made of high performance alloy steel for maximum strength and durability
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with "through hole" for easy storage



Article Code	Size (mm)	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61321SC	2.5	75.0	163.0	25.0	12
ST61322SC	3.0	100.0	187.0	25.0	12
ST61323SC	4.0	100.0	205.0	31.0	12
ST61324SC	5.5	125.0	245.0	35.0	12
ST61325SC	6.5	150.0	270.0	35.0	12

G-Series VDE Insulated Screwdrivers - Slotted



- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Blade is made of high performance alloy steel for maximum strength and durability
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with "through hole" for easy storage
- Made in Germany




Article Code	Size (mm)	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61311SC	2.5	75.0	163.0	25.0	6
ST61312SC	3.0	100.0	188.0	25.0	6
ST61313SC	4.0	100.0	208.0	25.0	6
ST61314SC	5.5	125.0	233.0	34.0	6
ST61315SC	6.5	150.0	258.0	34.0	6

T-Series VDE Insulated Screwdrivers - Phillips



- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Blade is made of high performance alloy steel for maximum strength and durability
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with "through hole" for easy storage




Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61221SC	#0	60.0	147.0	25.0	12
ST61222SC	#1	80.0	188.0	31.0	12
ST61223SC	#2	100.0	220.0	35.0	12
ST61224SC	#3	150.0	280.0	38.0	6

G-Series VDE Insulated Screwdrivers - Phillips



- VDE Certified
- For use in high voltage areas, up to 1000 V alternating current
- Blade is made of high performance alloy steel for maximum strength and durability
- High-impact, contoured handle presents an ergonomic and strong grip
- Sleek handle design for maximum power, user comfort, and greater access
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with "through hole" for easy storage
- Made in Germany



Article Code	Size	Shank Length (mm)	Overall Length (mm)	Handle Diameter (mm)	
ST61211SC	#0	60.0	148.0	25.0	6
ST61212SC	#1	80.0	188.0	25.0	6
ST61213SC	#2	100.0	208.0	34.0	6
ST61214SC	#3	150.0	270.0	37.0	6

6-in-1 Interchangeable Screwdriver Set

Article Code	Content	
ST09347	1 - Screwdriver handle (5/16" and 1/4" double ended shank) 2 - 75 mm double ended bits 5/16" - 6.0 mm x #2 (Slotted / Phillips) 1/4" - 5.0 mm x #1 (Slotted / Phillips)	6



8 Pc. Impact Screwdriver Set

Article Code	Content	
ST09602SJ	1 - Impact Screwdriver 1 - 1/2" Drive Bit Adapter 4 - 5/16" Shank 30L Bits Slotted 8.0, 10.0 mm; Phillips #2, #3 2 - 5/16" Shank 70L Bits Slotted 8.0 mm; Phillips #2	12

⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.



8 Pc. Impact Screwdriver Set

Article Code	Content	
ST09603SJ	1 - Protective Grip Impact Screwdriver 1 - 1/2" Drive Bit Adapter 4 - 5/16" Shank 30L Bits Slotted 8.0, 10.0 mm; Phillips #2, #3 2 - 5/16" Shank 70L Bits Slotted 8.0 mm; Phillips #2	12

⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.



24 Pc. Ratcheting T-Handle Screwdriver Set

Article Code	Content	
ST09341SJ	1 - T-Handle Ratcheting Screwdriver 1 - 1/4" x 1/4" Dr. Extension Bar 6" 1 - 1/4" x 1/4" Dr. Flex Extension Bar 6" 1 - 1/4" Dr. Bit Adapter 20 - Bits Phillips #0, #1, #2, #3 Slotted 3, 4, 5, 5.5, 6.5, 8 mm, T10, T15, T20, T25, Hex 2.5, 3, 4, 5, 6, 7 mm	8

⚠ Please refer to the warranty terms of the individual product



25 Pc. Ratcheting Stubby Screwdriver Set

Article Code	Content	
ST09342SJ	1 - Stubby Ratcheting Screwdriver 1 - Magnetic Bit Holder 3-1/2" 1 - 1/4" x 1/4" Dr. Extension Bar 3-1/2" 1 - 1/4" x 1/4" Dr. Flex Extension Bar 6" 1 - 1/4" Dr. Bit Adapter 20 - Bits Phillips #0, #1, #2, #3, Slotted 3, 4, 5, 5.5, 6.5, 8 mm, T10, T15, T20, T25, Hex 2.5, 3, 4, 5, 6, 7 mm	8

⚠ Please refer to the warranty terms of the individual product



26 Pc. Ratcheting Screwdriver Set

Article Code	Content	
ST09343SJ	1 - Standard Ratcheting Screwdriver 3 - 1/4" x 1/4" Dr. Extension Bars 3-1/2", 6", 10" 1 - 1/4" x 1/4" Dr. Flex Extension 6" 1 - 1/4" Dr. Bit Adapter 20 - Bits Phillips #0, #1, #2, #3, Slotted 3, 4, 5, 5.5, 6.5, 8 mm, T10, T15, T20, T25, Hex 2.5, 3, 4, 5, 6, 7 mm	6

⚠ Please refer to the warranty terms of the individual product



6 Pc. Stubby Ratcheting Screwdriver Set

Article Code	Content	
ST09348	1 - Stubby Ratcheting Screwdriver 6 - Bits Phillips #1, #2, #3, Slotted 4.0, 5.0, 6.0 mm	6




19-in-1 Multipurpose Ratcheting Screwdriver Set

Article Code	Content	
ST09350	1 - Ratcheting Screwdriver 8 - Double-sided Bits Phillips #1, #2, #3 Slotted 5.0, 6.0, 8.0 mm Torx T15, T20, T25, T20 Hex 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 mm	10




60 PC. & 80 PC. RATCHETING BIT DRIVER SET

ST09324SJ
ST09326SJ




Designed with
ratcheting
function



Magnetic bit
holder



Shank is made of
high performance
alloy steel



Forward and
reversible
locking position



Ergonomic dual
material



Comes with a
durable blow
mold case



60 Pc. 1/4" Drive 6 Point Metric Socket and Ratcheting Bit Driver Set

Article Code	Content	
ST09324SJ	1 - Ratcheting Bit Driver 14 - 6pt. Metric Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 28 - 25L Bits Phillips #0, #1, #2, #3 Slotted 3, 4, 5.5, 6.5 mm Hex 2, 2.5, 3, 4, 5, 6 mm Torx® T10, T15, T20, T25, T27, T30, T40 Tamper-Proof Torx® T10, T15, T20, T25, T27, T30, T40 12 - 50L Bits Phillips #1, #2, #3 Slotted 4, 5.5, 6.5 mm Hex 4, 5, 6 mm Torx® T15, T20, T25 5 - Accessories 25L Socket Bit Adapter 50L Socket Bit Adapter Magnetic Bit Holder 60 mm Flex Extension Bar 6" Bit Adapter	6



80 Pc. Ratcheting Bit Driver Set

Article Code	Content	
ST09326SJ	1 - Ratcheting Bit Driver 33 - 25L Bits Phillips #0, #1, #2(2x), #3 Slotted 3, 4, 5, 5.5, 6, 6.5 mm Hex 2, 2.5, 3, 4, 5, 6 mm Torx® T8, T10, T15, T20, T25, T27, T30, T40 Tamper-Proof Torx® T8, T10, T15, T20, T25, T27, T30, T40 32 - 50L Bits Phillips #0, #1, #2, #3 Slotted 3, 4, 5, 5.5, 6, 6.5 mm Hex 2, 2.5, 3, 4, 5, 6 mm Torx® T8, T10, T15, T20, T25, T27, T30, T40 Tamper-Proof Torx® T8, T10, T15, T20, T25, T27, T30, T40 8 - 65L Double End Bits PH1-PH1, PH2-PH2, PH3-PH3, 4.5 mm-PH1, 5.5 mm-PH2, 6.5 mm-PH3, PH1-PH2, PH2-PH3 3 - 110L Double End Bits PH1-PH1, PH2-PH2, PH3-PH3 3 - Accessories 25 L Socket Bit Adapter 50 L Socket Bit Adapter Magnetic Bit Holder 60 mm	12



6 Pc. Mini Screwdriver Set

Article Code	Content	
ST03141ST	3 - Phillips #00, #0, #1 3 - Slotted 1.6 mm, 2.0 mm, 2.4 mm	10



6 Pc. Mini Screwdriver Set

Article Code	Content	
ST03142	2 - Phillips #00, #0 4 - TORX® T5, T6, T7, T8	10



6 Pc. Precision Slotted Screwdriver Set

Article Code	Content	
ST09311SJ	6 - Slotted 1.0x40 mm, 1.4x50 mm, 2.0x50 mm, 2.4x50 mm, 3.0x50 mm, 3.5x50 mm	6



6 Pc. Precision Combination Screwdriver Set

Article Code	Content	
ST09312SJ	2 - Phillips #0x50 mm, #00x50 mm 4 - Slotted 1.4x50 mm, 2.0x50 mm, 2.4x50 mm, 3.0x50 mm	6



7 Pc. Precision Combination Screwdriver Set

Article Code	Content	
ST09314SJ	3 - Phillips #000x40 mm, #00x50 mm, #0x50 mm 4 - Slotted 1.4x50 mm, 2.0x50 mm, 2.4x50 mm, 3.0x50 mm	6



9 Pc. Precision Combination Screwdriver Set

Article Code	Content	
ST09316SJ	4 - Phillips #000x40 mm, #00x75 mm, #0x75 mm, #1x100 mm 5 - Slotted 1.0x40 mm, 2.0x50 mm, 2.4x75 mm, 3.0x75 mm, 4.0x100 mm	6



15 Pc. Precision Combination Screwdriver Set

Article Code	Content	
ST09317SJ	3 - Phillips #000x40 mm, #00x50 mm, #0x50 mm 4 - Slotted 1.0x40 mm, 2.0x50 mm, 3.0x50 mm, 3.5x50 mm 4 - Torx T6x50 mm, T8x50 mm, T10x50 mm, T15x50 mm 4 - Hex 1.5x50 mm, 2.0x50 mm, 2.5x50 mm, 3.0x50 mm	6



6 Pc. Precision Torx Screwdriver Set

Article Code	Content	
ST09313SJ	6 - TORX® T6x50 mm, T7x50 mm, T8x50 mm, T9x50 mm, T10x50 mm, T15x50 mm	6




7 Pc. Precision Torx Screwdriver Set

Article Code	Content	
ST09315SJ	7 - TORX® T5x50 mm, T6x50 mm, T7x50 mm, T8x50 mm, T9x50 mm, T10x50 mm, T15x50 mm	6



31 Pc. 1/4" Drive Bit Set


Article Code	Content	
ST09332SJ	1 - Magnetic Bit Holder 30 - 1/4" Shank 25L Bits Slotted 4, 5, 6, 6.5 mm Phillips #0, #1, #2, #3 Hex 3, 4, 5, 6, 7, 8 mm Torx® T8, T10, T15, T20, T25, T30, T40 Tamper-Proof Torx® T10, T15, T20, T25, T30, T40 Pozidriv #1, #2, #3	6

 Please refer to the warranty terms of the individual product



31 Pc. 1/4" Drive Bit Set


Article Code	Content	
ST09333SJ	1 - Magnetic Quick-Change Bit Holder 30 - 1/4" Shank 25L Bits Slotted 4, 5.5, 6, 6.5 mm Phillips #0, #1, #2, #3 Hex 3, 4, 5, 6, 7, 8 mm Torx® T8, T10, T15, T20, T25, T30, T40 Tamper-Proof Torx® T10, T15, T20, T25, T30, T40 Pozidriv #1, #2, #3	6

 Please refer to the warranty terms of the individual product




31 PC.
1/4" DRIVE BIT SET


ST09332SJ
ST09333SJ




30 precision bits




Precision engineered




Heat treated



Magnetic bit holder



Full polish chrome finish



Bits are made of high performance alloy steel



1/4" Drive Magnetic Bit Holder

- Magnetic, easy to operate
- Manufactured from S2 steel for maximum strength and durability
- 3 Pc. display packed




Excluded from Lifetime Warranty terms

Article Code	Size	Overall Length (mm)	
ST59273ST	1/4"	60.0	12

1/4" Drive Magnetic Quick-Change Bit Holder

- Magnetic, easy to operate
- One-hand operation for faster bit changes
- Manufactured from S2 steel for maximum strength and durability
- For use with impact drivers




Excluded from Lifetime Warranty terms

Article Code	Size	Overall Length (mm)	
ST59274	1/4"	64.0	6

1/4" Drive Socket Bit Adapter

- Manufactured from S2 steel for maximum strength and durability
- 5 Pc. display packed



Excluded from Lifetime Warranty terms

Article Code	Size	Overall Length (mm)	
ST59271ST	1/4"	25.0	12
ST59272ST	1/4"	50.0	12

1/4" Dr. 25L Bit Phillips

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds ASME B107.600

Excluded from Lifetime Warranty terms

Article Code	Size	Overall Length (mm)	
SC59221	#0	25.0	12
SC59222	#1	25.0	12
SC59223	#2	25.0	12
SC59224	#3	25.0	12

1/4" Dr. 25L Bit Pozidriv

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds ASME B107.600

Excluded from Lifetime Warranty terms

Article Code	Size	Overall Length (mm)	
SC59261	#1	25.0	12
SC59262	#2	25.0	12
SC59263	#3	25.0	12

1/4" Drive 25L Bit Slotted

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds ASME B107.600


Excluded from Lifetime Warranty terms


Article Code	Size (mm)	Overall Length (mm)	
SC59211	3.0	25.0	12
SC59213	4.0	25.0	12
SC59215	5.0	25.0	12
SC59216	5.5	25.0	12
SC59217	6.0	25.0	12
SC59218	6.5	25.0	12

1/4" Drive 25L Bit Torx

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds Camcar TXF-702




 Excluded from Lifetime Warranty terms


Article Code	Size	Overall Length (mm)	
SC59231	T8	25.0	12
SC59232	T10	25.0	12
SC59233	T15	25.0	12
SC59234	T20	25.0	12
SC59235	T25	25.0	12
SC59236	T27	25.0	12
SC59237	T30	25.0	12
SC59238	T40	25.0	12

1/4" Drive 25L Bit Hex

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds ASME B18.3.2M




 Excluded from Lifetime Warranty terms


Article Code	Size (mm)	Overall Length (mm)	
SC59251	2.0	25.0	12
SC59253	3.0	25.0	12
SC59254	4.0	25.0	12
SC59255	5.0	25.0	12
SC59256	6.0	25.0	12
SC59257	7.0	25.0	12
SC59258	8.0	25.0	12

5/16" Drive 30L Bit Slotted

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds ASME B18.3.2M




 Excluded from Lifetime Warranty terms


Article Code	Size (mm)	Overall Length (mm)	
SC59415	8.0	30.0	12
SC59416	10.0	30.0	12
SC59417	12.0	30.0	12

5/16" Drive 30L Bit Philips

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds ASME B18.3.2M




 Excluded from Lifetime Warranty terms


Article Code	Size	Overall Length (mm)	
SC59421	#1	30.0	12
SC59422	#2	30.0	12
SC59423	#3	30.0	12
SC59424	#4	30.0	12

5/16" Drive 30L Bit Hex

- Precision engineered bits for a better fit on fasteners
- Heat treated for long lasting durability
- S2 steel insert bits offer maximum strength and durability
- 5 Pc. display packed
- Meets or exceeds ASME B18.3.2M



 Excluded from Lifetime Warranty terms

Article Code	Size (mm)	Overall Length (mm)	
SC59471	4.0	30.0	12
SC59472	5.0	30.0	12
SC59473	6.0	30.0	12
SC59474	8.0	30.0	12
SC59475	10.0	30.0	12
SC59476	12.0	30.0	12

Hex Keys




9 Pc. Metric Extra Long Ball Point Hex Key and Torque Handle Set

Article Code	Content	
ST09124SJ	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	<div><div></div>6</div>



9 PC. METRIC EXTRA LONG BALL POINT HEX KEY AND TORQUE HANDLE SET

ST09124SJ




Up to 30% longer



Angled access to fasteners




Precise fit



Easy to read size markings



High-torque handle



Impact resistant caddy



METRIC



9 Pc. Metric Extra Long Ball Point Hex Key Set

Article Code	Content	
ST09101ASJ	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6




12 Pc. SAE Extra Long Ball Point Hex Key Set

Article Code	Content	
ST09102SJ	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	6



Extra Long Ball Point Hex Key


- Up to 30% longer for improved access and leverage
- Ball point keys allow for angled access to fasteners
- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B18.3.2M





Article Code	Size (mm)	Long End Length (mm)	Short End Length (mm)	
SC80104	1.5	89.0	13.0	72
SC80105	2.0	99.0	13.5	72
SC80106A	2.5	111.0	17.0	72
SC80107A	3.0	125.0	19.0	36
SC80108A	4.0	139.0	24.0	36
SC80110A	5.0	159.0	27.0	36
SC80112A	6.0	179.0	31.0	36
SC80114A	8.0	199.0	35.0	18
SC80116A	10.0	223.0	39.0	18

9 Pc. Metric Extra Long Hex Key Set

12 Pc. SAE Extra Long Hex Key Set

Article Code	Content	
ST09103ASJ	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6


Article Code	Content	
ST09104SJ	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	6



Extra Long Hex Key


- Up to 30% longer for improved access and leverage
- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B18.3.2M





Article Code	Size (mm)	Long End Length (mm)	Short End Length (mm)	
SC80304	1.5	89.0	13.0	72
SC80305	2.0	99.0	13.5	72
SC80306	2.5	111.0	17.0	72
SC80307	3.0	125.0	19.0	36
SC80308	4.0	139.0	24.0	36
SC80310	5.0	159.0	27.0	36
SC80312	6.0	179.0	31.0	36
SC80314	8.0	199.0	35.0	18
SC80316	10.0	223.0	39.0	18

9 Pc. Metric Long Ball Point Hex Key Set

12 Pc. SAE Long Ball Point Hex Key Set

Article Code	Content	
ST09105ASJ	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6

Article Code	Content	
ST09106SJ	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	6




Long Ball Point Hex Key

- Ball point keys allow for angled access to fasteners
- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B18.3.2M




Article Code	Size (mm)	Long End Length (mm)	Short End Length (mm)	
SC81104	1.5	77.0	13.5	72
SC81105	2.0	82.0	15.5	72
SC81106A	2.5	88.5	17.5	72
SC81107A	3.0	98.5	19.0	36
SC81108	4.0	104.0	24.0	36
SC81110A	5.0	116.0	27.0	36
SC81111	5.5	126.5	29.0	36
SC81112A	6.0	138.0	31.0	36
SC81113A	7.0	148.0	33.0	36
SC81114A	8.0	175.5	35.0	18
SC81116A	10.0	167.0	39.0	18


9 Pc. Metric Long Hex Key Set

Article Code	Content	
ST09107ASJ	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6



12 Pc. SAE Long Hex Key Set


Article Code	Content	
ST09108SJ	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	6




Long Hex Key

- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B18.3.2M




Article Code	Size (mm)	Long End Length (mm)	Short End Length (mm)	
SC81304	1.5	77.0	13.5	72
SC81305	2.0	82.0	15.5	72
SC81306	2.5	88.5	17.5	72
SC81307	3.0	98.5	19.0	36
SC81308A	4.0	104.0	24.0	36
SC81310	5.0	116.0	27.0	36
SC81312	6.0	138.0	31.0	36
SC81314	8.0	157.5	35.0	18
SC81316	10.0	167.0	39.0	18

8 Pc. Metric Hex Key Fold-Up Set

Article Code	Content	
ST09121SJ	1.5, 2, 2.5, 3, 4, 5, 6, 8 mm	12




9 Pc. SAE Hex Key Fold-Up Set

Article Code	Content	
ST09122SJ	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	12



8 Pc. Torx® Key Fold-Up Set


Article Code	Content	
ST09123SJ	T9, T10, T15, T20, T25, T27, T30, T40	12



T-Handle Ball Point Hex Key

- Ball point keys allow for angled access to fasteners
- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Ergonomic non-slip grip delivers superior strength and ultimate comfort in use
- Key made of shock resisted steel (SVCN+) material to provide 30% more torque than Chrome vanadium alloy steel (Cr-V)
- Meets or exceeds ASME B18.3.2M




Article Code	Size (mm)	Handle Length (mm)	Overall Length (mm)	
ST83105SC	2.0	61.5	129.0	6
ST83106SC	2.5	61.5	129.0	6
ST83107SC	3.0	61.0	128.5	6
ST83108SC	4.0	60.5	178.0	6
ST83110SC	5.0	64.0	178.0	6
ST83112SC	6.0	88.0	192.0	6
ST83113SC	7.0	87.5	241.5	6
ST83114SC	8.0	87.5	241.5	6
ST83116SC	10.0	91.0	241.5	6


T-Handle Hex Key

- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Ergonomic non-slip grip delivers superior strength and ultimate comfort in use
- Key made of shock resisted steel (SVCM+) material to provide 30% more torque than Chrome vanadium alloy steel (Cr-V)
- Meets or exceeds ASME B18.3.2M




Article Code	Size (mm)	Handle Length (mm)	Overall Length (mm)	
ST83305SC	2.0	61.5	129.0	6
ST83306SC	2.5	61.5	129.0	6
ST83307SC	3.0	61.5	129.0	6
ST83308SC	4.0	60.5	178.0	6
ST83310SC	5.0	64.0	178.0	6
ST83312SC	6.0	88.0	192.0	6
ST83313SC	7.0	87.5	241.5	6
ST83314SC	8.0	87.5	241.5	6
ST83316SC	10.0	91.0	241.5	6

9 Pc. Ball Point Color Series
Black Oxide Hex Key Set

Article Code	Content	
ST09101CHBSJ	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6

9 Pc. Extra Long Color Series
Black Oxide Hex Key Set

Article Code	Content	
ST09107CHBSJ	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6




9 PC. BALL POINT &
EXTRA LONG COLOR SERIES
BLACK OXIDE HEX KEY SET

ST09101CHBSJ
ST09107CHBSJ




Color-coded sleeves



Angled access to fasteners




Precise fit



Up to 30% longer



Black oxide finish



Impact resistant caddy

METRIC



Metric/SAE Black Oxide Hex Key Set

Article Code	Content	
ST09120SJ	13 - Long Hex Keys 0.05, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" 12 - Short Hex Keys 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6



8 Pc. Tamper-Proof Torx® Key Set

Article Code	Content	
ST09701	T6, T7, T8, T9, T10, T15, T20, T25	12



Black Oxide Hex Key

- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Black oxide finish to resist corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B18.3.2M



Article Code	Size (mm)	Long End Length (mm)	Short End Length (mm)	
ST84318SC	12.0	209.0	44.0	10
ST84320SC	14.0	232.5	54.5	10
SC84321	16.0	239.5	58.5	12
ST84323SC	17.0	261.0	64.5	10
SC84322	18.0	246.0	61.5	12
ST84325SC	19.0	275.5	68.5	10
ST84328	22.0	330.0	78.0	10
SC84324	24.0	369.5	88.0	10
SC84329	27.0	410.0	97.5.0	6

9 Pc. Tamper-Proof Torx® Key Set

Article Code	Content	
ST09702	T10, T15, T20, T25, T27, T30,T40, T45, T50	6



9 Pc. Long Ball Point Tamper-Proof Torx® Key Set

Article Code	Content	
ST09715	T10, T15, T20, T25, T27,T30, T40, T45, T50	6



Tamper-Proof Torx® Key

- Precise fit for a solid grip and chamfered tips for faster insertion
- Easy to read size markings
- Chrome plated finish to resist corrosion
- Manufactured from S2 steel for maximum strength and durability
- Meets or exceeds Camcar TXF-703




Article Code	Size	Long End Length (mm)	Short End Length (mm)	
SC84501	T6	70.0	13.0	72
SC84502	T7	74.0	14.0	72
SC84503	T8	78.0	15.0	72
SC84504	T9	82.0	16.0	72
SC84505	T10	86.0	17.0	72
SC84506	T15	90.0	18.0	72
SC84507	T20	95.0	19.0	72
SC84508	T25	100.0	20.0	72
SC84509	T27	105.0	21.0	72
SC84510	T30	114.0	24.0	72
SC84511	T40	124.0	26.0	72
SC84512	T45	133.0	29.0	36
SC84513	T50	152.0	32.0	36
SC84514	T55	162.0	34.0	36



14


Striking & Struck

5 Pc. Punch Set

Article Code	Content	
ST09161SJ	1 - Center Punch 4 mm 1 - Drift Punch 3 mm 1 - Pin Punch 4 mm 1 - Cape Chisel 5 mm 1 - Flat Chisel 12 mm	20




6 Pc. Pin Punch Set

Article Code	Content	
ST09162SJ	2, 3, 4, 5, 6, 8 mm	6




3 Pc. Chisel Set

Article Code	Content	
ST09163SJ	20, 22, 25 mm	4



13 Pc. Punch and Chisel Set


Article Code	Content	
ST09164SJ	2 - Center Punches 4, 5 mm 1 - Drift Punch 3 mm 6 - Pin Punches 2, 3, 4, 5, 6, 8 mm 1 - Cape Chisel 5 mm 3 - Flat Chisels 12, 15, 18 mm	4



Center Punch

- Single piece forged steel for maximum strengt
- Chrome plated finish to resist corrosion
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.410




Article Code	Size (mm)	Tapping Surface Outside Diameter (mm)	Overall Length (mm)	
SC90751	4.0	8.0	120.0	10
ST90762SC	5.0	10.0	150.0	10

Pin Punch

- Single piece forged steel for maximum strength
- Chrome plated finish to resist corrosion
- Heat treated for long lasting durability
- Bright, full polish chrome finish easily wipes clean
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.410




Article Code	Size (mm)	Tapping Surface Outside Diameter (mm)	Overall Length (mm)	
SC90771	2.0	8.0	150.0	10
ST90772SC	3.0	8.0	150.0	10
SC90753	4.0	8.0	150.0	10
SC90774	5.0	8.0	150.0	10
SC90775	6.0	10.0	150.0	10
SC90776	8.0	10.0	150.0	10

Cold Chisel

- Single piece forged steel for maximum strength
- Chrome plated finish (SC90782 & SC90783) and powder coating (SC90784, SC90785 & SC 90786) to resist corrosion
- Heat treated for long lasting durability
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability
- Meets or exceeds ASME B107.410




Article Code	Size (mm)	Tapping Surface Outside Diameter (mm)	Overall Length (mm)	
SC90782	15.0	10.0	150.0	10
SC90783	18.0	12.0	175.0	10
SC90784	20.0	14.0	200.0	6
SC90785	22.0	18.0	250.0	6
ST90786SC	25.0	20.0	300.0	4

Hammers

- Durable hickory handle provides comfortable grip
- Unique embedding process to prevent hammer head from easily falling off
- Forging hammer head with quenching treatment to prevent easy broken
- Meets or exceeds ASME B107.410


Standard Bumping Hammer



Article Code	Head Weight (g)	Head Length (mm)	Overall Length (mm)	
ST92101SC	320.0	97.0	330.0	6


Heavy Shrinking Hammer



Article Code	Head Weight (g)	Head Length (mm)	Overall Length (mm)	
ST92102SC	390.0	97.0	330.0	6


Light Shrinking Hammer



Article Code	Head Weight (g)	Head Length (mm)	Overall Length (mm)	
ST92104SC	320.0	97.0	330.0	6


Curved Pein and Finishing Hammer



Article Code	Head Weight (g)	Head Length (mm)	Overall Length (mm)	
ST92103SC	305.0	140.0	330.0	6


Straight Pein and Finishing Hammer



Article Code	Head Weight (g)	Head Length (mm)	Overall Length (mm)	
ST92105SC	305.0	140.0	330.0	6

Pick and Finishing Hammer




Article Code	Head Weight (g)	Head Length (mm)	Overall Length (mm)	
ST92106SC	260.0	137.0	330.0	6

Hickory Ball Pein Hammer

- Maximum-strength head and claw forged of carbon steel, finished with a corrosion and rust resistant clear coat
- Hammer head with polished poles and peins
- Hickory handle is flame treated, clear lacquered, and securely wedged into the hammer's head
- Durable hickory handle provides comfortable grip
- Meets or exceeds ASME B107.410




Article Code	Head Weight (g)	Head Weight (oz)	Overall Length (mm)	
ST92312SC	454.0	16.0	350.0	6
ST92313SC	680.0	24.0	360.0	4
ST92314SC	910.0	32.0	390.0	6
ST92315	1134.0	40.0	400.0	4

Fiberglass Ball Pein Hammer

- Maximum-strength head and claw forged of carbon steel, finished with a corrosion and rust resistant clear coat
- Hammer head with polished poles and peins
- Unique embedded construction securely attaches the head to the handle
- Fiberglass handle absorbs vibration of each strike for comfortable use
- Meets or exceeds ASME B107.410




Article Code	Head Weight (g)	Head Weight (oz)	Overall Length (mm)	
ST92301	227.0	8.0	297.0	4
ST92302SC	454.0	16.0	343.0	2
ST92303SC	680.0	24.0	349.0	2
ST92304SC	910.0	32.0	351.0	2
ST92305	1134.0	40.0	380.0	2

Hickory Claw Hammer

- Maximum-strength head and claw forged of carbon steel, finished with a corrosion and rust resistant clear coat
- Hammer head with polished poles and peins
- Balanced head for maximum striking power and control
- Hickory handle is flame treated, clear lacquered, and securely wedged into the hammer's head
- Durable hickory handle provides comfortable grip
- Rip claws designed for efficient prying and nail pulling
- Meets or exceeds ASME B107.410




Article Code	Head Weight (g)	Head Weight (oz)	Overall Length (mm)	
ST92322SC	370.0	13.0	308.0	6
ST92323SC	454.0	16.0	330.0	6
ST92324SC	567.0	20.0	330.0	6

Fiberglass Claw Hammer

- Maximum-strength head and claw forged of carbon steel, finished with a corrosion and rust resistant clear coat
- Balanced head for maximum striking power and control
- Hammer head with polished poles and peins
- Fiberglass handle absorbs vibration of each strike for comfortable use
- Unique embedded construction securely attaches the head to the handle
- Rip claws designed for efficient prying and nail pulling
- Meets or exceeds ASME B107.410




Article Code	Head Weight (g)	Head Weight (oz)	Overall Length (mm)	
ST92308	227.0	8.0	280.0	4
ST92306SC	454.0	16.0	330.0	2
ST92307SC	680.0	24.0	380.0	2

Hickory Engineers Hammer

- Maximum-strength head and claw forged of carbon steel, finished with a corrosion and rust resistant clear coat
- Balanced head for maximum striking power and control
- Hickory handle is flame treated, clear lacquered, and securely wedged into the hammer's head
- Durable hickory handle provides comfortable grip
- Meets or exceeds ASME B107.410





Article Code	Head Weight (g)	Head Weight (oz)	Overall Length (mm)	
ST92401SC	200.0	7.0	285.0	4
ST92402SC	300.0	10.6	300.0	4
ST92403SC	400.0	14.1	320.0	4
ST92404SC	500.0	17.6	320.0	2
ST92405SC	800.0	28.2	350.0	2
ST92406SC	1000.0	35.5	360.0	2

Hickory Soft Face Hammer

- Non-sparking, non-marring soft face won't harm your target surface
- Aluminum center piece for better balance and lighter weight
- Balanced head for maximum striking power and control
- Hickory handle is flame treated, clear lacquered, and securely wedged into the hammer's head
- Durable hickory handle provides comfortable grip
- Meets or exceeds ASME B107.410




 Plastic hammer head is not covered under Lifetime Warranty.


Article Code	Head Weight (g)	Head Weight (oz)	Head Diameter (mm)	Overall Length (mm)	
ST92501	160.0	5.6	22.0	260.0	6
ST92502SC	162.0	5.7	28.0	303.0	6
ST92503SC	308.0	10.9	35.0	320.0	6
ST92504SC	454.0	16.0	45.0	320.0	6
ST92505	778.0	27.4	60.0	385.0	4

Soft Face Hammer Tip

- Ideal for various applications and use on a variety of surfaces and materials without marring and surface damage
- Hammer head hardness match material surface hardness can avoid surface abrasion and dents
- It will not be deformed, broken or leave any remnants
- Suitable for installing work without damaging the object surface
- Meets or exceeds ASME B107.410




 This product is consumable, not within SATA Lifetime Warranty.


Article Code	Diameter (mm)	
ST92521SC	22.0	6
ST92522SC	28.0	6
ST92523SC	35.0	6
ST92524SC	45.0	6
ST92525SC	60.0	6

Hard Face Hammer Tip

- Ideal for various applications and use on a variety of surfaces and materials without marring and surface damage
- Hammer head hardness match material surface hardness can avoid surface abrasion and dents
- It will not be deformed, broken or leave any remnants
- Suitable for installing work without damaging the object surface
- Meets or exceeds ASME B107.410




 This product is consumable, not within SATA Lifetime Warranty.

Article Code	Diameter (mm)	
ST92531SC	22.0	6
ST92532SC	28.0	6
ST92533SC	35.0	6
ST92534SC	45.0	6
ST92535SC	60.0	6

Dead Blow Hammer

- Canister filled with steel shot in the hammer’s head creates a dead blow effect to reduce rebound
- Non-sparking, non-marring soft face won’t harm your target surface
- Resistant to gas, brake fluid, anti-freeze and more, with a polyurethane head and rubber handle
- Rubber handle has a knurled texture and flared back end for improved non-slip grip
- Ideal for professional environments where fire prevention is a priority or concern
- Meets or exceeds ASME B107.410





Article Code	Head Weight (g)	Head Weight (oz)	Head Diameter (mm)	Overall Length (mm)	
ST92901SC	400.0	14.1	35.0	260.0	6
ST92902SC	520.0	18.3	45.0	286.0	6
ST92903SC	1050.0	37.0	55.0	350.0	4
ST92904SC	1500.0	52.9	65.0	370.0	4

Rubber Mallet Hammer

- Ideal for various applications and use on a variety of surfaces and materials without marring and surface damage
- Meets or exceeds ASME B107.410



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Head Weight (g)	Head Weight (oz)	Overall Length (mm)	
ST92912ME	454.0	16.0	330.0	6
ST92913ME	567.0	20.0	331.0	6







Tape Measure

- ABS housing for increased strength and impact resistance
- Double-sided scale with measurement markings on the top and bottom side of the scale
- Bright yellow blade has clear easy-to-read numerals
- Nylon-coated blade provides extended product life and glare reduction
- Extra-Wide lock button for easy thumb engagement
- Blade lock holds blade at any length
- Tape measure hook with automatic reset setting, ensuring that both internal and external measurement start from zero position
- Automatic blade return
- Ergonomic case design for better fit in-hand during measuring
- Integrated D-ring with keychain attachment for carrying or storing convenience




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Tape Length	Tape Width (mm)	Blade Style	
ST91311E	2.0 m	13.0	Metric	12
ST91312E	3.0 m	16.0	Metric	12
ST91315E	5.0 m	25.0	Metric	6
ST91316E	8.0 m	25.0	Metric	4
ST91317E	10.0 m	25.0	Metric	4
ST91318E	3.0 m / 10'	16.0	Metric / SAE	12
ST91322E	5.0 m / 16'	25.0	Metric / SAE	6
ST91323E	8.0 m / 26'	25.0	Metric / SAE	4

Tape Measure

- ABS housing for increased strength and impact resistance
- Bright yellow blade has clear easy-to-read numerals
- Clear coating extends life of blade and blade markings
- Blade lock holds blade at any length
- Tape measure hook with automatic reset setting, ensuring that both internal and external measurement start from zero position
- Automatic blade return
- Optimized design provides a compact case that fits comfortably in the palm of your hand
- Removable belt clip



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Tape Length	Tape Width (mm)	Blade Style	
ST91312ME	3.0 m / 10'	13.0	Metric / SAE	12
ST91314ME	5.0 m / 16'	19.0	Metric / SAE	12
ST91316ME	8.0 m / 26'	25.0	Metric / SAE	12
ST91317ME	10.0 m / 33'	25.0	Metric / SAE	12


TAPE MEASURE

METRIC/ SAE SCALE

ST91311E
ST91312E
ST91315E
ST91316E
ST91317E
ST91318E
ST91322E
ST91323E



ABS housing for resistance



Nylon-coated blade



Extra-wide lock button



Lock holds blade at any length



Hook with automatic reset setting



Integrated D-ring with keychain

METRIC

SAE



Rubber Grip Tape Measure

- Rubber cushion housing absorbs impact for increased strength resistance
- Bright yellow blade has clear easy-to-read numerals
- Clear coating extends life of blade and blade markings
- Blade lock holds blade at any length
- Tape measure hook with automatic reset setting, ensuring that both internal and external measurement start from zero position
- Automatic blade return
- Optimized design provides a compact case that fits comfortably in the palm of your hand
- Rubber cushion for improved grip
- Removable belt clip



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Tape Length	Tape Width (mm)	Blade Style	
ST91333ME	3 m / 10'	16.0	Metric / SAE	12
ST91335ME	5 m / 16'	19.0	Metric / SAE	12
ST91336ME	8 m / 26'	25.0	Metric / SAE	12

Fiberglass Long Tape

- Non-conductive, easy-to-read numerals
- High impact winding drum for smooth tape recovery
- UV coating extends life of blade and blade markings



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Tape Length	Tape Width (mm)	Blade Style	
ST91361ME	15 m / 49'	13.0	Metric / SAE	6
ST91362ME	30 m / 98'	13.0	Metric / SAE	4
ST91363ME	50 m / 164'	13.0	Metric / SAE	2

Square Zinc Handle

- Zinc handle
- Metric/Imperial scale
- Manufactured from stainless steel for better strength and longer tool life



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Style	
ST91410ME	150 mm / 6"	Metric / SAE	6
ST91411ME	200 mm / 8"	Metric / SAE	6
ST91412ME	250 mm / 10"	Metric / SAE	6
ST91413ME	300 mm / 12"	Metric / SAE	6

LD Square

- Metric/Imperial scale
- Manufactured from stainless steel for better strength and longer tool life



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	
ST91421ME	610 mm / 24" x 305 mm / 12"	6

3 Pc. Chalk Line Set

Article Code	Content	
ST91430ME	1- 30 m Chalk Reel 1- 115 g Blue Chalk 1- Plastic Line Level	10


⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Content	
ST91431ME	Chalk Refill Blue 115g	20
ST91432ME	Chalk Refill Red 115g	20




3 PC. CHALK LINE SET

ST91430ME




Impact resistant case



Folding crank handle



Locking button





Rubber grip



Vernier Caliper

- Manufactured from stainless steel for high measurement accuracy
- For measurement of inner hole, outer circle, and depth
- Comes in a high quality ABS plastic box


 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Accuracy	
ST91501SC	0.0 - 150 mm	±0.03 mm	6
ST91502SC	0.0 - 200 mm	±0.03 mm	6
ST91503SC	0.0 - 300 mm	±0.03 mm	4



Digital Caliper

- Easy to read large digital display
- 4 way measurement, inside, outside, depth and step ensures accuracy
- Scale and thumb roll makes reset possible at any position
- Wide and clear display measurements in either metric or Imperial units
- Features standard RS-232 output port for easy data collection
- Manufactured from stainless steel for better strength and longer tool life
- Comes in a high quality ABS plastic box


 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Accuracy	
ST91511SC	0 - 150 mm	±0.03 mm	6
ST91512SC	0 - 200 mm	±0.03 mm	6



Dial Caliper

- Manufactured from stainless steel for high measurement accuracy
- Upgraded indicator core for two-way shockproof performance
- Equipped with outer ring locking device
- For measurement of inner hole, outer circle, and depth
- Comes in a high quality ABS plastic box


 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Accuracy	
ST91521SC	0 - 150 mm	±0.03 mm	6
ST91522SC	0 - 200 mm	±0.03 mm	6



Outside Micrometer

- Measuring surface made from hardened steel to withstand repeated use
- Clearly audible ratchet operation for reassurance that measurement is being performed at constant force
- Locking screw and precision mechanism combine for exceedingly accurate measurements
- Comes in a high quality ABS plastic box


 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Accuracy	
ST91531SC	0 - 25 mm	±0.004 mm	6
ST91532SC	25 - 50 mm	±0.004 mm	6
ST91533SC	50 - 75 mm	±0.004 mm	6



Aluminum Box Level

- Best frame strength-to-weight ratio
- Helps with fast and accurate installations
- Ruler with scale for easy measurement
- Built from one piece of aluminum for strength and durability
- Two shock absorbent end caps protect frame

 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Accuracy	
ST91601ME	30 cm	±0.5 mm/m	10
ST91602ME	45 cm	±0.5 mm/m	10
ST91603ME	60 cm	±0.5 mm/m	10
ST91604ME	75 cm	±0.5 mm/m	6
ST91605ME	90 cm	±0.5 mm/m	6
ST91606ME	120 cm	±0.5 mm/m	6




Aluminium Magnetic Box Level

- Magnetic, easy to operate
- Best frame strength-to-weight ratio
- Helps with fast and accurate installations
- Ruler with scale for easy measurement
- Built from one piece of aluminum for strength and durability
- Two shock absorbent end caps protect frame



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Accuracy	
ST91611ME	30 cm	±0.5 mm/m	10
ST91612ME	45 cm	±0.5 mm/m	10
ST91613ME	60 cm	±0.5 mm/m	10
ST91614ME	75 cm	±0.5 mm/m	10
ST91615ME	90 cm	±0.5 mm/m	6

Magnetic Torpedo Level

- Magnetic, easy to operate
- Helps with fast and accurate installations
- Two shock absorbent end caps protect frame



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Accuracy	
ST91621ME	230 mm / 9"	±0.5 mm/m	10



Auto Speciality Tools



3 Pc. L-Shaped Wheel Wrench Set

Article Code	Content	
ST09531SJ	1 - 1/2" Dr. Offset Handle 345 mm 1 - 1/2" Dr. Dual Head Socket 17 x 19 mm 1 - 1/2" Dr. Dual Head Socket 21 x 23 mm	5

Please refer to the warranty terms of the individual product.



6 Pc. Automotive Body Repair Tool Set

Article Code	Content	
ST09152SJ	1 - Anvil Dolly 1 - Wedge Dolly 1 - Pry Bumping Spoon 1 - Toe Dolly 1 - Light Shrinking Hammer 1 - Pick & Finishing Hammer	2

Please refer to the warranty terms of the individual product.




50 Pc. Auto Repair Master Tool Set


Article Code	Content	
ST09508	1 - 1/2" Dr. Quick-Release Ratchet 11 - 1/2" Dr. 12pt. Metric Sockets 8, 10, 12, 17, 18, 19, 20, 21, 22, 24, 27 mm 1 - 1/2" Dr. 50L Bit Socket Hex 17 mm 1 - 1/2" Dr. 100L Bit Socket Hex 7 mm 9 - 1/2" Dr. Extra Long Bit Sockets Hex 6x70, 8x120, 6x250, 5x180, 6x140, 10x140 mm Triple Square M8x100, M10x120, M10x140 mm 9 - Extra Long Arm Ball Point Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm 2 - 1/2" Dr. Spark Plug Sockets 16, 21 mm 6 - Raised Panel Combination Wrenches 8, 10, 13, 17, 19, 22 mm 2 - Cushion Grip Go-Through Screwdrivers Slotted 6x100 mm Phillips #6x100 mm 8 - Accessories 1/2" Dr. T-Handle 1/2" Dr. Wobble Extension Bars 5", 10" 1/2" Dr. Universal Joint 1/2" Dr. Offset Handle 260 mm 3/8" Dr. Two Way Oil Filter Wrench with Adapter Front Shock Absorber Socket Wrench Shock Absorber Socket	2

Please refer to the warranty terms of the individual product.




56 Pc. Auto Repair Master Tool Set


Article Code	Content	
ST09509	1 - 3/8" Dr. Quick-Release Ratchet 15 - 3/8" Dr. 6pt. Metric Sockets 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm 2 - 3/8" Dr. Spark Plug Sockets 16, 21 mm 11 - Metric Combination Wrenches 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm 1 - Long Nose Pliers 6" 1 - Slip Joint Pliers 2 - Cushion Grip Go-Through Screwdrivers Slotted 6x100 mm Phillips #2x100 mm 9 - 1/4" Shank 25L Bits Slotted 4, 5, 6.5 mm Phillips #1, #3 Hex 3, 4, 5, 6 mm 9 - Accessories 1/4" Dr. Spinner Handle 1/4" Dr. x 1/4" Shank Bit Adapter 3/8" Dr. Wobble Extension Bars 3", 10" 3/8" Dr. Universal Joint 1/4" F x 3/8" M, 3/8" F x 1/4" M Socket Adapters 1/2" F x 3/8" M 3-Way Adapter 9 Pc. Long Arm Tamper-Proof Torx Key Set TT10, TT15, TT20, T25, TT27, 30, TT40, TT45, TT50	3

 Please refer to the warranty terms of the individual product.



53 Pc. Telecom Set

Article Code	Content	
ST09535SJ	11 - 1/4" Dr. 6pt. Metric Sockets 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 15 - 1/4" Shank 25L Bits Slotted 4, 5.5, 6.5 mm Phillips #1, #2, #3 Tamper-Proof Torx® T10, T15, T20 Hex 2, 2.5, 3, 4, 5, 6 mm 4 - Acetate Screwdrivers Philips #1x75 mm, #2x200 mm Slotted 5x75 mm, 6x100 mm 6 - Precision Combination Screwdrivers Philips #000x75 mm, #0x100 mm, #1x150 mm Slotted 2x75 mm, 3x100 mm, 4x150 mm 17 - Accessories 1/4" Drive Bit Adapter 25 mm 1/4" Drive Magnetic Bit Driver Circuit Tester Long Nose Pliers 6" Diagonal Pliers 6" Electrician's Knife Soldering Iron 30W Soldering Iron Stand Anti-static Brush Digital Multi-meter Desoldering Pump Insulation Tape Adjustable Wrench 6" Solder Wire 17G Aluminum Flashlight Self Adjusting Wire Stripper 6-1/2" Tape Measure 3 m	2

 Please refer to the warranty terms of the individual product.




HYDRAULIC
BOTTLE JACK

ST97801ASC
ST97802ASC
ST97803ASC
ST97804ASC
ST97805ASC
ST97807ASC
ST97808ASC
ST97809ASC
ST97810ASC



Welded steel construction



Two-Piece handle design



Center adjustment



Double levers for user ergonomics



HEAVY DUTY (LOW PROFILE) SERVICE JACK 2T / 2.5T / 3T


ST97817SC
ST97813SC
ST97813A




Safety overload device




Dual piston pump



Ultra low profile



Dual handle design



Precision control in any handle position




Ergonomic design




Hydraulic Bottle Jack

- Welded steel construction for leak free performance
- Two-piece handle design for easy storage
- Center Adjustment
- Double levers for user ergonomics




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Load Capacity	Max. Height (mm)	Min. Height (mm)	
ST97801ASC	2 T	344.0	48.0	6
ST97802ASC	4 T	373.0	60.0	6
ST97803ASC	6 T	416.0	70.0	4
ST97804ASC	8 T	455.0	80.0	4
ST97805ASC	10 T	460.0	80.0	4
ST97807ASC	16 T	440.0	60.0	4
ST97808ASC	20 T	452.0	60.0	4
ST97809ASC	32 T	440.0	-	4
ST97810ASC	50 T	425.0	-	4

Heavy Duty Low Profile Service Jack 2 T

- Built-in safety overload device prevents use beyond rated capacity
- Dual piston pump for rapid lifting
- Ultra low profile is ideal for sport cars and vehicles with flat tires and low chassis
- Patent dual handle design for better leverage and a solid grip
- Universal joint release mechanism for precision control in any handle position
- Ergonomic design
- Manufactured from steel with reinforced body
- Meets or exceeds ASME PALD-2009



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Load Capacity	Max. Height (mm)	Min. Height (mm)	
ST97817SC	2 T	505.0	76.0	1

Heavy Duty Service Jack 2.5 T

- Built-in safety overload device prevents use beyond rated capacity
- Dual piston pump for rapid lifting
- Patent dual handle design for better leverage and a solid grip
- Universal joint release mechanism for precision control in any handle position
- Manufactured from steel with reinforced body
- Meets or exceeds ASME PALD-2009



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Load Capacity	Max. Height (mm)	Min. Height (mm)	
ST97813SC	2.5 T	460.0	130.0	1

Heavy Duty Low Profile Service Jack 3 T

- Built-in safety overload device prevents use beyond rated capacity
- Dual piston pump for rapid lifting
- Ultra low profile is ideal for sport cars and vehicles with flat tires and low chassis
- Patent dual handle design for better leverage and a solid grip
- Universal joint release mechanism for precision control in any handle position
- Manufactured from steel with reinforced body
- Meets or exceeds ASME PALD-2009



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Load Capacity	Max. Height (mm)	Min. Height (mm)	
ST97813A	3 T	502.0	78.0	1

14 Pc. Feeler Gauge Set 0.05 - 1.00 mm 16 Pc. Feeler Gauge Set 0.05 - 1.00 mm


Article Code	Content	
ST09401SJ	0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.60, 0.70, 0.80, 0.90, 1.00 mm	24

⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.



Article Code	Content	
ST09402SJ	0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.50, 0.55, 0.60, 0.70, 0.75, 0.80, 0.90, 1.00 mm	12

⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.



23 Pc. Feeler Gauge Set 0.02 - 1.00 mm 32 Pc. Feeler Gauge Set 0.02 - 1.00 mm

Article Code	Content	
ST09405SJ	0.02, 0.03, 0.04, 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95, 1.00 mm	36

⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.




Article Code	Content	
ST09407SJ	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.13, 0.15, 0.18, 0.20, 0.23, 0.25, 0.28, 0.30, 0.33, 0.38, 0.40, 0.45, 0.50, 0.55, 0.60, 0.63, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 1.00 mm	24


⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.



3 Pc. Fuel and AC Disconnect Tool Set 8 Pc. End Cap Oil Filter Wrench Set

Article Code	Content	
ST09406SJ	1 - Ford fuel line coupling tool 1 - Ford A/C and fuel line spring lock coupling tool 1 - Fuel line quick disconnect tool	10




Article Code	Content	
ST09703SJ	6 - 1/2" Dr. End Cap Oil Filter Wrenches 65, 74, 76, 80, 90, 93 mm 1 - 3/8" Dr. Quick-Release Ratchet 1 - 3/8" F x 1/2" M Socket Adapter	4



End Cap Oil Filter Wrench

- For use with a 1/2" square drive tool
- Black electro-deposition coated finish for durability and corrosion resistance
- Overtop access application




Article Code	Size (mm)	Flute (mm)	
ST97401ST	65.0	14.0	4
ST97403ST	74.0	15.0	4
ST97404ST	76.0	14.0	4
ST97405	80.0	15.0	4
ST97406	90.0	15.0	4

Drive End Cap Oil Filter Wrench

- For use with a 1/2" square drive tool
- Black electro-deposition coated finish for durability and corrosion resistance
- Overtop access application





Article Code	Size (mm)	Flute (mm)	
ST97407	93.0	15.0	4

Oil Filter Wrench

- Universal adjustment
- Professional, ergonomic dipped grips wipe clean easily
- Chrome plated finish to resist corrosion




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size (mm)	
ST97427SC	55.0 - 75.0	12
ST97428SC	75.0 - 95.0	12

Oil Filter Strap Wrench

- Strap is made of high strength nylon and handle is made of forged steel
- Use with 1/2" drive tools or 13/16" wrench tools to handle filters with diameters up to 120 mm



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size (mm)	Capacity (mm)	
ST97431ME	240.0	120.0	12

Oil Filter Strap Wrench

- For use on oil filters up to 120 mm diameter
- Strong nylon belt will not slip
- Use with 1/2" drive tools or 13/16" wrench tools
- Chrome vanadium steel buckle



Article Code	Size	Capacity (mm)	
ST97441ST	18"	120.0	12

Universal 3-Jaw Oil Filter Wrench

- Use with 1/2" square drive tools with no adapter required
- Heavy duty design with increased torque to loosen tough filters
- Provides a wide application range from 63 - 102 mm (2.5" - 4")



Article Code	Max Diameter (mm)	Min Diameter (mm)	
ST97422ST	102.0	63.0	2

Adjustable Oil Filer Wrench Pliers

- Two clamp handle for maximum clamping power
- Professional dipped grips for easy cleaning and better control
- For removing oil filters from 63.5 mm to 116.0 mm in diameter



Article Code	Max Diameter (mm)	Min Diameter (mm)	
ST97426ST	116.0	63.5	6

Chain Wrench

- Excellent for pipe fittings
- Great for confined areas where regular pipe wrenches cannot reach
- High-visibility stamped markings provide quick size identification
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Manufactured from steel for better strength and longer tool life




Article Code	Size	Capacity (mm)	
ST97451SC	12"	55.0 - 110.0	4
ST97452SC	15"	60.0 - 130.0	4

1/2" Drive Air Impact Wrench 625 Nm

- Hard hitting twin hammer provides high torque output while reducing vibration
- Handle exhaust at bottom cable directs debris and dust away from machine and operator
- Variable speed trigger gives control over RPM
- Compact design
- 1/4" Air intake




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Max Torque	Working Torque	Free Rotation	Working Pressure	Air Consumption	Weight	
ST01111	625 Nm	400 Nm	10.000 RPM	90 PSI, 6,35 kgf/cm ²	4.7 CFM	1.5 kg	10

1/2" Drive Air Impact Wrench 800 Nm

- Hard hitting twin hammer provides high torque output while reducing vibration
- Handle exhaust at bottom cable directs debris and dust away from machine and operator
- Variable speed trigger gives control over RPM
- Classic design
- 1/4" Air intake



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Max Torque	Working Torque	Free Rotation	Working Pressure	Air Consumption	Weight	
ST01113C	800 Nm	600 Nm	7,500 RPM	90 PSI, 6,35 kgf/cm ²	4.2 CFM	2.2 kg	6

1/2" Drive Air Impact Wrench 1050 Nm

- Hard hitting twin hammer provides high torque output while reducing vibration
- Handle exhaust at bottom cable directs debris and dust away from machine and operator
- Variable speed trigger gives control over RPM
- Solid fiberglass handle covered with a molded nylon jacket
- 1/4" Air intake



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Max Torque	Working Torque	Free Rotation	Working Pressure	Air Consumption	Weight	
ST01119	1050 Nm	800 Nm	8.500 RPM	90 PSI, 6,35 kgf/cm ²	4.8 CFM	2.2 kg	6

1" Drive Heavy Duty Air Impact Wrench

- Shock resistant housing with plastic protector helps protect tool and prevent scuffing
- Ergonomic design is 10% lighter than competitors without compromising on performance
- 9" (23 cm) rod can be used for automotive repairs, major construction projects, heavy equipment maintenance, or product assembly
- Air line does not need to be removed for lubrication
- 45° Air intake for better equipment handling
- 1/2" Air intake




⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Max Torque	Working Torque	Idle Speed	Working Pressure	Air Consumption	Weight	
ST01133SC	4000 Nm	3000 Nm	8.500 RPM	110 PSI, 8 kgf/cm ²	15 CFM	16.8 kg	1

1/2" DRIVE
AIR IMPACT WRENCH


ST01111
ST01113C
ST01119



Twin hammer system



Exhaust parallel to cable



Variable speed trigger

1/2"



1" DRIVE HEAVY DUTY AIR IMPACT WRENCH


ST01133SC



Shock resistant
housing



10% lighter



9" (23 cm) rod



No need to re-
move air line
for lubrication



45° Air intake


1"




Piston Ring Compressor

- Tool is beaded along lower edge to prevent compressor from entering the cylinder
- Heavy spring steel compresses the stiffest rings evenly
- Positive lock action provides positive compression and fingertip release




 Nature of this product is subject to wear and tear upon usage.
Not covered under Lifetime Warranty.


Article Code	Size	Working Range (mm)	
ST97501SC	3"	53.0 - 175.0	30
ST97502SC	4"	60.0 - 175.0	30

Cross Wheel Wrench

- For use on lugnut sizes 17 mm, 19 mm, 21 mm
- Single hex (6 pt.) fastener end design
- Off-corner loading design reduces fastener rounding
- 1/2" drive end allows for 1/2" drive socket to be added
- Ball detent for secure socket retention
- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



 Nature of this product is subject to wear and tear upon usage.
Not covered under Lifetime Warranty.


Article Code	Size	
ST48101ST	17, 19, 21 mm, 1/2"	4

5 Pc. Fine Threaded Extractor Set

- Fine thread for removing screws and studs that cannot be held firmly
- Tapered extractors for broken screws and studs
- Coarse thread design for longer usage life
- Tempered steel construction offers strength and durability for long-lasting performance
- Comes in sturdy plastic case for organization and storage



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Content	
ST09704SJ	2, 3, 4, 6.5, 7 mm	20

5 Pc. Coarse Threaded Extractor Set

- Used to quickly remove broken, embedded or damaged screws
- Coarse thread design for longer usage life
- Tempered steel construction offers strength and durability for long-lasting performance
- Comes in sturdy plastic case for organization and storage



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Content	
ST09704ASJ	3.3, 5.3, 6.4, 8.8, 11.2 mm	6

5 Pc. Hook and Pick Set

- Use to pull O-rings, seals, and split pins quickly and easily
- Includes magnetic handle
- Magnetic handle retrieves small ferrous metal parts easily
- Heat treated for long lasting durability




⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Content	
ST09709SJ	1 - Magnetic Aluminum Handle 5" 4 - Picks O-Ring, 90°, Straight, Hook	20

2-Jaw Reversible Pullers

- Reversible Jaws for internal or external applications
- Heat treated for long lasting durability
- Pilot point on screw tip for centering
- Phosphate coating on the spindle to resist corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability




Article Code	Size	Overall Length (mm)	Jaw Capacity (mm)	
ST90623SC	3"	125.0	75.0	1
ST90624SC	4"	155.0	100.0	1
ST90626SC	6"	240.0	150.0	1
ST90628SC	8"	325.0	200.0	1

3-Jaw Reversible Pullers

- Reversible Jaws for internal or external applications
- Heat treated for long lasting durability
- Pilot point on screw tip for centering
- Phosphate coating on the spindle to resist corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	Size	Overall Length (mm)	Jaw Capacity (mm)	
ST90633SC	3"	125.0	75.0	1
ST90634SC	4"	155.0	100.0	1
ST90636SC	6"	240.0	150.0	1
ST90638SC	8"	325.0	200.0	1
ST90640	10"	340.0	250.0	1
ST90642	12"	385.0	300.0	1

Ball Joint Puller Large

- 2 Jaw puller design
- Swivel design provides better access to hard to reach areas
- Jaws spread up to 10-150 mm (0.39" - 5.91") wide
- Chrome plated finish to resist corrosion
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	Jaw Capacity	
ST90662SC	10.0-150.0 mm (0.39"-5.91")	6

Universal Ball Joint Separator

- Tool separates ball joints from steering knuckles
- Adjustable for removing ball joints in limited space
- Heat treated for long lasting durability
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	
ST90651SC	6

50 - 75 mm Bearing Separator

- For pulling and removing bearings
- Chrome molybdenum alloy steel (Cr-Mo) for exceptional strength and durability



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	
ST90658ST	12

Ball Joint Separator

- Tool separates ball joints from steering knuckles
- Forged to withstand hard usage



Article Code	Size	
ST90665	12"	6

Universal Ball Joint Separator

- Tool separates ball joints from steering knuckles
- Works on ball joints from 1-1/8" - 2-1/8" and 30 mm - 56 mm in size
- Adjustable for removing ball joints in limited space
- Heat treated for long lasting durability
- Chrome vanadium alloy steel (Cr-V) for exceptional strength and durability



Article Code	Capacity	
ST90652SC	3.0 - 56.0 mm (1-1/8" - 2-1/8")	16

Wheel Weight Tool

- Designed to install and remove all types of wheel weight




⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	
ST92107SC	6

Anvil Dolly

- Made of high carbon steel, forged and tempered, for strength and durability




Article Code	
ST92203SC	6

Toe Dolly

- Made of high carbon steel, forged and tempered, for strength and durability




Article Code	
ST92207SC	6

Wedge Dolly

- Made of high carbon steel, forged and tempered, for strength and durability




Article Code	
ST92205SC	6

Drip Molding Spoon

- Made of high carbon steel, forged and tempered, for strength and durability




Article Code	
ST92209SC	6

Coil Spring Compressor

- Reinforced screw thread desglin to ensure safety
- Suitable for use where space under wheel arch is limited
- Works with 1/2" drive tools or with 21 mm socket and wrench
- Forged steel jaws for extended tool life





Article Code	Size (mm)	
ST97701SC	270.0	8
ST97702SC	370.0	8

Grease Gun Coupler

- Unique coupler design includes a steel ball to prevent backflow of passing lubricants
- Replacement for common grease guns




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	
ST97211	18

Flexible Grease Gun Whip Hose

- For use with manual grease guns to reach into confined areas
- Heavy duty high strenght nylon sleeve for handling high pressure from hand held grease guns



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Overall Length (mm)	
ST97212	300.0 mm	9
ST97213	450.0 mm	9

Pistol Grip Grease Gun

- Tips are designed to ensure tighter tolerance and fit
- Hardened spring for consistant pressure
- Dual direction loading
- Compact and lightweight construction reduces user fatigue
- Unique filling nipple design with steel ball to prevent backflow
- Special plunger lock for safe and convenient filling



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Bulk Capacity	Working Pressure	Max. Working Pressure	Output	
ST97201	100 cc	2900 psi	4000 psi	0.5 oz / 40 strokes	12

Plastic Handle Grease Gun

- 3 Way loading - 400 ml / 14 oz simple package oil, sealed oil tank or 400 CC bulk oil
- Durable die-cast head for longer service life
- Hardened spring for consistant pressure
- Unique filling nipple design with steel ball to prevent backflow
- Special plunger lock for safe and convenient filling
- Quality steel lever handle with comfortable rubber grip



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Bulk Capacity	Working Pressure	Max. Working Pressure	Output	
ST97203	400 cc	4500 psi	10000 psi	1 oz / 40 strokes	12

Heavy Duty Grease Gun

- 3 Way loading - 400 ml / 14 oz cartridge, filter pump or 600 CC bulk oil
- New “monticle” exhaust nozzle design, improving exhaust effect and lowering air pressuer
- Anti-impurity filter screen to prevent blockage caused by impurities entering the grease delivery pipe when adding bulk grease
- Lightweight aluminum alloy nozzle with extended handle design for improved leverage
- Equipped with a hose and nozzle for special access
- Quality steel lever handle with comfortable rubber grip



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Bulk Capacity	Working Pressure	Max. Working Pressure	Output	
ST97204A	600 cc	7000 psi	10000 psi	1 oz / 40 strokes	1

High Leverage Riveter

- High leverage design
- Spring loaded
- Convenient nose piece storage in handle
- Designed for 2.4 mm (3/32), 3.2 mm (1/8), 4 mm (5/32), 4.8 mm (3/16) rivets



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	
ST90501SC	8"	6

High Leverage Riveter With Collection Bottle

- High leverage non-slip handle design provides the power to pull larger rivets and ensures durability
- Pull and set rivets up to 6.4 mm (1/4") with ease
- Plastic collection bottle for easy disposal of spent mandrels
- Heavy duty steel construction



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	
ST90504	11"	8
ST90502	13"	8

Air Blow Gun

- Working pressure: 5.0 ~ 8.0 kgf/cm²
- Brass pipe fitting size: 1/4" NPT
- Air pipe (I.D. 1/4"): 350 L/min
Air pipe (I.D. 3/8"): 430 L/min
- Air flow:
1/4" inside diameter air tube: 350 L/Min
3/8" inside diameter air tube: 430 L/Min



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size (mm)	
ST97221SC	100.0	5
ST97222SC	250.0	5

Roller Seat with Magnetic Trays

- Air shock adjustable seat to suit any need
- 5 magnetic parts trays in the base for convenient storage
- Solid solvent resistant rubber seat
- Seat swivels 360° for extra mobility
- Simple and fast assembly without any tools required



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Width (mm)	Depth (mm)	Hight (mm)	
ST95440	430.0	430.0	550.0	1

40" Creeper with Magnetic Trays

- Metal plates next to headrest for easy mounting of magnetic lights
- 135 kg /300 lb capacity
- Magnetic parts trays for convenient storage
- Custom-molded composite frame provides lasting durability
- Concave design ensures high comfort and ergonomic handling
- Back pad and head rest made of durable reinforced fibre
- Ball bearing casters reduce vibration



⚠ Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Width (mm)	Depth (mm)	Hight (mm)	
ST95441	520.0	1000.0	150.0	1

Circuit Tester

- Measuring range from 100 - 500 V
- Tempered steel construction offers strength and durability for long-lasting performance



⚠ Excluded from Lifetime Warranty terms


Article Code	Size (mm)	
ST62501ST	145.0	24
ST62502ST	190.0	24

Digital Circuit Tester

- LED Digital display
- Testing range of 12, 36, 55, 110 and 220 V
- Features compact design
- No battery required



⚠ Excluded from Lifetime Warranty terms


Article Code	Size (mm)	
ST62601ST	130.0	24


Automotive Circuit Tester 6 V / 12 V / 24 V

- Designed for vehicles low voltage circuits
- Light turns on when voltage is detected
- Flexible coil cord
- Long-life LED tube
- Spring loaded terminal clamp



⚠ Excluded from Lifetime Warranty terms

Article Code	
ST62503ST	10







33" Extendable Indexing Pry Bar

- Head rotates 180° through 14 locking positions for better access and leverage
- Flex head tool provides access to areas fixed head tools cannot reach
- Grooved head profile grips and holds securely, even in tight confines and at the fullest extension
- Black oxide finish to resist corrosion
- Manufactured from steel for better strength and longer tool life
- Meets or exceeds DIN/ASME and ANSI requirements for proven strength, making it the perfect tool for heavy-duty automotive or industrial work




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Length (mm)	Width (mm)	Hight (mm)	
ST92568	629.0	25.0	25.0	1

2 Pc. Indexing Pry Bar Set

- Heads rotate 180° through 14 locking positions for better access and leverage
- Flex head tools provide access to areas fixed head tools cannot reach
- Grooved head profile grips and holds securely, even in tight confines and at the fullest extension
- Black oxide finish to resist corrosion
- Manufactured from steel for better strength and longer tool life
- Alloy steel bodies and black phosphate finish




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Content	
ST92569	8, 16"	1

Wood Handle Putty Scraper

- Precision ground blade for heavy duty edges
- Wood handle offers ease of grip so you can work confidently over time
- Can be used for clearing dirt on engine cylinder surface and other metal surfaces




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	
ST95201ST	12

INDEXING PRY BARS


ST92568
ST92569



Head rotates 180°




Flex head



Head profile grips and holds securely



Black oxide finish




Manufactured from steel




Magnetic Pick-Up Tool

- Extended shaft for better access
- Features sewn in, powerful magnets which stay on any metal surface easily
- Sleek handle design for maximum power, user comfort, and greater access
- High-impact, contoured handle presents an ergonomic and strong grip
- Oil and solvent resistant handle provides a longer tool life
- Handle designed with “through hole” for easy storage





 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Overall Length Min (mm)	Overall Length Max (mm)	
ST11924ST	165.0	545.0	6

Flexible Magnetic Pick-Up Tool

- 100% solid impact resistant acetate handle for lasting durability
- Durable soft shank surface with chrome plating provides flexibility for any working environment
- High-strength magnets effectively avoid dropping workpiece
- Handle designed with “through hole” for easy storage
- Chrome plated finish to resist corrosion




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size (mm)	Holding Capacity (kg)	Overall Length (mm)	
ST64104	6.0	0.5	502.0	6
ST64101	6.0	1.0	502.0	8
ST64102ST	8.0	2.0	510.0	6
ST64103	8.0	3.0	510.0	6

C-Clamp

- Iron frame with steel screw and swivel, sliding pin handle
- Powder coated metal for long lasting durability




 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.


Article Code	Size	Max Crimping Depth (mm)	Max Crimping Thickness (mm)	Overall Hight (mm)	Overall Length (mm)	Overall Width (mm)	
ST90433ST	3"	48.0	75.0	92.0	174.0	179.0	4
ST90434ST	4"	54.0	100.0	107.0	216.0	19.0	4
ST90435ST	6"	70.0	150.0	129.0	282.0	21.0	2
ST90436ST	8"	83.0	200.0	147.0	343.0	222.0	1

Mechanics Bench Vise

- Square steel structure provides high strength clamping force for safety use
- Replaceable serrated main jaws provide tight grip
- Large anvil work surface for shaping
- Machined base plate for smooth swivel with lug holes for secure positioning
- Manufactured from heavy duty cast iron for strength and durability



 Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

Article Code	Size	Maxi Crimping Width (mm)	Crimping Force	
ST70841SC	4"	108.0	1700 kg	1
ST70842SC	5"	133.0	2100 kg	1
ST70843SC	6"	152.0	3000 kg	1
ST70845SC	8"	203.0	4000 kg	1



Article Code Index

Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.
ST95104ASC	9	ST06011	36	ST11404SC	53	ST12303SC	61	SC12203	63	SC22206	70	ST13107SC	76	ST13417SC	78	ST13911SC	83	ST25103SC	89	ST16323SC	91	SC12801	101
ST95101SC	9	ST04110SC	36	ST11405SC	53	ST12304SC	61	SC12204	63	SC22207	70	ST13108SC	76	ST13201SC	78	ST13951SC	83	ST25104SC	89	ST16602SC	92	SC12802	101
ST95115SC	9	ST06008SJ	36	ST11406SC	53	ST12305SC	61	SC12205	63	SC22101	70	ST13109SC	76	ST13202SC	78	ST13910SC	84	ST25105SC	89	ST16603SC	92	SC12803	101
ST95102SC	10	ST09010SJ	37	ST11407SC	53	ST12306SC	61	SC12206	63	SC22102	70	ST13110SC	76	ST13203SC	78	ST17001SC	84	ST25106SC	89	ST16604SC	92	SC12804	101
ST95103ASC	10	ST09077SJ	37	ST11408SC	53	ST12307SC	61	SC12207	63	SC22103	70	ST13111SC	76	ST13204SC	78	ST13919SC	84	ST25107SC	89	ST16605SC	92	SC12807	101
ST95161SC	10	ST09506SJ	37	ST11409SC	53	ST12308SC	61	SC12208	63	SC22104	70	ST13112SC	76	ST13205SC	78	ST13912SC	85	ST25108SC	89	ST16606SC	92	SC12808	101
ST95162SC	10	ST09502SJ	38	ST11410SC	53	ST12309SC	61	SC12209	63	SC22105	70	ST13113SC	76	ST13206SC	78	ST13913SC	85	ST25109SC	89	ST16607SC	92	SC12809	101
ST95164SC	10	ST09099	38	SC11201	53	ST12310SC	61	ST12701SC	64	SC22106	70	ST13114SC	76	ST13207SC	78	ST13950SC	85	ST25801SC	89	ST16608SC	92	SC12810	101
ST03621	11	ST09054	38	SC11202	53	ST12311SC	61	ST12702SC	64	SC22107	70	ST13115SC	76	ST13208SC	78	ST13914SC	85	ST25802SC	89	ST16609SC	92	SC12811	101
ST95181	11	ST09044	39	SC11203	53	ST12312SC	61	ST12703SC	64	SC22108	70	ST13619SC	77	ST13209SC	78	ST13930SC	86	ST25803SC	89	ST16610SC	92	SC12812	101
ST95182SC	11	ST09505SJ	39	SC11204	53	ST12313SC	61	ST12704SC	64	SC22109	70	ST13620SC	77	ST13210SC	78	ST13904SC	86	ST25804SC	89	ST16611SC	92	SC12814	101
ST95184SC	11	ST09516SJ	39	SC11205	53	ST12314SC	61	ST12705SC	64	SC22110	70	ST13601SC	77	ST13211SC	78	ST13905SC	86	ST25805SC	89	ST16612SC	92	SC12815	101
ST95198SC	12	ST09519SJ	40	SC11206	53	ST12315SC	61	ST12706SC	64	SC22111	70	ST13602SC	77	ST13212SC	78	ST13906SC	86	ST25806SC	89	ST16613SC	92	SC12816	101
ST95188	12	ST09014SJ	40	SC11207	53	ST12316SC	61	ST12707SC	64	SC22601	70	ST13603SC	77	ST13213SC	78	ST13907SC	86	ST25807SC	89	ST16614SC	92	SC12817	101
ST95211	12	ST09014A	41	SC11208	53	ST12317SC	61	ST12708SC	64	SC22602	70	ST13604SC	77	SC13214	78	ST13908SC	86	ST09015SJ	90	ST16615SC	92	SC12820	101
ST95213SC	13	ST09510L	41	SC11209	53	ST12318SC	61	ST12709SC	64	SC22603	70	ST13605SC	77	ST13810	79	ST12985SC	87	ST09148SJ	90	ST16616SC	92	SC12821	101
ST95108SC	13	ST09510SJ	43	ST11901SC	54	ST12101SC	61	ST12710SC	64	SC22604	70	ST13606SC	77	ST13812	79	ST24201SC	87	ST16401SC	90	ST16617SC	92	SC12822	101
ST95118SC	13	ST95104A70-6	43	ST11970SC	54	ST12102SC	61	ST12711SC	64	ST09520	71	ST13607SC	77	ST13813	79	ST24202SC	87	ST16402SC	90	ST16618SC	92	SC12823	101
ST95119SC	14	ST95104A70	43	ST11905ST	54	ST12103SC	61	ST12712SC	64	ST09086SJ	71	ST13608SC	77	ST13814	79	ST24203SC	87	ST16403SC	90	ST16619SC	92	SC12826	101
ST95125	14	ST13975	48	ST11906ST	54	ST12104SC	61	ST12915SC	64	ST09525SJ	71	ST13609SC	77	ST13816	79	ST24204SC	87	ST16404SC	90	ST16620SC	92	SC12827	101
ST95111SC	14	ST09522	48	ST11974	55	ST12105SC	61	ST12916SC	64	ST09203SJ	71	ST13610SC	77	ST13817	79	ST24205SC	87	ST16405SC	90	ST16622SC	92	ST34714SC	103
ST95121	15	ST09521L	48	ST11909SC	55	ST12106SC	61	ST12919SC	64	ST09204SJ	72	ST13611SC	77	ST13818	79	ST24206SC	87	ST16406SC	90	ST16623SC	92	ST34715SC	103
ST95126	15	ST09001SJ	48	ST11910SC	55	ST12107SC	61	ST12920SC	64	ST09526	72	ST13612SC	77	ST13819	79	ST24207SC	87	ST16407SC	90	ST16624SC	92	ST32902	103
ST95107SC	15	ST09002SJ	49	ST11911SC	56	ST12108SC	61	ST12960SC	65	ST09005SJ	72	ST13613SC	77	ST14010SC	79	ST24208SC	87	ST16408SC	91	ST16504SC	93	ST34701SC	104
ST95109SC	16	ST09521-02	49	ST11912SC	56	ST12109SC	61	ST12901SC	65	ST09060-6SJ	72	ST13614SC	77	ST14011SC	79	ST24209SC	87	ST16409SC	91	ST16501SC	93	ST34702SC	104
ST09927	16	ST09098SJ	49	ST11913SC	56	ST12110SC	61	ST12971ST	65	ST09060SJ	73	ST13615SC	77	ST14012SC	79	ST24401BU	87	ST16410SC	91	ST16502SC	93	ST34201BU	104
ST09928	16	ST09011SJ	50	ST11914SC	57	SC12111	61	ST12972ST	65	ST09090SJ	73	ST13616SC	77	ST14013SC	79	ST24402BU	87	ST16411SC	91	ST16503SC	93	ST34202SC	104
ST09901SJ	18	ST09013SJ	50	ST11922SC	57	ST12601BU	62	ST12971SC	66	ST09092ME-12	73	ST13617SC	77	ST14014SC	79	ST24403BU	87	ST16412SC	91	ST16505SC	93	ST34203SC	104
ST09902SJ	18	ST09051SJ	51	ST11903SC	57	ST12602BU	62	ST12970SC	66	ST09007SJ	74	ST13618SC	77	ST14016SC	79	SC24404	87	ST16413SC	91	ST16506SC	93	SC34204	104
ST09903SJ	18	ST95401	51	ST11904SC	57	ST12603BU	62	ST13992BU	66	ST09087SJ	74	ST13501SC	77	ST14017SC	79	SC24405	87	ST16414SC	91	ST16507SC	93	ST34205SC	104
ST09915SJ	19	ST09052SJ	51	SC21301	58	ST12604BU	62	ST12974	67	ST09088SJ	75	ST13502SC	77	ST14018SC	79	ST24406BU	87	ST16415SC	91	ST16508SC	93	ST34206SC	104
ST09934	19	ST95400	51	SC21302	58	ST12605BU	62	ST12909SC	67	ST09006SJ	75	ST13503SC	77	ST14019SC	79	ST24407BU	87	ST16416SC	91	ST16509SC	93	ST34207SC	104
ST09528	19	ST09053SJ	51	SC21303	58	ST12606BU	62	ST12910SC	67	ST13319SC	76	ST13504SC	77	ST14021SC	79	ST24101SC	88	ST16417SC	91	ST16510SC	93	ST34208SC	104
ST09904-02	20	ST11301SC	52	SC21401	58	ST12607BU	62	ST12912SC	68	ST13320SC	76	ST13505SC	77	ST14022SC	79	ST24102SC	88	ST16418SC	91	ST16511SC	93	ST34209SC	104
ST09905	20	ST11302SC	52	SC21402	58	ST12608BU	62	ST12913SC	68	ST13301SC	76	ST13506SC	77	ST14024SC	79	ST24103SC	88	ST16419SC	91	ST16512SC	93	SC34210	104
ST09906	20	ST11303SC	52	SC21403	58	ST12609BU	62	ST12914SC	68	ST13302SC	76	ST13507SC	77	ST24404IEC	80	ST24104SC	88	ST16420SC	91	ST16513SC	93	ST34211SC	104
ST09907	21	ST11304SC	52	SC21501	58	ST12610BU	62	ST12917SC	68	ST13303SC	76	ST13508SC	77	ST24405IEC	80	ST24105SC	88	ST16421SC	91	ST16520SC	93	ST34212SC	104
ST09908	21	ST11305SC	52	SC21502	58	ST12611BU	62	ST12930SC	68	ST13304SC	76	ST13509SC	77	ST24406IEC	80	ST24106SC	88	ST16422SC	91	ST16514SC	93	SC34213	104
ST08028	21	ST11306SC	52	SC21503	58	ST12612BU	62	ST12922SC	69	ST13305SC	76	ST13510SC	77	ST24408IEC	80	ST24107SC	88	ST16301SC	91	ST16515SC	93	ST34214SC	104
ST08034E	22	ST11307SC	52	SC21201	58	ST12613BU	62	ST12903SC	69	ST13306SC	76	ST13511SC	77	ST24410IEC	80	ST24108SC	88	ST16302SC	91	ST16516SC	93	ST09009SJ	105
ST09938	22	ST11308SC	52	SC21202	58	ST12614BU	62	ST12904SC	69	ST13307SC	76	ST13512SC	77	ST13915SC	80	ST24109SC	88	ST16303SC	91	ST16517SC	93	ST34398T	105
ST09909-02	22	ST11309SC	52	SC21203	58	ST12615BU	62	ST12905SC	69	ST13308SC	76	ST13513SC	77	ST13916SC	80	ST24801SC	88	ST16304SC	91	ST16518SC	93	ST34397T	105
ST09910	23	ST11310SC	52	SC21204	58	ST12616BU	62	ST12906SC	69	ST13309SC	76	ST13514SC	77	ST13917SC	80	ST24802SC	88	ST16305SC	91	ST16519SC	93	ST09008SJ	105
ST09911SJ	23	ST11311SC	52	SC21206	58	ST12401SC	63	ST12907SC	69	ST13310SC	76	ST13515SC	77	ST13918SC	80	ST24803SC	88	ST16306SC	91	ST16521SC	93	ST34399T	107
ST09912SJ	23	ST11312SC	52	SC21205	58	ST12402SC	63	ST12908SC	69	ST13311SC	76	ST13401SC	78	ST13701SC	81	ST24804SC	88	ST16307SC	91	ST16522SC	93	ST34716SC	107
ST09913SJ	24	ST11313SC	52	SC21101	58	ST12403SC	63	SC22301	70	ST13312SC	76	ST13402SC	78	ST13702SC	81	ST24805SC	88	ST16308SC	91	ST16523SC	93	ST34717SC	107
ST09914SJ	24	ST11314SC	52	SC21102	58	ST12404SC	63	SC22302	70	ST13313SC	76	ST13403SC	78	ST13703SC	81	ST24806SC	88	ST16309SC	91	ST16901SC	93	ST34719SC	107
ST09939	24	ST11101SC	52	SC21103	58	ST12405SC	63	SC22303	70	ST13314SC	76	ST13404SC	78	ST13704SC	81	ST24807SC	88	ST16310SC	91	ST16906SC	94	ST33911SC	108
SC09928	25	ST11102SC	52	ST21104SC	58	ST12406SC	63	SC22401	70	ST13315SC	76	ST13405SC	78	ST13705SC	81	ST09057-02	88	ST16311SC	91	ST16905SC	94	ST34703SC	108
SC09946-1	26	ST11103SC	52	ST21105SC	58	ST12407SC	63	SC22402	70	ST13316SC	76	ST13406SC	78	ST13706SC	81	ST25201SC	89	ST16312SC	91	ST16919SC	94	ST34704SC	108
SC09947-1	27	ST11104SC	52	ST21108BU	58	ST12408SC	63	SC22403	70	ST13324	76	ST13407SC	78	ST13707SC	81	ST25202SC	89	ST16313SC	91	ST16907SC	95	ST34705SC	108
SC09930-1	28	ST11105SC	52	ST21106	58	ST12409SC	63	SC22504	70	ST13317SC	76	ST13408SC	78	ST13708SC	81	ST25203SC	89	ST16320SC	91	ST16908SC	95	ST34706SC	108
SC09931-1	29	ST11106SC	52	SC21107	58	ST12410SC	63	SC22501	70	ST13318SC	76	ST13409SC	78	ST1									

Article Code Index

Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.
ST34311SC	108	SC34410T	111	ST34611SC	114	ST33803BU	115	ST40207SC	126	ST40285SC	127
ST34312SC	108	SC34411T	111	ST34612SC	114	ST33804BU	116	ST40208SC	126	ST40286SC	127
ST34314SC	108	SC34412T	111	ST34613SC	114	ST33805BU	116	ST40209SC	126	ST40287SC	127
ST34315SC	108	SC34414T	111	ST34614SC	114	ST33806BU	116	ST40210SC	126	ST40288SC	127
ST34316SC	108	SC34415T	111	ST34615SC	114	ST33807BU	116	ST40211SC	126	ST40289SC	127
ST34317SC	108	SC34417T	111	ST34616SC	114	ST33808BU	116	ST40212SC	126	ST40290SC	127
ST34320SC	109	SC34419T	111	ST34617SC	114	ST33809BU	116	ST40213SC	126	ST40291SC	127
ST34322SC	109	SC34420T	111	ST34618SC	114	ST33810BU	116	ST40214SC	126	ST40292SC	127
ST34323SC	109	ST34718SC	111	ST34619SC	114	ST33811BU	116	ST40215SC	126	ST08006SJ	127
ST34325SC	109	ST34721SC	111	ST34620SC	114	ST33812BU	116	ST40216SC	126	ST09073SJ	128
ST33101SC	109	ST34720SC	112	ST34621SC	114	ST33813BU	116	ST40217SC	126	ST08013	128
ST33102SC	109	ST34708SC	112	ST34622SC	114	ST33814BU	116	ST40218SC	126	ST09071SJ	128
ST33103SC	109	ST34712SC	112	ST34623SC	114	ST33815BU	116	ST40219SC	126	ST08014SJ	128
ST33104SC	109	ST34505SC	112	ST34624SC	114	ST33816BU	116	ST40220SC	126	ST08010	129
ST33105SC	109	ST34506SC	112	ST34625SC	114	ST33817BU	116	ST40235SC	126	ST08041	129
ST33106SC	109	ST34507SC	112	ST34626SC	114	ST33818BU	116	ST40221SC	126	ST08019-02	129
ST33107SC	109	ST34508SC	113	ST34628SC	114	ST33819BU	116	ST40236SC	126	ST09029SJ	129
ST33108SC	109	ST34509SC	113	ST34629SC	114	ST33820BU	116	ST40237SC	126	ST41216SC	130
ST33109SC	109	ST34510SC	113	SC34630	114	ST33821BU	116	ST40222SC	126	ST41201SC	130
ST33110SC	109	ST34511SC	113	SC34631	114	ST33822BU	116	ST40223SC	126	ST41301SC	130
SC34303T	109	ST34512SC	113	ST34632	114	ST34924SC	116	ST40241SC	126	ST41202SC	130
SC34304T	109	ST34513SC	113	SC34633	114	ST34925SC	116	ST40242SC	126	ST41217SC	130
SC34305T	109	ST34514SC	113	SC34634	114	ST34926SC	116	ST40243SC	126	ST41302SC	130
SC34306T	109	ST34515SC	113	SC34635	114	ST34928SC	116	ST40244SC	126	ST41203SC	130
SC34307T	109	ST34516SC	113	SC34636	114	ST34929SC	116	ST40245SC	126	ST41204SC	130
SC34308T	109	ST34517SC	113	SC34637	114	ST34930SC	116	ST40246SC	126	ST41303SC	130
SC34309T	109	ST34518SC	113	SC34638	114	ST34931SC	116	ST40248SC	126	ST41205SC	130
SC34310T	109	ST34519SC	113	SC34640	114	ST34934SC	116	ST40249SC	126	ST41218SC	130
SC34311T	109	ST34520SC	113	ST34824SC	115	ST34937SC	116	ST40250SC	126	ST41219SC	130
SC34312T	109	ST34521SC	113	ST34825SC	115	ST34938SC	116	ST40251SC	126	ST41304SC	130
SC34314T	109	ST34522SC	113	ST34826SC	115	ST34940SC	116	ST40252SC	126	ST41206SC	130
SC34315T	109	ST34523SC	113	ST34827SC	115	ST09018SJ	119	ST40101SC	126	ST41305SC	130
SC34316T	109	ST34524SC	113	ST34828SC	115	ST09070SJ	119	ST40102SC	126	ST41214SC	130
SC34317T	109	ST34525SC	113	ST34829SC	115	ST09030	119	ST40103SC	126	ST41207SC	130
SC34320T	109	ST34526SC	113	ST34830SC	115	ST09020SJ	119	ST40104SC	126	ST41225ST	130
ST34403SC	110	ST34527SC	113	ST34831SC	115	ST95410	121	ST40105SC	126	ST41208SC	130
ST34404SC	110	ST34528SC	113	ST34832SC	115	ST95411	121	ST40106SC	126	ST41215SC	130
ST34405SC	110	ST34529SC	113	ST34833SC	115	ST09064SJ	121	ST40107SC	126	ST41227ST	130
ST34406SC	110	ST34530	113	ST34834SC	115	ST09022SJ	121	ST40108SC	126	ST41226	130
ST34407SC	110	ST33501BU	113	ST34835SC	115	ST08001SJ	122	ST40109SC	126	ST41209SC	130
ST34408SC	110	ST33502BU	113	ST34836SC	115	ST09063	122	ST40110SC	126	ST41210SC	130
ST34409SC	110	ST33503BU	113	ST34837SC	115	ST09026SJ	122	ST40111SC	126	ST41211SC	130
ST34410SC	110	ST33504BU	113	ST34838SC	115	ST09062-02	122	ST40112SC	126	ST41212SC	130
ST34411SC	110	ST33505BU	113	ST34839SC	115	ST08018-02	123	ST40113SC	126	ST41220SC	130
ST34412SC	110	ST33506BU	113	ST34840SC	115	ST08002SJ	123	ST40114SC	126	ST41213SC	130
ST34414SC	110	ST33507BU	113	ST34841SC	115	ST09027SJ	123	ST40115SC	126	ST41221SC	130
ST34415SC	110	ST33508BU	113	ST34842SC	115	ST09093	123	ST40116SC	126	ST41222SC	130
ST34417SC	110	ST33509BU	113	ST34843SC	115	ST09019SJ	124	ST40117SC	126	ST41223SC	130
ST34419SC	110	ST33510BU	113	ST34844SC	115	ST09017SJ	124	ST40118SC	126	ST41101SC	130
ST34420SC	110	ST33511BU	113	ST34845SC	115	ST09068SJ	124	ST40119SC	126	ST41102SC	130
ST34422SC	110	ST33512BU	113	ST34846SC	115	ST09021SJ	124	ST40120SC	126	ST41103SC	130
ST34423SC	110	ST33513BU	113	ST34847SC	115	ST09074SJ	125	ST40121SC	126	ST41104SC	130
ST34425SC	110	ST33514BU	113	ST34848SC	115	ST09069SJ	125	ST40122SC	126	ST41105SC	130
SC34403T	111	ST33515BU	113	ST34849SC	115	ST40233SC	126	ST40123SC	126	ST41106SC	130
SC34404T	111	ST34605SC	114	ST34850SC	115	ST40201SC	126	ST40124SC	126	ST41107SC	130
SC34405T	111	ST34606SC	114	ST34851SC	115	ST40202SC	126	ST08017	127	ST41108SC	130
SC34406T	111	ST34607SC	114	ST34852SC	115	ST40203SC	126	ST40281SC	127	ST09072SJ	131
SC34407T	111	ST34608SC	114	ST34853SC	115	ST40204SC	126	ST40282SC	127	ST08012	131
SC34408T	111	ST34609SC	114	ST33801BU	115	ST40205SC	126	ST40283SC	127	ST08004SJ	131
SC34409T	111	ST34610SC	114	ST33802BU	115	ST40206SC	126	ST40284SC	127	ST08007SJ	131

Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.
ST42221SC	132	ST48517	134	ST09012SJ	138	ST47224SC	144	ST43202ST	156	ST46326	159
ST42213SC	132	ST48519	134	ST45201SC	138	ST47225SC	144	ST43203ST	156	ST46327	159
ST42214SC	132	ST48520	134	ST45202SC	138	ST47226SC	144	ST43204ST	156	ST46328	159
ST42201SC	132	ST48521	134	ST45203SC	138	ST70812ST	145	ST43205ST	156	ST09083SJ	160
ST42222SC	132	SC48522	134	ST45204SC	138	ST70813ST	145	ST43206ST	156	ST08044	160
ST42215SC	132	SC48523	134	ST41306SC	139	ST70814ST	145	ST43207ST	156	ST09080SJ	160
ST42202SC	132	SC48524	134	ST41307SC	139	ST70815ST	145	ST43208ST	156	ST08044B	160
ST42203SC	132	SC48525	134	ST41308SC	139	ST70816ST	145	ST43209ST	156	ST46601ST	162
ST42216SC	132	SC48526	134	ST41309SC	139	ST70817ST	145	ST43210ST	156	ST46602ST	162
ST42204SC	132	SC48527	134	ST41310SC	139	ST70818ST	145	ST43211ST	156	ST46603ST	162
ST42223SC	132	SC48528	134	ST41311SC	139	ST70819ST	145	ST43212ST	156	ST46604ST	162
ST42224SC	132	SC48529	134	ST41312SC	139	ST09075	147	ST43213ST	156	ST46605ST	162
ST42217SC	132	SC48530	134	ST41313SC	139	ST08007ASJ	147	ST43214ST	156	ST46606ST	162
ST42205SC	132	SC48531	134	ST41314SC	139	ST09024SJ	147	ST43215ST	156	ST46607ST	162
ST42218SC	132	SC48603	135	ST41315SC	139	ST09079SJ	147	ST43216ST	156	ST46608ST	162
ST42219SC	132	SC48604	135	ST41316SC	139	ST09066-02	149	ST43217ST	156	ST46609ST	162
ST42206SC	132	SC48605	135	ST41317SC	139	ST08020	149	ST43218ST	156	ST46610ST	162
ST42207SC	132	SC48607	135	ST41318SC	139	ST43601	150	ST43219ST	156	ST46611ST	162
ST42220SC	132	SC48609	135	ST41319SC	139	ST43602	150	ST43101ST	156	ST46612ST	162
ST42208SC	132	SC48610	135	ST41321SC	139	ST43603	150	ST43102ST	156	ST46617	162
ST42209SC	132	SC48611	135	ST41322SC	139	ST43604	150	ST43103ST	157	ST46613	162
ST42210SC	132	SC48612	135	ST41324SC	139	ST43605	150	ST43104ST	157	ST46614	162
ST42211SC	132	SC48613	135	ST42406SC	140	ST43606	150	ST43105ST	157	ST46615	162
ST42225SC	132	SC48614	135	ST42407SC	140	ST43607	150	ST43106ST	157	ST46616	162
ST42212SC	132	SC48615	135	ST42408SC	140	ST43608	150	ST43107ST	157	ST46671BU	162
ST42101SC	132	SC48616	135	ST42409SC	140	ST43609	150	ST43108ST	157	ST46672BU	162
ST42102SC	132	SC48617	135	ST42410SC	140	ST43610	150	ST43109ST	157	ST46673BU	162
ST42104SC	132	SC48618	135	ST42411SC	140	ST43611	150	ST43110ST	157	ST46674BU	162
ST42105SC	132	SC48619	135	ST42412SC	140	ST43612	150	ST43111ST	157	ST46675BU	162
ST42106SC	132	SC48620	135	ST42413SC	140	ST43613	150	ST43112ST	157	ST46676BU	162
ST42107SC	132	SC48621	135	ST42414SC	140	ST43614	150	ST43113ST	157	ST46677BU	163
ST08023	132	SC48622	135	ST42415SC	140	ST43615	150	ST43114ST	157	ST46678BU	163
ST42301	133	ST09033SJ	135	ST42416SC	140	ST43616	150	ST43115ST	157	ST46679BU	163
ST42302	133	SC49201	136	ST42417SC	140	ST43617	150	ST46135U	157	ST46680BU	163
ST42303	133	ST49202BU	136	ST42418SC	140	ST43618	150	ST09025SJ	157	ST46681BU	163
ST42304	133	SC49203	136	ST42419SC	140	ST43619	150	ST46201ST	158	ST46682BU	163
ST42305	133	SC49204	136	ST42421SC	140	ST43501	150	ST46200ST	158	ST46683BU	163
ST42306	133	SC49205	136	ST42422SC	140	ST43502	150	ST46202ST	158	ST09082SJ	163
ST42307	133	SC49208	136	ST42424SC	140	ST43503	150	ST46203ST	158	ST08033	163
ST42309	133	SC49210	136	ST47101SC	141	ST43504	150	ST46204ST	158	ST46421	165
ST42310	133	ST47701SC	136	ST47102SC	141	ST43505	150	ST46205ST	158	ST46422	165
ST42312	133	ST47702SC	136	ST47103SC	141	ST43506	150	ST46206ST	158	ST46401ST	165
ST42315	133	ST47703SC	136	ST47104SC	141	ST43508	150	ST08015SJ	158	ST46402ST	165
ST09037SJ	133	ST47704SC	136	ST09000	141	ST43511	150	ST08016	158	ST46403ST	165
ST08042	133	ST47705SC	136	ST47201SC	143	ST43512	150	ST46301	159	ST46404ST	165
ST47501ST	134	ST47706SC	136	ST47202SC	143	ST47530	152	ST46302	159	ST46405ST	165
ST47507ST	134	ST47707SC	136	ST47203SC	143	ST09078SJ	152	ST46303ST	159	ST46406ST	165
ST47502ST	134	ST47710SC	136	ST47204SC	143	ST09034	152	ST46304ST	159	ST46407ST	165
ST47503ST	134	ST47712SC	136	ST47205SC	143	ST09050SJ	152	ST46305ST	159	ST46408ST	165
ST47504ST	134	ST09031SJ	137	ST47206SC	143	ST09038SJ	153	ST46306ST	159	ST46409ST	165
ST47505ST	134	ST48200SC	137	ST47207SC	143	ST09040-02	153	ST46307ST	159	ST46410ST	165
ST47509ST	134	ST48201SC	137	ST47208SC	143	ST08008SJ	153	ST46308ST	159	ST46412	165
ST47506ST	134	ST48204SC	137	ST47130	143	ST08032	155	ST46309	159	ST46413ST	165
ST48505	134	ST48202SC	137	ST47122	144	ST08044U	155	ST46310ST	159	ST46414	165
ST48506	134	ST48203SC	137	ST47123	144	ST08043U	155	ST46311	159	ST46415	165
ST48507	134	ST48301SC	137	ST47124	144	ST09023SJ	155	ST46312ST	159	ST46471BU	165
ST48509	134	ST48302SC	137	ST47125	144	ST43220ST	156	ST46322	159	ST46473BU	165
SC48512	134	ST48303SC	137	ST47221SC	144	ST43221ST	156	ST46323	159	ST46476BU	165
ST48515	134	ST09033U	137	ST47222SC	144	ST43222ST	156	ST46324	159	ST46477BU	165
ST48516	134	ST09032	137	ST47223SC	144	ST43201ST	156	ST46325	159	ST46478BU	165

Article Code Index

Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.	Article Code	Page No.
ST46479BU	165	ST70131ST	174	ST72021ST	186	ST72511	200	ST62317SC	207	ST61321SC	214	SC59235	226	ST09107ASJ	234	ST09715	239	ST92901SC	248	ST97802ASC	265	ST92209SC	280
ST46480BU	165	ST70132ST	174	ST72022ST	186	ST93404	201	ST61108SC	208	ST61322SC	214	SC59236	226	ST09161SJ	234	ST09161SJ	241	ST92902SC	248	ST97803ASC	265	ST97701SC	281
ST46481BU	165	ST70201AST	175	ST72023ST	186	ST93405SC	201	ST61101SC	208	ST61323SC	214	SC59237	226	SC81305	234	ST09163SJ	241	ST92903SC	248	ST97804ASC	265	ST97702SC	281
ST46482BU	165	ST70202AST	175	ST72024ST	186	ST93404ME	201	ST61102SC	208	ST61324SC	214	SC59238	226	SC81306	234	ST09162SJ	241	ST92904SC	248	ST97805ASC	265	ST97211	281
ST09043SJ	166	ST70203AST	175	ST72031ST	186	ST93405ME	201	ST61103SC	208	ST61325SC	214	SC59251	226	SC81307	234	ST09164SJ	241	ST92912ME	248	ST97807ASC	265	ST97212	281
ST46801ST	166	ST72302B-02	175	ST72032ST	186	ST93406ME	201	ST61104SC	208	ST61221SC	214	SC59253	226	SC81308A	234	SC90751	242	ST92913ME	248	ST97808ASC	265	ST97213	281
ST46802ST	166	ST70232ST	175	ST72033ST	186	ST93621ME	202	ST61105SC	208	ST61222SC	214	SC59254	226	SC81310	234	ST90762SC	242	ST91311E	251	ST97809ASC	265	ST97201	282
ST46803ST	166	ST70233ST	175	ST72034ST	186	ST93622ME	202	ST61106SC	208	ST61223SC	214	SC59255	226	SC81312	234	SC90771	242	ST91312E	251	ST97810ASC	265	ST97203	282
ST46804ST	166	ST70301AST	176	ST72041ST	187	ST93623ME	202	ST61107SC	208	ST61224SC	214	SC59256	226	SC81314	234	ST90772SC	242	ST91315E	251	ST97817SC	265	ST97204A	282
ST46805ST	166	ST70302AST	176	ST72042ST	187	ST93624ME	202	ST61002SC	208	ST61311SC	215	SC59257	226	SC81316	234	SC90753	242	ST91316E	251	ST97813SC	266	ST90501SC	283
ST46806ST	166	ST70303AST	176	ST72043ST	187	ST93625ME	202	ST61003SJ	209	ST61312SC	215	SC59258	226	ST09108SJ	234	SC90774	242	ST91317E	251	ST97813A	266	ST90504	283
ST46807ST	166	ST72203AST	176	ST72044ST	187	ST53301	202	ST09309SJ	209	ST61313SC	215	SC59415	227	ST09121SJ	235	SC90775	242	ST91318E	251	ST09401SJ	267	ST90502	283
ST46808ST	166	ST70331ST	176	ST97521ST	187	ST53302	202	ST09303ME	209	ST61314SC	215	SC59416	227	ST83105SC	235	SC90776	242	ST91322E	251	ST09405SJ	267	ST97221SC	283
ST46809ST	166	ST70332ST	176	ST91101	188	ST53303	202	ST63402SC	210	ST61315SC	215	SC59417	227	ST83106SC	235	SC90782	242	ST91323E	251	ST09402SJ	267	ST97222SC	283
ST46810ST	166	ST70333ST	176	ST91102ST	188	ST53304	202	ST63403SC	210	ST61211SC	215	SC59421	227	ST83107SC	235	SC90783	242	ST91312ME	251	ST09407SJ	267	ST95440	284
ST46811ST	166	ST70611AST	177	ST91104ST	188	ST53305	202	ST63404SC	210	ST61212SC	215	SC59422	227	ST83108SC	235	SC90784	242	ST91314ME	251	ST09406SJ	268	ST95441	284
ST46812ST	167	ST70612AST	177	ST91105ST	189	ST53306	202	ST63405SC	210	ST61213SC	215	SC59423	227	ST83110SC	235	SC90785	242	ST91316ME	251	ST97401ST	268	ST62501ST	284
ST46813ST	167	ST70613AST	177	ST91106ST	189	ST53307	202	ST63407SC	210	ST61214SC	215	SC59424	227	ST83112SC	235	ST90786SC	242	ST91317ME	251	ST97403ST	268	ST62502ST	284
ST46814ST	167	ST70614AST	178	ST91107ST	189	ST53308	202	ST63408SC	210	ST09347	216	SC59471	227	ST83113SC	235	ST92101SC	243	ST91333ME	253	ST97404ST	268	ST62601ST	285
ST46815ST	167	ST70615AST	178	ST03901ME	191	ST53309	202	ST63409SC	210	ST09603SJ	216	SC59472	227	ST83114SC	235	ST92104SC	243	ST91335ME	253	ST97405	268	ST62503ST	285
ST46816ST	167	ST70616AST	178	ST50402	191	ST53310	202	ST63410SC	210	ST09602SJ	216	SC59473	227	ST83116SC	235	ST92105SC	243	ST91336ME	253	ST97406	268	ST92568	287
ST46817ST	167	ST70141ST	179	ST91201ST	192	ST53311	202	ST63411SC	210	ST09341SJ	216	SC59474	227	ST09122SJ	235	ST92102SC	243	ST91361ME	253	ST09703SJ	268	ST92569	287
ST46902	167	ST70601ME	179	ST91202ST	192	ST53312	202	ST63412SC	210	ST09342SJ	217	SC59475	227	ST09123SJ	235	ST92103SC	243	ST91362ME	253	ST97407	269	ST95201ST	287
ST46904	167	ST70602ME	179	ST91212ST	192	ST53313	202	ST63413SC	210	ST09348	217	SC59476	227	ST83305SC	236	ST92106SC	243	ST91363ME	253	ST97427SC	269	ST11924ST	289
ST46905	167	ST70411ST	179	ST91213ST	192	ST53314	202	ST63414SC	210	ST09343SJ	217	ST09124SJ	229	ST83306SC	236	ST92312SC	244	ST91410ME	254	ST97428SC	269	ST64104	289
ST46906	167	ST70412ST	179	ST91108ST	192	ST53401	203	ST63415SC	210	ST09350	217	SC59477	227	ST83307SC	236	ST92313SC	244	ST91411ME	254	ST97431ME	269	ST64101	289
ST46909	167	ST70413ST	179	ST93101ST	193	ST53402	203	ST63416SC	210	ST09324SJ	219	SC80104	231	ST83308SC	236	ST92314SC	244	ST91412ME	254	ST97441ST	270	ST64102ST	289
ST46911	167	ST70414ST	179	ST93102ST	193	ST09303ESJ	205	ST63417SC	210	ST09326SJ	219	SC80105	231	ST83310SC	236	ST92315	244	ST91413ME	254	ST97422ST	270	ST64103	289
ST46912	167	ST70511ST	180	ST93103ST	193	ST09304ESJ	205	ST63502SC	211	ST03141ST	220	SC80106A	231	ST83312SC	236	ST92301	244	ST91421ME	254	ST97426ST	270	ST90433ST	290
SC47305	167	ST70512ST	180	ST93104ST	193	ST09306SJ	205	ST63503SC	211	ST09311SJ	220	SC80107A	231	ST83313SC	236	ST92302SC	244	ST91430ME	254	ST97451SC	271	ST90434ST	290
SC47308	167	ST70003U	180	ST93302ST	194	ST09305SJ	205	ST63504SC	211	ST03142	220	SC80108A	231	ST83314SC	236	ST92303SC	244	ST91431ME	254	ST97452SC	271	ST90435ST	290
ST47309ST	167	ST70711ST	180	ST93303ST	194	ST62202SC	206	ST63505SC	211	ST09312SJ	220	SC80110A	231	ST83316SC	236	ST92304SC	244	ST91432ME	254	ST01111	271	ST90436ST	290
SC47310	167	ST70721ST	180	ST93304ST	194	ST62203SC	206	ST63507SC	211	ST09314SJ	221	SC80112A	231	ST09101CHBSJ	236	ST92305	244	ST91501SC	256	ST01113C	271	ST70841SC	290
SC47312	167	ST72501ST	181	ST93305ST	194	ST62204SC	206	ST63508SC	211	ST09317SJ	221	SC80114A	231	ST09107CHBSJ	236	ST92322SC	245	ST91502SC	256	ST01119	272	ST70842SC	290
SC47313	167	ST72502ST	181	ST93306ST	194	ST62205SC	206	ST63509SC	211	ST09316SJ	221	SC80116A	231	ST09120SJ	238	ST92323SC	245	ST91503SC	256	ST01133SC	272	ST70843SC	290
SC47314	167	ST72503ST	181	ST93501SC	194	ST62207SC	206	ST63510SC	211	ST09313SJ	221	ST09102SJ	231	ST84318SC	238	ST92324SC	245	ST91511SC	256	ST97501SC	275	ST70845SC	290
SC47317	167	ST70642ST	181	ST93502ST	195	ST62208SC	206	ST63511SC	211	ST09315SJ	222	ST09103ASJ	232	ST84320SC	238	ST92308	245	ST91512SC	256	ST97502SC	275		
SC47319	167	ST70621ME	181	ST93503ST	195	ST62209SC	206	ST63512SC	211	ST09333SJ	222	SC80304	232	SC84321	238	ST92306SC	245	ST91521SC	256	ST48101ST	275		
SC47321	167	ST70622ME	181	ST93504ST	195	ST62210SC	206	ST63513SC	211	ST09332SJ	222	SC80305	232	ST84323SC	238	ST92307SC	245	ST91522SC	256	ST09704SJ	276		
SC47322	167	ST71101ST	182	ST93505ST	195	ST62211SC	206	ST63514SC	211	ST59273ST	224	SC80306	232	SC84322	238	ST92401SC	246	ST91531SC	257	ST09704ASJ	276		
SC47324	167	ST71102ST	182	ST93506ST	195	ST62212SC	206	ST63515SC	211	ST59274	224	SC80307	232	ST84325SC	238	ST92402SC	246	ST91532SC	257	ST09709SJ	276		
SC47325	167	ST71103ST	182	ST93507ST	195	ST62213SC	206	ST63516SC	211	ST59271ST	224	SC80308	232	ST84328	238	ST92403SC	246	ST91533SC	257	ST90623SC	277		
ST47403	168	ST71002	182	ST93508ST	195	ST62214SC	206	ST63517SC	211	ST59272ST	224	SC80310	232	SC84324	238	ST92404SC	246	ST91601ME	257	ST90624SC	277		
ST09084SJ	168	ST71202ST	182	ST93509ST	195	ST62215SC	206	ST66202SC	212	SC59221	225	SC80312	232	SC84329	238	ST92405SC	246	ST91602ME	257	ST90626SC	277		
ST46654ST	169	ST71203ST	182	ST93426SC	195	ST62216SC	206	ST66203SC	212	SC59222	225	SC80314	232	ST09701	238	ST92406SC	246	ST91603ME	257	ST90628SC	277		
ST46655ST	169	ST71301ST	183	ST93428SC	196	ST62217SC	206	ST66204SC	212	SC59223	225	SC80316	232	ST09702	239	ST92501	246	ST91604ME	257	ST90633SC	277		
ST46656ST	169	ST71302ST	183	ST93429	196	ST62302SC	207	ST66205SC	212	SC59224	225	ST09104SJ	232	SC84501	239	ST92502SC	246	ST91605ME	257	ST90634SC	277		
ST96211SC	171	ST71401SC	183	ST93482	196	ST62303SC	207	ST66206SC	212	SC59261	225	ST09105ASJ	233	SC84502	239	ST92503SC	246	ST91606ME	257	ST90636SC	277		
ST96212SC	171	ST71501SC	183	ST93486	197	ST62304SC	207	ST61603SC	212	SC59262	225	SC81104	233	SC84503	239	ST92504SC	246	ST91611ME	258	ST90638SC	277		
ST96311SC	171	ST71601SC	184	ST93441SC	197	ST62305SC	207	ST61605SC	212	SC59263	225	SC81105	233	SC84504	239	ST92505	246	ST91612ME	258	ST90640	277		
ST96312SC	171	ST71701SC	184	ST93442SC	197	ST62307SC	207	ST61606SC	212	SC59211	225	SC81106A	233	SC84505	239	ST92521SC	247	ST91613ME	258	ST90642	277		
ST96313SC	171	ST																					




Lifetime Warranty

All SATA Products (unless otherwise stated) are fully warranted against manufacturing default including faulty materials and workmanship, subjected to being used for its intended purpose and allowing for fair wear and tear.

Defective tools will be repaired and/or replaced at SATA's discretion free of charge. They should be held by buyers or returned for inspection to the factory upon request.

This Lifetime Warranty does not extend to products that have been improperly used, altered, abused or repaired by others. Rustiness after usage, electroplate desquamation, surface scraped or plastic handle damage are not within warranty range. Damage in the packaging is also out of warranty range.

Warranty Information



The obvious dent or electroplate desquamation indicates that a pipe wrench or hammer (or other form of "cheater") has been abused on this ratchet. Please use a larger size of ratchet to increase the leverage of any wrench.



The obvious slippage on socket end or crack on socket wall indicates that this impact tools has been used on this socket. When you are working with impact tools, please choose impact sockets with black coat.



The breach of handle, blade chip-off and bent shanks are the results of using screwdriver as a pry bar, punch or chisel.



Distort or breach on the wrench is also result of using the wrench as a pry bar. Please use the right pry bar for prying.

Authorized Distributor

Apex Tool Group B.V.
Phileas Foggstraat 16
7821 AK Emmen
The Netherlands
T. +31(0) 591 667 504
www.satatools.eu

Disclaimer

Specifications subject to change without notice.
SATA is a registered trademark of Apex Brands, Inc. | © 2022
HT1100 100ST / 04.22 B0 5.0